Strukturdiagramm

St	Vorkommen	Element
		Response
M	1 **..** 1	└ xsd:choice
M	**1 .. 1**	┬ **Exception**
M	1 **..** 1	└ xsd:sequence
O	**0 .. unbounded**	┬ **ExceptionDetail**
M	*required*	─ *ServiceParticipant*
M	*required*	─ *DomainName*
M	*required*	─ *ServiceName*
M	*required*	─ *Version*
M	*required*	─ *Operation*
M	*required*	─ *ExceptionClass*
M	*required*	─ *ExceptionID*
M	*required*	─ *ExceptionText*
M	*required*	─ *CAT_Severity*
M	*required*	─ *hasBeenLogged*
O	*optional*	─ *LogTargetList*
M	1 **..** 1	─ xsd:sequence
O	0 **..** unbounded	└ **Reference**
M	**1 .. 1**	┬ **createOrderResponse**
O	*optional*	─ *codeTableVersion*
M	*required*	─ *version*
O	*optional*	─ *testcase*
M	1 **..** 1	└ xsd:sequence
M	**1 .. 1**	┬ **Return**
M	1 **..** 1	└ xsd:sequence
M	1 **..** 1	└ **ReturnCode**
O	**0 .. unbounded**	┬ **ErrMsg**
M	1 **..** 1	└ xsd:sequence
O	0 **..** 1	─ **ErrDateTime**
O	0 **..** 1	─ **ErrCat**
M	1 **..** 1	─ **ErrCode**
O	0 **..** 1	└ **ErrDesc**
M	**1 .. 1**	┬ **MsgHeader**
M	1 **..** 1	└ xsd:sequence
O	0 **..** 1	─ **MsgFormat**
M	1 **..** 1	─ **MsgID**
O	0 **..** 1	─ **ODOCID**
M	1 **..** 1	─ **CreationDateTime**
M	1 **..** 1	─ **Receiver**
O	0 **..** 1	└ **CommunicationPartner**
O	**0 .. 1**	┬ **Origin**
M	1 **..** 1	└ xsd:sequence
M	1 **..** 1	─ **SystemName**
O	0 **..** 1	─ **SystemVersion**
O	0 **..** 1	└ **CertificationDate**
O	0 **..** 1	└ **FreeText**
O	**0 .. 1**	┬ **OrderHeader**
M	1 **..** 1	└ xsd:sequence
O	0 **..** 1	─ **ProductionState**
O	0 **..** 1	─ **ChangedAt**
M	1 **..** 1	─ **State**
O	*optional*	└ *final*

St = Status: M=Mandatory (Pflicht), O=Optional

Strukturdiagramm

St	Vorkommen		Element
O	0 .. 1		**AchievedDataQuality**
O	0 .. 1		**OrderCategory**
O	0 .. unbounded		**OrderCategoryGroup**
O	0 .. 1		**OrderID**
O	**0 .. unbounded**		**CustOrderID**
M	1 .. 1		xsd:sequence
M	1 .. 1		**CustID**
O	0 .. 1		**SystemName**
O	0 .. 1		**SystemID**
O	**0 .. 1**		**TotalAmount**
M	*required*		*value*
O	*optional*		*currency*
O	**0 .. unbounded**		**RefOrder**
M	1 .. 1		xsd:sequence
O	0 .. 1		**OrderID**
O	**0 .. unbounded**		**CustOrderID**
M	1 .. 1		xsd:sequence
M	1 .. 1		**CustID**
O	0 .. 1		**SystemName**
O	0 .. 1		**SystemID**

St = Status: M=Mandatory (Pflicht), O=Optional