

## Strukturdiagramm

St	Vorkommen	Element
<b>Request</b>		
M	1 .. 1	xsd:sequence
O	0 .. 1	<b>seekOrderRequest</b>
O	<i>optional</i>	codeTableVersion
M	<i>required</i>	version
O	<i>optional</i>	testcase
O	<i>optional</i>	maxResult
M	1 .. 1	xsd:sequence
M	1 .. 1	<b>MsgHeader</b>
M	1 .. 1	xsd:sequence
O	0 .. 1	<b>MsgSource</b>
O	0 .. 1	<b>MsgFormat</b>
O	0 .. 1	<b>User</b>
O	0 .. 1	<b>Password</b>
M	1 .. 1	<b>MsgID</b>
O	0 .. 1	<b>ODOCID</b>
M	1 .. 1	<b>CreationDateTime</b>
M	1 .. 1	<b>Receiver</b>
O	0 .. 1	<b>CommunicationPartner</b>
M	1 .. 1	<b>SubmitterSMS</b>
M	1 .. 1	xsd:sequence
M	1 .. 1	<b>CustID</b>
O	0 .. 1	<b>Name</b>
O	0 .. 1	<b>Address</b>
M	1 .. 1	xsd:sequence
O	0 .. 1	<b>StreetName</b>
O	0 .. 1	<b>StreetNumber</b>
O	0 .. 1	<b>District</b>
O	0 .. 1	<b>Zip</b>
O	0 .. 1	<b>CityName</b>
O	0 .. 1	<b>CC</b>
O	0 .. 1	<b>POBAddress</b>
M	1 .. 1	xsd:sequence
O	0 .. 1	<b>Zip</b>
O	0 .. 1	<b>CityName</b>
O	0 .. 1	<b>Postbox</b>
O	0 .. 1	<b>CC</b>
O	0 .. 1	<b>LargeCustZip</b>
O	0 .. unbounded	<b>Contact</b>
M	1 .. 1	xsd:sequence
O	0 .. 1	<b>FirstName</b>
O	0 .. 1	<b>LastName</b>
O	0 .. 1	<b>Role</b>
O	0 .. 1	<b>Position</b>
O	0 .. 1	<b>Department</b>
O	0 .. 1	<b>Address</b>
M	1 .. 1	xsd:sequence
O	0 .. 1	<b>StreetName</b>
O	0 .. 1	<b>StreetNumber</b>
O	0 .. 1	<b>District</b>
O	0 .. 1	<b>Zip</b>
O	0 .. 1	<b>CityName</b>

St = Status: M=Mandatory (Pflicht), O=Optional

## Strukturdiagramm

St	Vorkommen	Element
O	0 .. 1	CC
O	0 .. 1	POBAddress
M	1 .. 1	xsd:sequence
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	Postbox
O	0 .. 1	CC
O	0 .. 1	Email
O	0 .. 1	Phone
O	0 .. 1	Fax
M	1 .. 1	Origin
M	1 .. 1	xsd:sequence
M	1 .. 1	SystemName
O	0 .. 1	SystemVersion
O	0 .. 1	CertificationDate
O	0 .. 1	FreeText
O	0 .. 1	OrderHeader
M	1 .. 1	xsd:sequence
O	0 .. 1	OrderType
O	0 .. 1	State
O	optional	final
O	0 .. 1	Released
O	0 .. 1	AchievedDataQuality
O	0 .. 1	IsActive
O	0 .. 1	OrderDesc
O	0 .. 1	OrderLabel
O	0 .. 1	ChangedSince
O	0 .. 1	OrderCategory
O	0 .. unbounded	OrderCategoryGroup
O	0 .. 1	OrderID
O	0 .. unbounded	CustOrderID
M	1 .. 1	xsd:sequence
M	1 .. 1	CustID
O	0 .. 1	SystemName
O	0 .. 1	SystemID
O	0 .. unbounded	OtherAttribute
M	required	type
O	optional	value
O	0 .. 1	Parties
M	1 .. 1	xsd:sequence
O	0 .. 1	Originator
M	1 .. 1	xsd:sequence
M	1 .. 1	CustID
O	0 .. 1	Producer
M	1 .. 1	xsd:sequence
M	1 .. 1	CustID
O	0 .. 1	Submitter
M	1 .. 1	xsd:sequence
M	1 .. 1	CustID
O	0 .. 1	Payer
M	1 .. 1	xsd:sequence
O	0 .. 1	CustID

St = Status: M=Mandatory (Pflicht), O=Optional

## Strukturdiagramm

St	Vorkommen	Element
O	0 .. unbounded	Contract
M	1 .. 1	xsd:sequence
O	0 .. 1	ContractID
O	0 .. 1	ContractTypeCode
O	0 .. unbounded	OtherParty
M	1 .. 1	xsd:sequence
O	0 .. 1	Role
M	1 .. 1	CustID
O	0 .. 1	Induction
M	1 .. 1	xsd:sequence
O	0 .. 1	EarliestDateTime
O	0 .. 1	LatestDateTime

St = Status: M=Mandatory (Pflicht), O=Optional