

Ex no:3

Date: BOOK BANK SYSTEM

AIM:

To create a system to perform book bank operation

(I) PROBLEM STATEMENT:

A Book Bank lends books and magazines to member, who is registered in the system. Also it handles the purchase of new titles for the Book Bank. Popular titles are brought into multiple copies. Old books and magazines are removed when they are out of date or poor in condition. A member can reserve a book or magazine that is not currently available in the book bank, so that when it is returned or purchased by the book bank, that person is notified. The book bank can easily create, replace and delete information about the titles, members, loans and reservations from the system.

(II) SOFTWARE REQUIREMENTS

SPECIFICATION: 2.1 SOFTWARE

INTERFACE

- **Front End Client** - The Student and Librarian online interface is built using JSP and HTML. The Librarians local interface is built using Java.
- **Web Server** - Glassfish application server (Oracle Corporation).
- **Back End** - Oracle database

2.2 HARDWARE INTERFACE

The server is directly connected to the client systems. The client systems have access to the database in the server.

(III) USE-CASE DIAGRAM:




Fig 3. USE-CASE DIAGRAM FOR BOOK BANK SYSTEM

(IV) ACTIVITY DIAGRAM:




Fig.4. ACTIVITY DIAGRAM

(v) CLASS DIAGRAM:

The class diagram, also referred to as object modeling is the main static analysis diagram. The main task of object modeling is to graphically show what each object will do in the problem domain. The problem domain describes the structure and the relationships among objects.




Fig.5. CLASS DIAGRAM FOR BOOK BANK SYSTEM

(vi) SEQUENCE DIAGRAM:

A sequence diagram represents the sequence and interactions of a given USE-CASE or scenario. Sequence diagrams can capture most of the information about the system. Most object to object interactions and operations are considered events and events include signals, inputs, decisions, interrupts, transitions and actions to or from users or external devices.

An event also is considered to be any action by an object that sends information. The event line represents a message sent from one object to another, in which the “form” object is requesting an operation be performed

by the “to” object. The “to” object performs the operation using a method that the class contains.

It is also represented by the order in which things occur and how the objects in the system send message to one another.





Fig. 6.1. SEQUENCE DIAGRAM FOR DEPOSIT PROCESS


The diagrams show the pin no is entered and check the pin .Get no and validate password check the condition based on condition book issue and return are done. Pay the online and renewed.

(VII) PARTIAL LAYERD LOGICAL ARCHITECTURE DIAGRAM:



(VIII) DEPLOYMENT DIAGRAM AND COMPONENT DIAGRAM

Deployment diagrams are used to visualize the topology of the physical components of a system where the software components are deployed.



software components are deployed.

Fig.8.1.DEPLO

YMENT DIAGRAM

COMPONENT DIAGRAM

Component diagrams are used to visualize the organization and relationships




Fig.8.2.COMPONENT DIAGRAM

RESULT:

Thus the mini project for Book Bank System has been successfully executed and codes are generated.