

EX.NO: 1

INSTALLATION OF R PROGRAM AND IMPORT PACKAGES

AIM:

To install R and import essential packages in R.

PROCEDURE:

- o Install R from the official website: <https://cran.r-project.org/>
- o Install the required package(s) using `install.packages()` in R.
- o Use `library()` to load the package.

SOURCE CODE:

```
# To print the statement
```

```
message <- "HelloWorld!"
```

```
print(message)
```

```
# To include comment lines in the program
```


```
# Declare variable
```

```
age <- 35
```

```
# Print variable
```

```
print(age)
```

OUTPUT:



The screenshot shows the RStudio application window. The title bar reads 'RStudio'. The menu bar includes 'File', 'Edit', 'Code', 'View', 'Plots', 'Session', 'Build', 'Debug', 'Profile', 'Tools', and 'Help'. The toolbar contains icons for file operations (new, open, save, print) and a search bar labeled 'Go to file/function'. The 'Source' pane is active, displaying R code. The code defines a variable 'message' and prints it, then defines a variable 'age' and prints it. The output of the first print statement is visible in the console area below the code.

```
R 4.2.3 . ~/
> #To print the statement:
>   message="Hello world!"
>   print(message)
[1] "Hello world!"
> #To include comment line in the program:
>   #declare variable
>   age=35
>   #print variable
>   print(age)
[1] 35
> |
```

Result:

Thus, the basic R functions have been implemented successfully.

