

EX.NO: 2

IMPLEMENTATION OF DATA TYPES IN R

AIM:

To implement the basic data types in R programming.

PROCEDURE:

1. Define and Assign Values – Assign logical, numeric, integer, complex, and character values to variables.
2. Check Data Types – Use functions to verify the data type of each variable.
3. Execute the Program – Run the R script in RStudio or any R environment.
4. Verify Output – Observe and confirm the correct data types are displayed.

SOURCE CODE:

```
# Logical
```

```
a <- TRUE
```

```
print(class(a))
```

```
b <- FALSE
```

```
print(class(b))
```

```
# Numeric
```

```
height <- 163
```

```
print(class(height))
```

```
weight <- 73.4
```

```
print(class(weight))
```

```
# Integer
```

```
c <- 32L
```

```
print(class(c))
```

```
# Complex
```

```
d <- 3 + 2i
```

```
print(class(d))
```

```
# Character
```


```
character <- 'A'
```

```
print(class(character))
```

```
dept <- "MCA Department"
```

```
print(class(dept))
```

OUTPUT:



The screenshot shows the RStudio interface with the following code in the Source pane and its corresponding output in the Console pane:

```
R 4.2.3 . ~/
> #Logical
> a=TRUE
> print(class(a))
[1] "logical"
> b=FALSE
> print(class(b))
[1] "logical"
> #Numeric
> height= 163
> print(class(height))
[1] "numeric"
> weight= 73.4
> print(class(weight))
[1] "numeric"
> #Integer
> c=32L
> print(class(c))
[1] "integer"
> #Complex
> d=3+2i
> print(a)
[1] TRUE
> print(class(d))
[1] "complex"
> #Character
> character='A'
> print(class(character))
[1] "character"
> dept = "MCA Department"
> print(class(dept))
[1] "character"
>
```

RESULT:

Thus, the basic data types in R programming have been successfully implemented.