

# TM Forum Specification

## Customer Management

**TMF629**

<b>Maturity Level: General availability</b>	<b>Team Approved Date: 29-09-2023</b>
<b>Release Status: Production</b>	<b>Approval Status: Team Approved</b>
<b>Version 5.0.0</b>	<b>IPR Mode: RAND</b>

## NOTICE

Copyright © TM Forum 2023. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the [TM FORUM IPR Policy](#), must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Direct inquiries to the TM Forum office:

181 New Road, Suite 304  
Parsippany, NJ 07054, USA  
Tel No. +1 862 227 1648  
TM Forum Web Page: [www.tmforum.org](http://www.tmforum.org)

# Table of Contents

NOTICE .....	i
Introduction .....	1
Sample Use Cases .....	2
Support of polymorphism and extension patterns .....	3
RESOURCE MODEL .....	4
Managed Entity and Task Resource Models .....	4
Customer resource .....	4
Notification Resource Models .....	15
Customer State Change Event .....	16
Customer Attribute Value Change Event .....	17
Customer Delete Event .....	17
Customer Create Event .....	17
API OPERATIONS .....	19
Operations on Customer .....	19
Retrieves a Customer by ID .....	19
List or find Customer objects .....	20
Creates a Customer .....	22
Updates partially a Customer .....	24
Deletes a Customer .....	30
API NOTIFICATIONS .....	32
Register listener .....	32
Unregister listener .....	33
Publish Event to listener .....	33
Acknowledgements .....	35
Release History .....	35
Contributors to Document .....	36

# Introduction

The following document is the specification of the REST API for Customer Management. It includes the model definition as well as all available operations.

It provides a standardized mechanism for customer and customer account management such as creation, update, retrieval, deletion and notification of events.

Customer can be a person, an organization or another service provider who buys products from an enterprise. Customer management API allows management of identification and financial information about him.

Customer management API manages the following data resources:

- **Customer**

- Customer represents a person or organization that buys products and services from the enterprise or receives free offers or services. Customers can also be other service providers who resell the enterprises products, other service providers that lease the enterprise's resources for utilization by the other service provider's products and services, and so forth.
- Customer resource contains information about the customer. Main attributes are its identifier, name, status and validity, description, characteristics, contact medium, related customer account, related party, customer credit profile information

The customer management API performs the following operation on customer:

- Retrieval, creation, full or partial update and deletion of customers.

## API Dependencies

This API assumes that the information regarding customer *accounts* and *payment means* is obtained by accessing the *Account Management API*.

This API assumes that the information regarding related parties is obtained by accessing the *Party Management API*.

## Sample Use Cases

Reader will find example of use cases using API in “Open Digital Business Scenarios and Use Cases” document.

## Support of polymorphism and extension patterns

Support of polymorphic collections and types and schema based extension is provided by means of a list of generic meta-attributes that we describe below. Polymorphism in collections occurs when entities inherit from base entities, for instance a `BillingAccount` and `SettlementAccount` inheriting properties from the abstract `Account` entity.

Generic support of polymorphism and pattern extensions is described in the TMF API Guidelines, Part 2 (TMF630).

The `@type` attribute provides a way to represent the actual class type of an entity. For example, within a list of `Account` instances some may be instances of `BillingAccount` where other could be instances of `SettlementAccount`. The `@type` gives this information. All resources and sub-resources of this API have a `@type` attributes that can be provided when this is useful.

The `@referredType` can be used within reference entities (like for instance an `AccountRef` object) to explicitly denote the actual entity type of the referred class. Notice that in reference entities the `@type`, when used, denotes the class type of the reference itself, such as `BillingAccountRef` or `SettlementAccountRef`, and not the class type of the referred object. However since reference classes are rarely sub-classed, `@type` is generally not useful in reference objects.

The `@schemaLocation` property can be used in resources to allow specifying user-defined properties of an Entity or to specify the expected characteristics of an entity.


The `@baseType` attribute gives a way to provide explicitly the base of class of a given resource that has been extended.

# RESOURCE MODEL

## Managed Entity and Task Resource Models

### Customer resource

#### Resource model



Color	Description
	Resource (entry point)
	Sub-resource with details in separate diagram

(1) : Mandatory property

Figure 1 - Customer




Figure 2 - ContactMedium






Figure 3 - PartyRole

**Field descriptions****AccountRef sub-resource fields**

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

**AgreementRef sub-resource fields**

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

**Characteristic sub-resource fields**

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

**CharacteristicRelationship sub-resource fields**

id	A String. Unique identifier of the characteristic.
relationshipType	A String. The type of relationship.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

### ContactMedium sub-resource fields

contactType	A String. Type of the contact medium to qualify it like pro email / personal email. This is not used to define the contact medium used.
id	A String. Identifier for this contact medium.
preferred	A Boolean. If true, indicates that is the preferred contact medium.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

### CreditProfile sub-resource fields

creditProfileDate	A DateTime. The date the profile was established.
creditRiskRating	An Integer. This is an integer whose value is used to rate the risk.
creditScore	An Integer. A measure of a person or organizations creditworthiness calculated on the basis of a combination of factors such as their income and credit history.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

### EmailContactMedium sub-resource fields

contactType	A String. Type of the contact medium to qualify it like pro email / personal email. This is not used to define the contact medium used.
emailAddress	A String. Full email address in standard format.
id	A String. Identifier for this contact medium.
preferred	A Boolean. If true, indicates that is the preferred contact medium.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

### FaxContactMedium sub-resource fields

contactType	A String. Type of the contact medium to qualify it like pro email / personal email. This is not used to define the contact medium used.
faxNumber	A String. The fax number of the contact.
id	A String. Identifier for this contact medium.
preferred	A Boolean. If true, indicates that is the preferred contact medium.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

### GeographicAddressContactMedium sub-resource fields

city	A String. The city.
contactType	A String. Type of the contact medium to qualify it like pro email / personal email. This is not used to define the contact medium used.
country	A String. The country.
geographicAddress	A GeographicAddressRef. Reference to a Geographic Address.
id	A String. Identifier for this contact medium.
postCode	A String. Postcode.
preferred	A Boolean. If true, indicates that is the preferred contact medium.
stateOrProvince	A String. State or province.

street1	A String. Describes the street.
street2	A String. Complementary street description.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

### GeographicAddressRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

### PartyRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

### PartyRole sub-resource fields

account	An AccountRef. Account reference. A account may be a party account or a financial account.
---------	--

agreement	An AgreementRef. Agreement reference. An agreement represents a contract or arrangement, either written or verbal and sometimes enforceable by law, such as a service level agreement or a customer price agreement. An agreement involves a number of other business entities, such as products, services, and resources and/or their specifications.
characteristic	A Characteristic. Describes the characteristic of a party role.
contactMedium	A ContactMedium. Indicates the contact medium that could be used to contact the party.
creditProfile	A CreditProfile. Credit profile for the party (containing credit scoring, ...). By default only the current credit profile is retrieved. It can be used as a list to give the party credit profiles history, the first one in the list will be the current one.
description	A String. A description of the PartyRole.
engagedParty	A PartyRef. A Party reference.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. A word, term, or phrase by which the PartyRole is known and distinguished from other PartyRoles. It's the name of the PartyRole unique entity.
partyRoleSpecification	A PartyRoleSpecificationRef. Party role specification reference. A party role specification gives additional details on the part played by a party in a given context.
paymentMethod	A PaymentMethodRef. PaymentMethod reference. A payment method defines a specific mean of payment (e.g direct debit).
relatedParty	A RelatedPartyOrPartyRole. RelatedParty reference. A related party defines party or party role or its reference, linked to a specific entity.
role	A String. Role played by the engagedParty in this context. As role is defined by partyRoleSpecification, this role attribute can be used to precise the role defined by partyRoleSpecification, or it can be used to define the role in case there is no partyRoleSpecification.
status	A String. Used to track the lifecycle status of the party role.
statusReason	A String. A string providing an explanation on the value of the status lifecycle. For instance if the status is Rejected, statusReason will provide the reason for rejection.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

**PartyRoleSpecificationRef sub-resource fields**

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

**PaymentMethodRef sub-resource fields**

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

**PhoneContactMedium sub-resource fields**

contactType	A String. Type of the contact medium to qualify it like pro email / personal email. This is not used to define the contact medium used.
id	A String. Identifier for this contact medium.
phoneNumber	A String. The phone number of the contact.
preferred	A Boolean. If true, indicates that is the preferred contact medium.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

**RelatedPartyOrPartyRole sub-resource fields**

partyOrPartyRole	A PartyOrPartyRole.
role	A String. Role played by the related party or party role in the context of the specific entity it is linked to. Such as 'initiator', 'customer', 'salesAgent', 'user'.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

### SocialContactMedium sub-resource fields

contactType	A String. Type of the contact medium to qualify it like pro email / personal email. This is not used to define the contact medium used.
id	A String. Identifier for this contact medium.
preferred	A Boolean. If true, indicates that is the preferred contact medium.
socialNetworkId	A String. Identifier as a member of a social network.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

### Json representation sample(s)

We provide below a JSON representation as example of the 'Customer' resource object.

```
{
  "@type": "Customer",
  "href": "https://host:port/tmf-api/customerManagement/v5/customer/1140",
  "id": "1140",
  "name": "Moon Football Club",
  "status": "Approved",
  "statusReason": "Account details checked",
  "validFor": {
    "startDateTime": "2018-06-12T00:00:00Z",
    "endDateTime": "2019-01-01T00:00:00Z"
  },
  "engagedParty": {
    "href": "https://host:port/tmf-api/partyManagement/v5/organization/500",
    "id": "500",
    "name": "Happy Travellers",
    "@referredType": "Organization"
  },
  "account": [
    {

```



```

        "@type": "AccountRef",
        "href": "https://host:port/tmf-
api/settlementAccount/v5/settlementAccount/99807",
        "id": "99807",
        "@referredType": "SettlementAccount"
    },
    {
        "@type": "AccountRef",
        "href": "https://host:port/tmf-api/accountManagement/v5/account/8251",
        "id": "8251",
        "name": "Travel Account",
        "@referredType": "BillingAccount",
        "description": "Primary billing account"
    }
],
"paymentMethod": [
    {
        "@type": "PaymentMethodRef",
        "href": "https://host:port/tmf-
api/paymentMethods/v1/paymentMethod/9562",
        "id": "9562",
        "name": "professional payment",
        "@referredType": "CreditCardPayment"
    }
],
"contactMedium": [
    {
        "@type": "PhoneContactMedium",
        "preferred": true,
        "contactType": "homePhone",
        "validFor": {
            "startDateTime": "2018-06-12T00:00:00Z",
            "endDateTime": "2019-01-01T00:00:00Z"
        },
        "phoneNumber": "01 09 75 83 51"
    },
    {
        "@type": "GeographicAddressContactMedium",
        "preferred": false,
        "contactType": "homeAddress",
        "validFor": {
            "startDateTime": "2018-06-12T00:00:00Z",
            "endDateTime": "2019-01-01T00:00:00Z"
        },
        "city": "Paris",
        "country": "France",
        "postCode": "75014",
        "street1": "15 Rue des Canards"
    }
],
"creditProfile": [
    {
        "@type": "CreditProfile",
        "creditProfileDate": "2018-06-15T00:00:00Z",
        "creditRiskRating": 4,
        "creditScore": 5,
        "validFor": {
            "startDateTime": "2018-06-12T00:00:00Z",
            "endDateTime": "2019-01-01T00:00:00Z"
        }
    }
],
"agreement": [

```

```

    {
      "@type": "AgreementRef",
      "href": "https://host:port/tmf-
api/agreementManagement/v5/agreement/4721",
      "id": "4721",
      "name": "Summer Contract Agreement"
    }
  ],
  "relatedParty": [
    {
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "role": "bill receiver",
      "partyOrPartyRole": {
        "href": "https://host:port/tmf-
api/partyManagement/v5/organization/2777",
        "id": "2777",
        "name": "John Doe (Accounting) Ltd",
        "@referredType": "Organization"
      }
    }
  ]
}

```

## Notification Resource Models

4 notifications are defined for this API Notifications related to Customer: - CustomerCreateEvent - CustomerAttributeValueChangeEvent - CustomerStateChangeEvent - CustomerDeleteEvent The notification structure for all notifications in this API follow the pattern depicted by the figure below. A notification event resource (depicted by "SpecificEvent" placeholder) is a sub class of a generic Event structure containing at least an id of the event occurrence (eventId), an event timestamp (eventTime), and the name of the resource (eventType). This notification structure owns an event payload structure ("SpecificEventPayload" placeholder) linked to the resource concerned by the notification using the resource name as access field ("resourceName" placeholder).

4 notifications are defined for this API.

Notifications related to Customer:

- Customer State Change Event
- Customer Attribute Value Change Event
- Customer Delete Event
- Customer Create Event

The notification structure for all notifications in this API follow the pattern depicted by the figure below. A notification event resource (depicted by "SpecificEvent" placeholder) is a sub class of a generic Event structure containing at least an id of the event occurrence (eventId), an event timestamp (eventTime), and the name of the resource (eventType). This notification structure owns an event payload structure ("SpecificEventPayload" placeholder) linked to the resource concerned by the notification using the resource name as access field ("resourceName" placeholder).




Figure 4 Notification Pattern

## Customer State Change Event

Message example for CustomerStateChangeEvent Notification

```

Content-Type: application/json

{
  "@type": "CustomerStateChangeEvent",
  "priority": "high",
  "eventId": "b14f7023-e982-4c02-a0c1-9790ee991659",
  "eventTime": "2023-06-14T12:15:59.969746+02:00",
  "eventType": "CustomerStateChangeEvent",
  "event": {
    "customer": {
      "@type": "Customer",
      "href": "https://host:port/tmf-api/customerManagement/v5/customer/1140",
      "id": "1140",
      "status": "CreditCheckDone"
    }
  }
}
  
```

## Customer Attribute Value Change Event

Message example for CustomerAttributeValueChangeEvent Notification

```
Content-Type: application/json

{
  "@type": "CustomerAttributeValueChangeEvent",
  "eventId": "e3dac91d-a035-465f-afc5-d3b603b53ad2",
  "eventTime": "2018-06-12T00:00:00Z",
  "eventType": "CustomerAttributeValueChangeEvent",
  "event": {
    "customer": {
      "@type": "Customer",
      "href": "https://host:port/tmf-api/customerManagement/v5/customer/1140",
      "id": "1140",
      "engagedParty": {
        "@type": "PartyRef",
        "href": "https://host:port/tmf-api/partyManagement/v5/organization/236",
        "id": "236",
        "name": "Long Distance Travellers",
        "@referredType": "Organization"
      }
    }
  }
}
```

## Customer Delete Event

Message example for CustomerDeleteEvent Notification

```
Content-Type: application/json

{
  "@type": "CustomerDeleteEvent",
  "eventId": "63749ead-f133-4c64-b2ed-3a93a2a56999",
  "eventTime": "2023-06-14T12:15:59.969117+02:00",
  "eventType": "CustomerDeleteEvent",
  "event": {
    "customer": {
      "@type": "Customer",
      "id": "1140",
      "href": "https://host:port/tmf-api/customerManagement/v5/customer/1140"
    }
  }
}
```

## Customer Create Event

Message example for CustomerCreateEvent Notification

```
Content-Type: application/json

{
```

```

"@type": "CustomerCreateEvent",
"eventId": "3cc17ff9-d674-4b0a-ab50-06841b1fd574",
"eventTime": "2023-06-14T12:15:59.96747+02:00",
"eventType": "CustomerCreateEvent",
"event": {
  "customer": {
    "@type": "Customer",
    "href": "https://host:port/tmf-api/customerManagement/v5/customer/1140",
    "id": "1140",
    "name": "Moon Football Club",
    "status": "Created",
    "engagedParty": {
      "@type": "PartyRef",
      "href": "https://host:port/tmf-
api/partyManagement/v5/organization/500",
      "id": "500",
      "name": "Happy Travellers",
      "@referredType": "Organization"
    },
    "contactMedium": [
      {
        "@type": "PhoneContactMedium",
        "preferred": true,
        "contactType": "homePhone",
        "validFor": {
          "startDateTime": "2018-06-12T00:00:00Z",
          "endDateTime": "2019-01-01T00:00:00Z"
        },
        "phoneNumber": "01 09 75 83 51"
      },
      {
        "@type": "GeographicAddressContactMedium",
        "preferred": false,
        "contactType": "homeAddress",
        "validFor": {
          "startDateTime": "2018-06-12T00:00:00Z",
          "endDateTime": "2019-01-01T00:00:00Z"
        },
        "city": "Paris",
        "country": "France",
        "postCode": "75014",
        "street1": "15 Rue des Canards"
      }
    ],
    "relatedParty": [
      {
        "@type": "RelatedPartyRefOrPartyRoleRef",
        "role": "bill receiver",
        "partyOrPartyRole": {
          "@type": "PartyRef",
          "href": "https://host:port/tmf-
api/partyManagement/v5/organization/2777",
          "id": "2777",
          "name": "John Doe (Accounting) Ltd",
          "@referredType": "Organization"
        }
      }
    ]
  }
}

```

# API OPERATIONS

Remember the following Uniform Contract:

Operation on Entities	Uniform API Operation	Description
Query Entities	GET Resource	GET must be used to retrieve a representation of a resource.
Create Entity	POST Resource	POST must be used to create a new resource
Partial Update of an Entity	PATCH Resource	PATCH must be used to partially update a resource
Remove an Entity	DELETE Resource	DELETE must be used to remove a resource
Execute an Action on an Entity	POST on TASK Resource	POST must be used to execute Task Resources
Other Request Methods	POST on TASK Resource	GET and POST must not be used to tunnel other request methods.

Filtering and attribute selection rules are described in the TMF REST Design Guidelines.

Notifications are also described in a subsequent section.

## Operations on Customer

### Retrieves a Customer by ID

**GET** /customer/{id}?fields=...

#### Description

This operation retrieves a Customer entity. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

#### Usage samples

Here is an example of a request for retrieving a specific Customer.

#### Request

```
GET /customer/1140
Content-Type: application/json
```

#### Response

```
200
```

```

{
  "@type": "Customer",
  "href": "https://host:port/tmf-api/customerManagement/v5/customer/1140",
  "id": "1140",
  "name": "Moon Football Club",
  "status": "Created",
  "engagedParty": {
    "@type": "PartyRef",
    "href": "https://host:port/tmf-api/partyManagement/v5/organization/500",
    "id": "500",
    "name": "Happy Travellers",
    "@referredType": "Organization"
  },
  "contactMedium": [
    {
      "@type": "PhoneContactMedium",
      "preferred": true,
      "contactType": "homePhone",
      "validFor": {
        "startDateTime": "2018-06-12T00:00:00Z",
        "endDateTime": "2019-01-01T00:00:00Z"
      },
      "phoneNumber": "01 09 75 83 51"
    },
    {
      "@type": "GeographicAddressContactMedium",
      "preferred": false,
      "contactType": "homeAddress",
      "validFor": {
        "startDateTime": "2018-06-12T00:00:00Z",
        "endDateTime": "2019-01-01T00:00:00Z"
      },
      "city": "Paris",
      "country": "France",
      "postCode": "75014",
      "street1": "15 Rue des Canards"
    }
  ],
  "relatedParty": [
    {
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "role": "bill receiver",
      "partyOrPartyRole": {
        "@type": "PartyRef",
        "href": "https://host:port/tmf-api/partyManagement/v5/organization/2777",
        "id": "2777",
        "name": "John Doe (Accounting) Ltd",
        "@referredType": "Organization"
      }
    }
  ]
}

```

## List or find Customer objects

**GET** /customer?fields=...

### Description

This operation list Customer entities. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

## Usage samples

### Retrieving list of Customers

#### Request

```
GET /customer
Content-Type: application/json
```

#### Response

```
200

[
  {
    "@type": "Customer",
    "href": "https://host:port/tmf-api/customerManagement/v5/customer/1140",
    "id": "1140",
    "name": "Moon Football Club",
    "status": "Created",
    "engagedParty": {
      "@type": "PartyRef",
      "href": "https://host:port/tmf-api/partyManagement/v5/organization/500",
      "id": "500",
      "name": "Happy Travellers",
      "@referredType": "Organization"
    },
    "contactMedium": [
      {
        "@type": "PhoneContactMedium",
        "preferred": true,
        "contactType": "homePhone",
        "validFor": {
          "startDateTime": "2018-06-12T00:00:00Z",
          "endDateTime": "2019-01-01T00:00:00Z"
        },
        "phoneNumber": "01 09 75 83 51"
      },
      {
        "@type": "GeographicAddressContactMedium",
        "preferred": false,
        "contactType": "homeAddress",
        "validFor": {
          "startDateTime": "2018-06-12T00:00:00Z",
          "endDateTime": "2019-01-01T00:00:00Z"
        },
        "city": "Paris",
        "country": "France",
        "postCode": "75014",
        "street1": "15 Rue des Canards"
      }
    ],
    "relatedParty": [
      {
```



```

        "@type": "RelatedPartyRefOrPartyRoleRef",
        "role": "bill receiver",
        "partyOrPartyRole": {
            "@type": "PartyRef",
            "href": "https://host:port/tmf-
api/partyManagement/v5/organization/2777",
            "id": "2777",
            "name": "John Doe (Accounting) Ltd",
            "@referredType": "Organization"
        }
    }
}
]

```

## Creates a Customer

**POST** /customer?fields=...

### Description

This operation creates a Customer entity.

### Mandatory Attributes

Mandatory Attributes	Rule
engagedParty	
engagedParty.@type	
engagedParty.id	
name	
@type	

### Usage samples

Here is an example of a request for creating a specific Customer.

### Request

```

POST /customer
Content-Type: application/json

{
  "@type": "Customer",
  "name": "Moon Football Club",
  "engagedParty": {
    "@type": "PartyRef",
    "href": "https://host:port/tmf-api/partyManagement/v5/organization/500",
    "id": "500",
    "name": "Happy Travellers",
    "@referredType": "Organization"
  },
  "contactMedium": [
    {

```

```

    "@type": "PhoneContactMedium",
    "preferred": true,
    "contactType": "homePhone",
    "validFor": {
      "startDateTime": "2018-06-12T00:00:00Z",
      "endDateTime": "2019-01-01T00:00:00Z"
    },
    "phoneNumber": "01 09 75 83 51"
  },
  {
    "@type": "GeographicAddressContactMedium",
    "preferred": false,
    "contactType": "homeAddress",
    "validFor": {
      "startDateTime": "2018-06-12T00:00:00Z",
      "endDateTime": "2019-01-01T00:00:00Z"
    },
    "city": "Paris",
    "country": "France",
    "postCode": "75014",
    "street1": "15 Rue des Canards"
  }
],
"relatedParty": [
  {
    "@type": "RelatedPartyRefOrPartyRoleRef",
    "role": "bill receiver",
    "partyOrPartyRole": {
      "@type": "PartyRef",
      "href": "https://host:port/tmf-api/partyManagement/v5/organization/2777",
      "id": "2777",
      "name": "John Doe (Accounting) Ltd",
      "@referredType": "Organization"
    }
  }
]
}

```

## Response

```

201

{
  "@type": "Customer",
  "href": "https://host:port/tmf-api/customerManagement/v5/customer/1140",
  "id": "1140",
  "name": "Moon Football Club",
  "status": "Created",
  "engagedParty": {
    "@type": "PartyRef",
    "href": "https://host:port/tmf-api/partyManagement/v5/organization/500",
    "id": "500",
    "name": "Happy Travellers",
    "@referredType": "Organization"
  },
  "contactMedium": [
    {
      "@type": "PhoneContactMedium",
      "preferred": true,
      "contactType": "homePhone",

```

```

        "validFor": {
            "startDateTime": "2018-06-12T00:00:00Z",
            "endDateTime": "2019-01-01T00:00:00Z"
        },
        "phoneNumber": "01 09 75 83 51"
    },
    {
        "@type": "GeographicAddressContactMedium",
        "preferred": false,
        "contactType": "homeAddress",
        "validFor": {
            "startDateTime": "2018-06-12T00:00:00Z",
            "endDateTime": "2019-01-01T00:00:00Z"
        },
        "city": "Paris",
        "country": "France",
        "postCode": "75014",
        "street1": "15 Rue des Canards"
    }
],
"relatedParty": [
    {
        "@type": "RelatedPartyRefOrPartyRoleRef",
        "role": "bill receiver",
        "partyOrPartyRole": {
            "@type": "PartyRef",
            "href": "https://host:port/tmf-
api/partyManagement/v5/organization/2777",
            "id": "2777",
            "name": "John Doe (Accounting) Ltd",
            "@referredType": "Organization"
        }
    }
]
}

```

## Updates partially a Customer

**PATCH** /customer/{id}?fields=...

### Description

This operation allows partial updates of a Customer entity. Support of json/merge (<https://tools.ietf.org/html/rfc7386>) is mandatory, support of json/patch (<http://tools.ietf.org/html/rfc5789>) is optional. Note: If the update operation yields to the creation of sub-resources or relationships, the same rules concerning mandatory sub-resource attributes and default value settings in the POST operation applies to the PATCH operation. Hence these tables are not repeated here.

### Patchable and Non Patchable Attributes

Non Patchable Attributes	Rule
href	
id	
@baseType	@baseType is immutable

Non Patchable Attributes	Rule
@schemaLocation	@schemaLocation is immutable
@type	@type is immutable

Patchable Attributes	Rule
account	
agreement	
characteristic	
contactMedium	
creditProfile	
description	
engagedParty	
name	
partyRoleSpecification	
paymentMethod	
relatedParty	
role	
status	
statusReason	
validFor	

## Usage samples

Here is an example of a request for patching a customer.

### Request

```
PATCH /customer/{id}
Content-Type: application/json

{
  "@type": "Customer",
  "name": "Sun Football Club",
  "engagedParty": {
    "@type": "PartyRef",
    "href": "https://host:port/tmf-api/partyManagement/v5/organization/237",
    "id": "237",
    "name": "Another Long Distance Travellers",
    "@referredType": "Organization"
  }
}
```

### Response

200

```

{
  "@type": "Customer",
  "href": "https://host:port/tmf-api/customerManagement/v5/customer/1140",
  "id": "1140",
  "name": "Sun Football Club",
  "status": "Created",
  "engagedParty": {
    "@type": "PartyRef",
    "href": "https://host:port/tmf-api/partyManagement/v5/organization/237",
    "id": "237",
    "name": "Another Long Distance Travellers",
    "@referredType": "Organization"
  },
  "contactMedium": [
    {
      "@type": "PhoneContactMedium",
      "preferred": true,
      "contactType": "homePhone",
      "validFor": {
        "startDateTime": "2018-06-12T00:00:00Z",
        "endDateTime": "2019-01-01T00:00:00Z"
      },
      "phoneNumber": "01 09 75 83 51"
    },
    {
      "@type": "GeographicAddressContactMedium",
      "preferred": false,
      "contactType": "homeAddress",
      "validFor": {
        "startDateTime": "2018-06-12T00:00:00Z",
        "endDateTime": "2019-01-01T00:00:00Z"
      },
      "city": "Paris",
      "country": "France",
      "postCode": "75014",
      "street1": "15 Rue des Canards"
    }
  ],
  "relatedParty": [
    {
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "role": "bill receiver",
      "partyOrPartyRole": {
        "@type": "PartyRef",
        "href": "https://host:port/tmf-api/partyManagement/v5/organization/2777",
        "id": "2777",
        "name": "John Doe (Accounting) Ltd",
        "@referredType": "Organization"
      }
    }
  ]
}

```

Here is an example of a request for patching a customer.

## Request

```

PATCH /customer/{id}
Content-Type: application/merge-patch+json

{
  "@type": "Customer",
  "name": "Sun Football Club",
  "engagedParty": {
    "@type": "PartyRef",
    "href": "https://host:port/tmf-api/partyManagement/v5/organization/237",
    "id": "237",
    "name": "Another Long Distance Travellers",
    "@referredType": "Organization"
  }
}

```

## Response

```

200

{
  "@type": "Customer",
  "href": "https://host:port/tmf-api/customerManagement/v5/customer/1140",
  "id": "1140",
  "name": "Sun Football Club",
  "status": "Created",
  "engagedParty": {
    "@type": "PartyRef",
    "href": "https://host:port/tmf-api/partyManagement/v5/organization/237",
    "id": "237",
    "name": "Another Long Distance Travellers",
    "@referredType": "Organization"
  },
  "contactMedium": [
    {
      "@type": "PhoneContactMedium",
      "preferred": true,
      "contactType": "homePhone",
      "validFor": {
        "startDateTime": "2018-06-12T00:00:00Z",
        "endDateTime": "2019-01-01T00:00:00Z"
      },
      "phoneNumber": "01 09 75 83 51"
    },
    {
      "@type": "GeographicAddressContactMedium",
      "preferred": false,
      "contactType": "homeAddress",
      "validFor": {
        "startDateTime": "2018-06-12T00:00:00Z",
        "endDateTime": "2019-01-01T00:00:00Z"
      },
      "city": "Paris",
      "country": "France",
      "postCode": "75014",
      "street1": "15 Rue des Canards"
    }
  ],
  "relatedParty": [
    {

```

```

        "@type": "RelatedPartyRefOrPartyRoleRef",
        "role": "bill receiver",
        "partyOrPartyRole": {
            "@type": "PartyRef",
            "href": "https://host:port/tmf-
api/partyManagement/v5/organization/2777",
            "id": "2777",
            "name": "John Doe (Accounting) Ltd",
            "@referredType": "Organization"
        }
    }
]
}

```

Here is an example of a request for patching a customer.

### Request

```

PATCH /customer/{id}
Content-Type: application/json-patch+json

[
  {
    "op": "replace",
    "path": "/name",
    "value": "Sun Football Club"
  },
  {
    "op": "replace",
    "path": "/engagedParty",
    "value": {
      "@type": "PartyRef",
      "href": "https://host:port/tmf-api/partyManagement/v5/organization/237",
      "id": "237",
      "name": "Another Long Distance Travellers",
      "@referredType": "Organization"
    }
  }
]

```

### Response

```

200

{
  "@type": "Customer",
  "href": "https://host:port/tmf-api/customerManagement/v5/customer/1140",
  "id": "1140",
  "name": "Sun Football Club",
  "status": "Created",
  "engagedParty": {
    "@type": "PartyRef",
    "href": "https://host:port/tmf-api/partyManagement/v5/organization/237",
    "id": "237",
    "name": "Another Long Distance Travellers",
    "@referredType": "Organization"
  }
}

```

```

    },
    "contactMedium": [
      {
        "@type": "PhoneContactMedium",
        "preferred": true,
        "contactType": "homePhone",
        "validFor": {
          "startDateTime": "2018-06-12T00:00:00Z",
          "endDateTime": "2019-01-01T00:00:00Z"
        },
        "phoneNumber": "01 09 75 83 51"
      },
      {
        "@type": "GeographicAddressContactMedium",
        "preferred": false,
        "contactType": "homeAddress",
        "validFor": {
          "startDateTime": "2018-06-12T00:00:00Z",
          "endDateTime": "2019-01-01T00:00:00Z"
        },
        "city": "Paris",
        "country": "France",
        "postCode": "75014",
        "street1": "15 Rue des Canards"
      }
    ],
    "relatedParty": [
      {
        "@type": "RelatedPartyRefOrPartyRoleRef",
        "role": "bill receiver",
        "partyOrPartyRole": {
          "@type": "PartyRef",
          "href": "https://host:port/tmf-api/partyManagement/v5/organization/2777",
          "id": "2777",
          "name": "John Doe (Accounting) Ltd",
          "@referredType": "Organization"
        }
      }
    ]
  }
}

```

Here is an example of a request for patching a customer.

### Request

```

PATCH /customer/{id}
Content-Type: application/json-patch-query+json

[
  {
    "op": "replace",
    "path": "/contactMedium/preferred?city=Paris",
    "value": true
  }
]

```

### Response



200

```

{
  "@type": "Customer",
  "href": "https://host:port/tmf-api/customerManagement/v5/customer/1140",
  "id": "1140",
  "name": "Moon Football Club",
  "status": "Created",
  "engagedParty": {
    "@type": "PartyRef",
    "href": "https://host:port/tmf-api/partyManagement/v5/organization/236",
    "id": "236",
    "name": "Long Distance Travellers",
    "@referredType": "Organization"
  },
  "contactMedium": [
    {
      "@type": "PhoneContactMedium",
      "preferred": true,
      "contactType": "homePhone",
      "validFor": {
        "startDateTime": "2018-06-12T00:00:00Z",
        "endDateTime": "2019-01-01T00:00:00Z"
      },
      "phoneNumber": "01 09 75 83 51"
    },
    {
      "@type": "GeographicAddressContactMedium",
      "preferred": true,
      "contactType": "homeAddress",
      "validFor": {
        "startDateTime": "2018-06-12T00:00:00Z",
        "endDateTime": "2019-01-01T00:00:00Z"
      },
      "city": "Paris",
      "country": "France",
      "postCode": "75014",
      "street1": "15 Rue des Canards"
    }
  ],
  "relatedParty": [
    {
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "role": "bill receiver",
      "partyOrPartyRole": {
        "@type": "PartyRef",
        "href": "https://host:port/tmf-
api/partyManagement/v5/organization/2777",
        "id": "2777",
        "name": "John Doe (Accounting) Ltd",
        "@referredType": "Organization"
      }
    }
  ]
}

```

## Deletes a Customer

**DELETE** /customer/{id}

## Description

This operation deletes a Customer entity.

## Usage samples

This operation deletes a Customer resource.

## Request

```
DELETE /customer/1140
Content-Type: application/json
```

## Response

204

# API NOTIFICATIONS

For every single of operation on the entities use the following templates and provide sample REST notification POST calls.

It is assumed that the Pub/Sub uses the Register and UnRegister mechanisms described in the REST Guidelines reproduced below.

## Register listener

### POST /hub

#### Description

Sets the communication endpoint address the service instance must use to deliver information about its health state, execution state, failures and metrics. Subsequent POST calls will be rejected by the service if it does not support multiple listeners. In this case DELETE /api/hub/{id} must be called before an endpoint can be created again.

#### Behavior

Returns HTTP/1.1 status code 204 if the request was successful.

Returns HTTP/1.1 status code 409 if request is not successful.

#### Usage Samples

Here's an example of a request for registering a listener.

#### Request

```
POST /api/hub

Accept: application/json

{
  "callback": "http://in.listener.com"
}
```

#### Response

```
201

Content-Type: application/json

Location: /api/hub/42

{
  "id": "42",
  "callback": "http://in.listener.com",
  "query": ""
}
```

## Unregister listener

**DELETE** /hub/{id}

### Description

Clears the communication endpoint address that was set by creating the Hub..

### Behavior

Returns HTTP/1.1 status code 204 if the request was successful.

Returns HTTP/1.1 status code 404 if the resource is not found.

### Usage Samples

Here's an example of a request for un-registering a listener.

### Request

```
DELETE /api/hub/42  
  
Accept: application/json
```

### Response

```
204
```

## Publish Event to listener

**POST** /client/listener

### Description

Clears the communication endpoint address that was set by creating the Hub.

Provides to a registered listener the description of the event that was raised. The /client/listener url is the callback url passed when registering the listener.

### Behavior

Returns HTTP/1.1 status code 201 if the service is able to set the configuration.

### Usage Samples

Here's an example of a notification received by the listener. In this example "EVENT TYPE" should be replaced by one of the notification types supported by this API (see Notification resources Models section) and EVENT BODY refers to the data structure of the given notification type.

### Request

```
POST /client/listener

Accept: application/json

{
  "event": {
    EVENT BODY
  },
  "eventType": "EVENT_TYPE"
}
```

## Response

```
201
```

For detailed examples on the general TM Forum notification mechanism, see the TMF REST Design Guidelines.

# Acknowledgements

## Release History

Release Number	Date	Release led by:	Description
0.a	28/11/2013	Arindam Basu (Ericsson) Sudipta Dutta (Ericsson) Brinda Santh M (IBM) Hemant Gour (IBM) Shashank Singh (IBM) Vishal Aggarwal (IBM) Nitish Jaisoor (Infosys) Rajesh Gannaprapu (Infosys) Srinivasan Duraiswamy (Infosys) Veeramani K (Infosys)	Initial Spec prepared in the TMF Conference held at Bangalore, India (Nov 26 to Nov 28)
0.b	5/03/2014	Christian Traxler (Infonova) Alexander Sturn (Infonova) Gilbert Scheiblhofer (A1) Josh Salomon (Amdocs) Véronique Mauneau (Orange) Maxime Delon (Orange)	Extension of customer API mgmt. during Spec Jam held in Vienna, Austria
2.0	15/04/2016	Pierre Gauthier (TM Forum) Mariano Belaunde (Orange)	Regenerated from API Data Model and re-branded. Does not include any more accounting and payment mean resources since this is provided through the Accounting API.
3.0	24/04/2018	Mariano Belaunde (Orange)	Update to support Guidelines 3.0
Release 4.0	30/05/2019	Mariano Belaunde Orange Labs	Regeneration after schematization
Release 5.0	08/03/2023	Rajesh Sinha Jio Platforms Ltd	Regeneration after schematization
Release 5.0	16/06/2023	Uwe Sülter Sergei Lukin Deutsche Telekom	Migration to v5

## Contributors to Document

Veronique Mauneau	Orange
Jean-Luc Tymen	Orange
Mariano Belaunde	Orange
Pierre Gauthier	TM Forum
John Morey	Ciena
Cliff C Faurer	AMKB Cloud
Uwe Sülter	Deutsche Telekom
Sergei Lukin	Deutsche Telekom