

Noisy Lab Diagnostic

Interactive report generated by syslog-sizing-tool

Capture Window

**2025-11-19 04:00:00+00:00 →
2025-11-19 04:00:05+00:00**

Total Messages

800

Total Bytes

593,920 B

Dropped Events

180

Ratio 18.37%

Observed Talkers

3

Estimated Rates

Avg events/sec	160.00
Avg bytes/sec	118,784.00
Projected events/day	13,824,000

Projected GB/day

9.558

Message Size Percentiles

P50	512 B
P90	2,048 B
P95	2,048 B
P99	2,048 B

Top Talkers

SOURCE	MESSAGES	BYTES	TRAFFIC SHARE	ACTION
10.9.8.7	560	286,720	70.00%	Deduplicate or downsample
10.9.8.8	120	61,440	15.00%	Retain
10.9.10.5	120	245,760	15.00%	Retain

Suggested Patterns for Noisy Talkers

SOURCE	ANALYSIS				
10.9.8.7	EXAMPLE				
	PATTERN / EX	ABS. EVENTS	% TRAFFIC	EST. EPS	EST. MB/S
	^sensor\s+heartbeat\s+ok\$ Ex: sensor heartbeat ok	560	100.00%	112.0	0.055

Insights

Potential sampling bias

180 events (18.37%) were dropped because the ingest queue was saturated; percentile and talker estimates may under-report true volumes.

Confidence 92.00%

Signal-to-noise imbalance

Only 0.00% of events matched the configured keywords; consider refining collection rules.

Confidence 78.00%

Dominant noise source

10.9.8.7 produced 70.0% of traffic. Investigate chatty services or enable sampling.

Confidence 90.00%

Scaling Playground

Use the slider to experiment with device counts or log volume multipliers.

Device multiplier (1.0x)

1.0

Projected total messages

800

Baseline 800

Projected total bytes

593,920

Baseline 593,920

Avg events per second

160.00

Baseline 160.00

Avg bytes per second

118,784.00

Baseline 118,784.00

Projected events per day

13,824,000

Baseline 13,824,000

Projected GB per day

9.558

Baseline 9.558

Scaled talker load

SOURCE	BASLINE MESSAGES	SCALED MESSAGES	BASLINE BYTES	SCALED BYTES	ACTION
--------	---------------------	--------------------	------------------	-----------------	--------

Populated when talker data exists.

Generated from Noisy Lab Diagnostic