


Non-US Discovery System — Daily Performance Report

Report date: 2026-04-14 (UTC) Generated by scheduled task non-us-performance-report


Active scanners: lse_rns, tdnet, asx, sedar | Pending: hkex, kind, bse_nse, cvm, bmv | Signal log entries: 90 | Active candidate files: 5

1. Per-scanner activity by window



Scanner	Raw (7d)	Post-triage/processed (7d)	Immediate	Watchlist	Archive	Discard
lse_rns	25	2	2	14	0	0
tdnet	93	3	4	11	0	0
asx	149	59	5	17	37	0
sedar	0	0	0	0	0	0

Note: raw/processed counts are 7-day rolling (per-scan files in signals/raw and signals/*_processed.json). Routing breakdown is all-time entries in signal_log.json because current log contains only 2026-04-14 scans.




2. Endpoint uptime

Most recent probe recorded in **HEALTH_LOG.md**. With only one maintenance cycle present in the 7-day window, the uptime signal is binary (last probe ok / fail / missing).

Scanner	Last probe status	Schema	Uptime (7d)	Notes
lse_rns	200	ok	100%	healthy
tdnet	200	ok	100%	healthy
asx	200	ok	100%	healthy
sedar	—	no probe record	—	—
hkex	—	no probe record	n/a	module missing — Phase 5
kind	—	no probe record	n/a	module missing — Phase 6
bse_nse	—	no probe record	n/a	module missing — Phase 7
cvm	—	no probe record	n/a	module missing — Phase 8
bmw	—	no probe record	n/a	module missing — Phase 9

3. Signal-type distribution (top 10, last 7d)




Scanner	Top signal types (count)
lse_rns	takeover_firm_offer (1), major_shareholder_change (1)
tdnet	merger_agreement (2), tender_offer (1)
asx	substantial_holder_change (48), merger_agreement (4), trading_halt (3), results_items_impacting (1), trading_suspension (1)
sedar	—

4. Convergence engine activity (last 7d)

Hard-merges in 7-day window: **0** | Cross-listing dedup drops: **0**


No multi-strategy convergences recorded in the last 7 days. Expected: with only UK/Japan/Australia currently active, cross-exchange convergence requires a cross-listed issuer producing same-category filings on 2+ exchanges within a 14-day window.

5. Yield funnel (last 7d)



Scanner	Raw	Processed	Immediate	Raw→Immediate %
lse_rns	25	2	2	8.0%
tdnet	93	3	4	4.3%
asx	149	59	5	3.4%
sedar	0	0	0	—

6. Universe coverage (ASX)



ASX universe snapshot: **1980** total listed, **426** above the \$300M USD floor (as_of 2026-04-14T16:08:27Z). Signals generated last 7d: **59** → universe-hit ratio 13.8%. TTL 7 days — file age 0.32 days, no rebuild required.

Other active scanners (lse_rns, tdnet, sedar) query firehose / category endpoints and do not maintain a pre-filtered universe — universe-ratio metric only applies to ASX.

7. Code health

Module	Lines	Age (days since last edit)	Status
tools/lse_rns_scanner.py	453	0.4	present
tools/tdnet_scanner.py	318	0.1	present
tools/asx_scanner.py	351	0.3	present
tools/sedar_scanner.py	326	0.3	present
tools/hkex_scanner.py	—	—	missing (Phase 5)
tools/kind_scanner.py	—	—	missing (Phase 6)
tools/bse_nse_scanner.py	—	—	missing (Phase 7)
tools/cvm_scanner.py	—	—	missing (Phase 8)
tools/bmv_scanner.py	—	—	missing (Phase 9)

Open TODO/FIXME/XXX/HACK markers found in tools/: 0

No outstanding TODO/FIXME/XXX/HACK markers found in tools/.

8. Known limitations & pending coverage

Exchange	MIC	Status	ETA / Phase
Hong Kong HKEx	XHKG	STUB — module missing	Phase 5
Korea KIND	XKRX	STUB — module missing	Phase 6
India BSE/NSE	XBOM/XNSE	STUB — module missing	Phase 7
Brazil CVM	BVMF	STUB — module missing	Phase 8
Mexico BMV	XMEX	STUB — module missing	Phase 9
Canada SEDAR+	XTSE/XTSX	CODE COMPLETE, end-to-end run pending	Phase 4 (blocked on sandbox — see PHASE4_PROGRESS)

Additional known gotchas (from CLAUDE.md and HEALTH_LOG): (a) ASX boilerplate drop pile is dominated by substantial_holder_change churn — recommend adding a holder-size threshold filter to tools/asx_scanner.py. (b) yfinance auth: raw HTTP to /v7 and /v10 finance endpoints returns 401; use the yfinance library. (c) Alphanumeric JPX tickers (e.g. 469A0) require stripping the trailing char to 469A.T. (d) signal_log.json has `exchange` field null on all entries — cosmetic, `mic` is populated.