Logistics Test Case Audit

LIKHAE E-Commerce Platform • Logistics Management • Source-code inspection

31	8	23	FAIL
TOTAL TEST CASES	PASS	FAIL	OVERALL RESULT

Assessment basis

Results below reproduce the logistics source-code audit from the conversation. PASS indicates that the inspected code supports the requested behavior; FAIL indicates a missing feature, an incomplete workflow, or a mismatch with the stated test. These are not live browser results.

Results by module

Module	Total	Pass	Fail
Rider Management	7	2	5
Dispatch & Assignment	8	2	6
Hub & Warehouse Operations	7	4	3
Shipment Tracking & Exceptions	5	0	5
Returns (Return-to-Sender)	4	0	4
TOTAL	**31**	**8**	**23**

Temporary IDs were assigned to Dispatch (LOG-DISP), Hub (LOG-HUB), Tracking (LOG-TRACK), and RTS (LOG-RTS) cases because the provided tests did not contain IDs.

Complete test case results

TEST ID	TEST CASE	RESULT	CODE INSPECTION FINDINGS
RIDER MANAGEMENT			
LOG-RIDER-001	**Approve a rider**	FAIL	Approval verifies documents, changes status to ACTIVE, and records an audit entry. However, a functional rider Go Online/Offline control is missing; the rider UI uses a static online label.
LOG-RIDER-002	**Reject a rider with a reason**	PASS	Empty rejection reasons are blocked. A valid reason is stored, the application becomes REJECTED, and the rider receives a notification with the reason. Unapproved riders cannot access rider routes.
LOG-RIDER-003	**Suspend a rider with active jobs**	FAIL	Suspension updates rider/account status, notifies the rider, and creates an audit entry. Not-yet-picked-up assignments are not automatically returned to the unassigned queue, and Online/Offline availability is not maintained.
LOG-RIDER-004	**Suspend without a reason**	FAIL	An empty suspension reason is blocked, but there is no 10-character minimum. A nine-character reason is accepted.
LOG-RIDER-005	**Reactivate a rider**	FAIL	Reactivation restores rider and user status to ACTIVE and allows workspace access, but there is no functional Go Online action.
LOG-RIDER-006	**Rider status and workload**	FAIL	The rider list shows account status and active pickup assignments, but not functional availability or today's completed deliveries. The displayed capacity uses 10 parcels, not the specified three active jobs.

LOG-RIDER-007	**Cannot manage another company's rider**	**PASS**	Rider detail and moderation requests enforce logistics_center_id ownership. Cross-company access is rejected with HTTP 403.
DISPATCH & ASSIGNMENT			
LOG-DISP-001	**Auto-assign to nearest eligible rider**	**FAIL**	Auto-assignment ranks eligible riders by active pickup assignment count, not rider-to-seller distance. It does not check functional Online/Offline availability, so the nearest rider is not guaranteed to receive the first offer.
LOG-DISP-002	**Manual assign**	**FAIL**	Manual assignment creates an ASSIGNED rider assignment and records an event, but the pickup shipment remains READY_FOR_PICKUP instead of switching to a distinct Assigned shipment status, and the buyer timeline lacks an explicit assignment milestone.
LOG-DISP-003	**Offline or suspended rider not assignable**	**FAIL**	Suspended riders are excluded, and direct assignments validate status. Offline riders cannot be excluded because functional availability tracking is missing.
LOG-DISP-004	**Rider at the job limit**	**FAIL**	The implementation enforces a 10-parcel pickup limit (or configured approved capacity), not the specified three active jobs. A fourth job is not automatically rejected under the requested rule.
LOG-DISP-005	**Reassign before pickup**	**FAIL**	There is no dedicated reassignment action for active pickup batches. Attempting to place an assigned parcel into another batch is rejected; the original rider is not replaced and no reassignment timeline is generated.
LOG-DISP-006	**No reassign after pickup**	**PASS**	There is no reassignment control or corresponding route after pickup, so the attempted operation is unavailable/rejected. This supports the negative restriction only; pre-pickup reassignment is also missing.
LOG-DISP-007	**Bulk assignment over the limit**	**FAIL**	Bulk assignment uses a 10-parcel/configured capacity rule and rejects an oversized batch rather than assigning three and reporting two skipped. Partial assignment behavior is missing.
LOG-DISP-008	**Assign a parcel that is not ready**	**PASS**	The pickup queue includes READY_FOR_PICKUP shipments only. The backend validates the status and rejects parcels still in Packing/Preparing.
HUB & WAREHOUSE OPERATIONS			
LOG-HUB-001	**Inbound receiving by scan**	**PASS**	Inbound receiving validates tracking and moves a shipment to AT_SORTING_CENTER, with a timestamped event visible through tracking. The system labels the state “At Sorting Center” rather than “At Hub”.
LOG-HUB-004	**Duplicate scan**	**PASS**	A second inbound scan for a shipment already at AT_SORTING_CENTER is treated as already received and does not create a duplicate event.
LOG-HUB-005	**Parcel not in the system**	**PASS**	An unknown tracking number yields no matching parcel in the receiving flow and does not create a shipment. Direct access to a nonexistent shipment is rejected.
LOG-HUB-007	**Another company's parcel**	**PASS**	Receiving and shipment access enforce logistics-center ownership. Another center's parcel cannot be received or modified.
SHIPMENT TRACKING & EXCEPTIONS			

LOG-TRACK-001	**Search by tracking number, order ID, or buyer**	**FAIL**	Tracking lookup supports tracking_number only, not order ID or buyer name. Unknown numbers are handled safely and the database query uses parameter binding.
LOG-TRACK-002	**Manual override needs a reason**	**FAIL**	No logistics form or endpoint permits a reason-required manual status override from Out for Delivery to Delivered.
LOG-TRACK-003	**Override leaves an audit log**	**FAIL**	Ordinary shipment events record actors and timestamps, but there is no manual override action or dedicated audit entry with old/new status and the reason.
LOG-TRACK-004	**Mark a parcel Lost**	**FAIL**	LOST is not a supported shipment status. No Mark Lost action, buyer/seller notification, or claim/refund initiation was found.
LOG-TRACK-005	**Mark a parcel Damaged with a photo**	**FAIL**	DAMAGED is not a supported shipment status. No shipment damage workflow requires and stores supporting photographic evidence or sends the required notifications.
RETURNS (RETURN-TO-SENDER)			
LOG-RTS-001	**RTS queue after three failed attempts**	**FAIL**	Delivery attempts and reasons are recorded, but there is no automatic threshold of three failed attempts to place the shipment in an RTS queue. A rider can record RETURNED earlier.
LOG-RTS-002	**Deliver back to the seller**	**FAIL**	RETURNED is a supported shipment status, but the complete RTS queue, return-rider assignment, handover to seller, and seller-confirmation flow are missing.
LOG-RTS-003	**Stock restored only on seller confirmation**	**FAIL**	There is no dedicated seller RTS receipt-confirmation workflow that restores stock only after the seller acknowledges the returned parcel.
LOG-RTS-004	**Prepaid RTS refund and no earnings**	**FAIL**	The full prepaid RTS refund and corresponding seller-earnings exclusion are not implemented as specified.