

- report
- products
- categories

Teste Backend

report

GET generate

localhost:8000/report

Headers

admin_user_id 1

products

GET getAll

localhost:8000/products

Headers

admin_user_id 1

GET getOne

localhost:8000/products/10

Headers

admin_user_id 1

POST insertOne

localhost:8000/products

Headers

Content-Type application/json

admin_user_id 1

Body json

```
{
  "company_id": 1,
  "title": "nome do produto",
  "price": 123.4,
  "active": true,
  "category_id": 1
}
```

- report
- products
- categories

PUT updateOne

localhost:8000/products/19

Headers

Content-Type	application/json
admin_user_id	1

Body json

```
{
  "company_id": 1,
  "title": "nome do produto",
  "price": 123.4,
  "active": true,
  "category_id": 1
}
```

DELETE deleteOne

localhost:8000/products/19

Headers

admin_user_id	1
---------------	---

categories

GET getAll

localhost:8000/categories

Headers

admin_user_id	1
---------------	---

GET getOne

localhost:8000/categories/4

Headers

admin_user_id	1
---------------	---

POST insertOne

localhost:8000/categories

Headers

- report
- products
- categories

Content-Type	application/json
admin_user_id	1

Body json

```
{  "title": "nome da categoria",  "active": true}
```

PUT updateOne

localhost:8000/categories/7

Headers

Content-Type	application/json
admin_user_id	1

Body json

```
{  "title": "nome da categoria",  "active": true}
```

DELETE deleteOne

localhost:8000/categories/7

Headers

admin_user_id	1
---------------	---