

final-melhorado-v2

June 9, 2026

```
[1]: '''  
      Bibliotecas usadas  
      '''  
  
      import os  
      import re  
      import subprocess  
      import warnings  
      import numpy as np  
      import pandas as pd  
      from collections import Counter  
      from Bio import Entrez  
      from Bio import SeqIO  
      from Bio.Seq import Seq  
      from sklearn.model_selection import GroupShuffleSplit, StratifiedGroupKFold  
      from sklearn.metrics import (  
          classification_report,  
          roc_auc_score,  
          average_precision_score,  
          matthews_corrcoef,  
          f1_score,  
          precision_score,  
          recall_score,  
          balanced_accuracy_score,  
          confusion_matrix,  
          ConfusionMatrixDisplay,  
          roc_curve,  
          auc  
      )  
  
      from sklearn.ensemble import RandomForestClassifier  
      from sklearn.model_selection import cross_validate  
      from sklearn.svm import SVC  
      from sklearn.cluster import KMeans  
      from sklearn.preprocessing import StandardScaler  
      from xgboost import XGBClassifier  
      import matplotlib.pyplot as plt
```

```

import subprocess
import shap
import seaborn as sns
from sklearn.inspection import permutation_importance

warnings.filterwarnings("ignore")

print("Bibliotecas importadas")

```

Bibliotecas importadas

```

[2]: '''
    obtenção dos datasets
    '''

EMAIL = "marcela.leite@gmail.com.br"
OUTPUT_DIR = "pipelineV"
os.makedirs(OUTPUT_DIR, exist_ok=True)
Entrez.email = EMAIL

# =====
# QUERIES
# =====

POSITIVE_QUERY = r'''
("Solanum lycopersicum"[Organism] OR "Nicotiana benthamiana"[Organism] OR
↪ "Capsicum annuum"[Organism] OR "Arabidopsis thaliana"[Organism])
AND( TMV OR ToMV OR ToBRFV OR PMMoV OR TMGMV OR PVY OR PepYMV OR TEV OR PVA OR
↪ PVX OR TSWV OR GRSV OR TCSV OR CMV OR ToCV OR TICV OR AMV
OR "virus resistance" OR "antiviral" OR "RNA silencing" OR "RDR" OR
↪ "Dicer-like" OR "Argonaute" OR "AGO" OR "eIF4E" OR "R gene" OR "Sw-5" OR
↪ "Tm-2" OR "RCY1"
OR "Rx" OR "R protein" OR "NLR" OR "NBS-LRR" OR "NB-LRR" OR "TIR-NBS-LRR" OR
↪ "CC-NBS-LRR" OR "RLK" OR "RLP" OR "LRR receptor kinase"
OR "leucine rich repeat receptor kinase" OR "plant disease resistance protein"
↪ OR "disease resistance protein" OR "RPM1" OR "RPS2" OR "RPS4" OR "RPS5"
OR "RPP" OR "SNC1" OR "ADR1" OR "NDR1" OR "EDS1" OR "PAD4" )
NOT ( partial OR fragment OR hypothetical OR predicted OR DAP-seq OR
↪ "transcription factor" OR DNA-binding )
'''

#OR microtom
NEGATIVE_QUERY = r'''
( "Solanum lycopersicum"[Organism] OR "Nicotiana benthamiana"[Organism] OR
↪ "Capsicum annuum"[Organism] OR "Arabidopsis thaliana"[Organism])
AND ( "actin" OR "tubulin" OR "ribosomal protein" OR "ATP synthase" OR
↪ "photosystem" OR "elongation factor" OR "glycolysis" OR "metabolic enzyme" )
'''

```

```

NOT ( "virus resistance" OR "antiviral" OR "RNA silencing" OR "RDR" OR
↳ "Dicer-like" OR "Argonaute" OR "AGO" OR "eIF4E" OR "R gene" OR "Sw-5" OR
↳ "Tm-2"
OR "RCY1" OR "Rx" OR "R protein" OR "resistance" OR "NLR" OR "LRR" OR "immune"
↳ OR "virus" )
'''

# Dados dos transcriptomas
# incluí nos dados de treino
# ARABIDOPSIS_QUERY = '''
#     "Arabidopsis thaliana"[Organism] AND
#         (transcriptome OR RNA-Seq OR TSA OR leaf OR fruit OR root OR stress OR
↳ virus OR infected)
#     NOT (genome OR chromosome OR scaffold OR contig OR partial OR fragment
↳ OR microtom)
#     AND 1500:30000[Sequence Length]
#     '''

SOLANUM_BETACEUM = '''
    Solanum betaceum [Organism]
AND (transcriptome OR RNA-Seq OR TSA OR leaf OR fruit OR root OR stress OR
↳ virus OR infected)
    NOT (genome OR chromosome OR scaffold OR contig OR partial OR fragment
↳ OR microtom)
    AND 1500:30000[Sequence Length]
    '''

SOLANUM_MELONGENA = '''
    Solanum melongena [Organism]
AND (transcriptome OR RNA-Seq OR TSA OR leaf OR fruit OR root OR stress OR
↳ virus OR infected)
    NOT (genome OR chromosome OR scaffold OR contig OR partial OR fragment
↳ OR microtom)
    AND 1500:30000[Sequence Length]
    '''

TUBEROSUM_QUERY = '''
    Solanum tuberosum [Organism]
AND (transcriptome OR RNA-Seq OR TSA OR leaf OR fruit OR root OR stress OR
↳ virus OR infected)
    NOT (genome OR chromosome OR scaffold OR contig OR partial OR fragment
↳ OR microtom)
    AND 1500:30000[Sequence Length]
    '''

PHYSALIS_QUERY = '''

```

```

    "Physalis peruviana"[Organism] AND
        (transcriptome OR RNA-Seq OR TSA OR leaf OR fruit OR root OR stress OR_
↪virus OR infected)
        NOT (genome OR chromosome OR scaffold OR contig OR partial OR fragment OR_
↪microtom)
        AND 1500:30000[Sequence Length]
    '''

# =====
# DOWNLOAD NCBI
# =====

def baixar_proteinas_ncbi(query, output_fasta, max_records=10000):
    print("\n=====")
    print("DOWNLOAD NCBI")
    print("=====")
    handle = Entrez.esearch(
        db="protein",
        term=query,
        retmax=max_records
    )
    record = Entrez.read(handle)
    ids = record["IdList"]
    print(f"Proteínas encontradas: {len(ids)}")
    if len(ids) == 0:
        return
    handle = Entrez.efetch(
        db="protein",
        id=ids,
        rettype="fasta",
        retmode="text"
    )
    with open(output_fasta, "w") as f:
        f.write(handle.read())
    print(f"Arquivo salvo: {output_fasta}")

def baixar_transcriptoma(output_fasta, query):
    print("\n=====")
    print("DOWNLOAD TRANSCRIPTOMA")
    print("=====")
    handle = Entrez.esearch(
        db="nucleotide",
        term=query,
        retmax=10000
    )
    record = Entrez.read(handle)

```

```

ids = record["IdList"]
print(f"Transcritos encontrados: {len(ids)}")
handle = Entrez.efetch(
    db="nucleotide",
    id=ids,
    rettype="fasta",
    retmode="text"
)
with open(output_fasta, "w") as f:
    f.write(handle.read())
print(f"Arquivo salvo: {output_fasta}")

#Dados de Entrada - baixar arquivos FASTA das sequências de proteínas
POSITIVE_FASTA = f"{OUTPUT_DIR}/positive.fasta"
NEGATIVE_FASTA = f"{OUTPUT_DIR}/negative.fasta"

baixar_proteinas_ncbi(POSITIVE_QUERY, POSITIVE_FASTA)
baixar_proteinas_ncbi(NEGATIVE_QUERY, NEGATIVE_FASTA)

print("Arquivos salvos na pasta: ", OUTPUT_DIR)
print("===== FIM COLETA DE DADOS TREINO/VALIDAÇÃO =====")

```

```

=====
DOWNLOAD NCBI
=====
Proteínas encontradas: 6938
Arquivo salvo: pipelineV/positive.fasta

=====
DOWNLOAD NCBI
=====
Proteínas encontradas: 10000
Arquivo salvo: pipelineV/negative.fasta
Arquivos salvos na pasta: pipelineV
===== FIM COLETA DE DADOS TREINO/VALIDAÇÃO =====

```

[3]:

```

#Dados para aplicação - baixar transcriptomas - RNA-Seq
# transcriptoma_arabidopsis_fasta = (f"{OUTPUT_DIR}/arabidopsis_transcriptoma.
↪fasta")
transcriptoma_betaceum_fasta = (f"{OUTPUT_DIR}/betaceum_transcriptoma.fasta")
transcriptoma_melongena_fasta = (f"{OUTPUT_DIR}/melongena_transcriptoma.fasta")
transcriptoma_tuberosum_fasta = (f"{OUTPUT_DIR}/tuberosum_transcriptoma.fasta")
transcriptoma_physalis_fasta = (f"{OUTPUT_DIR}/physalis_transcriptoma.fasta")

```

```
# baixar_transcriptoma(transcriptoma_arabidopsis_fasta, ARABIDOPSIS_QUERY)
baixar_transcriptoma(transcriptoma_betaceum_fasta, SOLANUM_BETACEUM)
baixar_transcriptoma(transcriptoma_melongena_fasta, SOLANUM_MELONGENA)
baixar_transcriptoma(transcriptoma_tuberosum_fasta, TUBEROSUM_QUERY)
baixar_transcriptoma(transcriptoma_physalis_fasta, PHYSALIS_QUERY)
print("Arquivos salvos na pasta: ",OUTPUT_DIR)
print("===== FIM COLETA DE DADOS APLICAÇÃO =====")
```

```
=====
DOWNLOAD TRANSCRIPTOMA
=====
Transcritos encontrados: 0
Arquivo salvo: pipelineV/betaceum_transcriptoma.fasta

=====
DOWNLOAD TRANSCRIPTOMA
=====
Transcritos encontrados: 8589
Arquivo salvo: pipelineV/melongena_transcriptoma.fasta

=====
DOWNLOAD TRANSCRIPTOMA
=====
Transcritos encontrados: 300
Arquivo salvo: pipelineV/tuberosum_transcriptoma.fasta

=====
DOWNLOAD TRANSCRIPTOMA
=====
Transcritos encontrados: 10000
Arquivo salvo: pipelineV/physalis_transcriptoma.fasta
Arquivos salvos na pasta: pipelineV
===== FIM COLETA DE DADOS APLICAÇÃO =====
```

```
[4]: '''
    Tratamento dos dados
        - Criar Dataframes com os conjuntos de dados de treino e validação
        - Executar CD-Hit para eliminar sequencias muito semelhantes
        - Extração de atributos (features)

    '''

# =====
# AAC
# =====
# composição de aminoácidos - transformar a proteína em dados numéricos
```

```

# conta a frequência de cada aminoácido em uma sequência de proteína
# como são 20 aminoácidos possíveis, irá gerar 20 features com seus percentuais
# com essa frequência consegue ter um parâmetro para distinguir as proteínas
# por exemplo proteínas de resistência tem geralmente certa frequência de
↳ aminoácidos

# mas ignora a ordem - por isso a sequência de dipeptídeos irá incrementar o
↳ modelo considerando a ordem

# sequência de 20 aminoácidos
AMINO_ACIDOS = list("ACDEFGHIKLMNPQRSTVWY")

motifs = {
    # "P_LOOP": r"[A-Z]G[A-Z]{4}GK[ST]",
    # "GLPL": r"GLPL",
    # "MHD": r"MHD"

    # # novos motifs
    # "KINASE2": r"[LIVM]{3,4}DD[VLIM]",
    # "RNBS_A": r"FDLxKxWVSVSD",
    # "RNBS_B": r"[A-Z]{2}G[PH][A-Z]{2}",
    # "RNBS_C": r"[A-Z]{2}P[A-Z]{2}W",
    # "RNBS_D": r"CFLYCALFPED",
    # "VVVLDDVW": r"VVVLDDVW"
    # "P_LOOP": r"[A-Z]G[A-Z]{4}GK[ST]",
    # "P_LOOP": r"G[PAST][A-Z]{4}GK[ST]",
    "P_LOOP": r"G[A-Z]{4}GK[ST]",
    # "KINASE2": r"[LIVM]{3,5}DD",
    "KINASE2": r"[LIVM]{4}DD[VIL]",
    "RNBS_A": r"FDL",
    "RNBS_B": r"G[RK]G",
    "RNBS_C": r"[A-Z]{2}P[A-Z]{2}W",
    "GLPL": r"GLPL",
    "RNBS_D": r"CFL",
    "MHD": r"MHD"
}

def calcular_aac(seq):
    seq = seq.upper()
    total = len(seq)
    if total == 0:
        return [0] * len(AMINO_ACIDOS)
    counts = Counter(seq)
    return [
        counts.get(aa, 0) / total
        for aa in AMINO_ACIDOS
    ]

# =====

```

```

# DIPEPTÍDEOS
# =====
'''
encontrar pares de aminoácidos consecutivos em uma sequência proteica □
↳-sequência de dois aminoácidos
considera a ordem dos aminoácidos
há certos padrões comuns para
para 20 aminoácidos, há possibilidade de  $20 \times 20 = 400$  dipeptídeos - features
'''

DIPEPTIDES = [
    a + b
    for a in AMINO_ACIDOS
    for b in AMINO_ACIDOS
]

def calcular_dipeptídeos(seq):
    seq = seq.upper()
    total = len(seq) - 1
    if total <= 0:
        return [0] * len(DIPEPTIDES)
    counts = Counter([
        seq[i:i+2]
        for i in range(total)
    ])
    return [
        counts.get(dp, 0) / total
        for dp in DIPEPTIDES
    ]

def localizar_motivos(seq):
    posicoes = {}
    for nome, pattern in motifs.items():
        match = re.search(pattern, seq)

        if match:
            posicoes[nome] = match.start()
        else:
            posicoes[nome] = None

    return posicoes

def calcular_distancias(posicoes):

    def distancia(a, b):
        if posicoes[a] is None or posicoes[b] is None:

```

```

        return -1
    return posicoes[b] - posicoes[a]

    return {
        "dist_ploop_kinase2": distancia("P_LOOP", "KINASE2"),
        "dist_kinase2_glpl": distancia("KINASE2", "GLPL"),
        "dist_glpl_mhd": distancia("GLPL", "MHD")
    }

def contar_motivos(posicoes):
    return sum(
        1 for v in posicoes.values()
        if v is not None
    )

def extrair_motifs(seq):

    return [
        int(bool(re.search(pattern, seq)))
        for pattern in motifs.values()
    ]

# =====
# FEATURES - atributos
# =====
#calculando features
def extrair_features_proteina(seq):
    seq = re.sub(r"[^ACDEFGHIKLMNPQRSTVWY]", "", seq)
    if len(seq) < 50:
        return None
    features = []
    features.append(len(seq)) # 1 - comprimento da cadeia
    features.extend(calcular_aac(seq)) # 20 composição de aminoácidos -
    ↪ frequência de cada um na sequência
    features.extend(calcular_dipeptideos(seq)) #400 possibilidades - considera
    ↪ a ordem dos aminoácidos para buscar os mais frequentes em proteínas de
    ↪ resistência

    features.extend(extrair_motifs(seq))
    # posições dos motivos
    posicoes = localizar_motivos(seq)
    # número de motivos encontrados
    num_motifs_detectados = contar_motivos(posicoes)
    # distâncias entre motivos
    distancias = calcular_distancias(posicoes)

```

```

features.append(num_motifs_detectados)
protein_length = len(seq)

features.append(distancias["dist_ploop_kinase2"])
features.append(distancias["dist_kinase2_glpl"])
features.append(distancias["dist_glpl_mhd"])

features.append(
    distancias["dist_ploop_kinase2"]/protein_length
    if distancias["dist_ploop_kinase2"] != -1 else -1
)
features.append(
    distancias["dist_kinase2_glpl"]/protein_length
    if distancias["dist_kinase2_glpl"] != -1 else -1
)
features.append(
    distancias["dist_glpl_mhd"]/protein_length
    if distancias["dist_glpl_mhd"] != -1 else -1
)

features.append(int(posicoes["P_LOOP"] is not None))
features.append(int(posicoes["KINASE2"] is not None))
features.append(int(posicoes["GLPL"] is not None))
features.append(int(posicoes["MHD"] is not None))

return features

# =====
# DATASET
# =====
motif_cols = [
    "P_LOOP",
    "KINASE2",
    "RNBS_A",
    "RNBS_B",
    "RNBS_C",
    "GLPL",
    "RNBS_D",
    "MHD"
]

def criar_dataset(positive_fasta, negative_fasta):
    data = []
    columns = (
        ["protein_length"]
        + [f"AAC_{aa}" for aa in AMINO_ACIDOS]

```

```

+ [f"DIPEP_{dp}" for dp in DIPEPTIDES]
+ motif_cols
+ ["num_motifs_detectados"]
+ ["dist_ploop_kinase2"]
+ ["dist_kinase2_glpl"]
+ ["dist_glpl_mhd"]
+ ["dist_ploop_kinase2_norm"]
+ ["dist_kinase2_glpl_norm"]
+ ["dist_glpl_mhd_norm"]
+ ["has_ploop"]
+ ["has_kinase2"]
+ ["has_glpl"]
+ ["has_mhd"]
)

# POSITIVOS
for record in SeqIO.parse(positive_fasta, "fasta"):
    seq = str(record.seq)
    feats = extrair_features_proteina(seq)
    if feats is None:
        continue
    row = feats + [1, record.id]
    data.append(row)

# NEGATIVOS
for record in SeqIO.parse(negative_fasta, "fasta"):
    seq = str(record.seq)
    feats = extrair_features_proteina(seq)
    if feats is None:
        continue
    row = feats + [0, record.id]
    data.append(row)

df = pd.DataFrame(
    data,
    columns=columns + ["target", "id"]
)

print("\nTotal de Features/Atributos:", len(columns)) # quantidade
print("\nFeatures/atributos:")
print(columns)
return df, columns

# CD-Hit
# chama o programa CD-HIT do sistema operacional
def executar_cdhit(
    input_fasta,
    output_fasta,

```

```

        identity=0.7  #0.5
):
    cmd = [
        "cd-hit",
        "-i", input_fasta,
        "-o", output_fasta,
        "-c", str(identity),
        "-n", "5",
        "-M", "30000",
        "-T", "4"
    ]

    print("\nExecutando CD-HIT...")
    subprocess.run(cmd, check=True)
    print("CD-HIT concluído.")

def limpar(seq_id):
    seq_id = seq_id.strip()
    seq_id = seq_id.split()[0]
    return seq_id

def ler_clusters_cdhit(cluster_file):
    clusters = {}
    cluster_id = None
    with open(cluster_file) as f:
        for line in f:
            line = line.strip()
            if line.startswith(">Cluster"):
                cluster_id = line.replace(">Cluster ", "")
                clusters[cluster_id] = []
            else:
                seq_id = line.split(">")[1].split("...")[0]
                seq_id = limpar(seq_id)
                clusters[cluster_id].append(seq_id)
    return clusters

# executa o CD-Hit nos arquivos baixados
executar_cdhit(
    POSITIVE_FASTA,
    f"{OUTPUT_DIR}/positive_nr.fasta",
    identity=0.7
)

executar_cdhit(
    NEGATIVE_FASTA,
    f"{OUTPUT_DIR}/negative_nr.fasta",
    identity=0.7
)

```

```

)
# =====
# Montar os DATASETS
# =====

POSITIVE_FASTA = f"{OUTPUT_DIR}/positive_nr.fasta"
NEGATIVE_FASTA = f"{OUTPUT_DIR}/negative_nr.fasta"

df, columns = criar_dataset(
    POSITIVE_FASTA,
    NEGATIVE_FASTA
)

df["id"] = df["id"].apply(limpar)
# =====
# CLUSTERS
# =====

clusters_pos = ler_clusters_cdhit(
    f"{OUTPUT_DIR}/positive_nr.fasta.clstr"
)

clusters_neg = ler_clusters_cdhit(
    f"{OUTPUT_DIR}/negative_nr.fasta.clstr"
)

cluster_map = {}

for c, seqs in clusters_pos.items():
    for s in seqs:
        cluster_map[s] = f"POS_{c}"

for c, seqs in clusters_neg.items():
    for s in seqs:
        cluster_map[s] = f"NEG_{c}"

df["cluster"] = df["id"].map(cluster_map)

print("\n Clusters ausentes: ")
print(df["cluster"].isna().sum())
df = df.dropna(subset=["cluster"])

print("\nDataset:", df.shape)

print("Fim tratamento dos dados...")

```

Executando CD-HIT...

Program: CD-HIT, V4.8.1 (+OpenMP), Aug 20 2021, 08:39:56

Command: cd-hit -i pipelineV/positive.fasta -o
pipelineV/positive_nr.fasta -c 0.7 -n 5 -M 30000 -T 4

Started: Tue Jun 9 10:32:22 2026

Output

total seq: 6938
longest and shortest : 2691 and 12
Total letters: 5180997
Sequences have been sorted

Approximated minimal memory consumption:

Sequence : 6M
Buffer : 4 X 11M = 44M
Table : 2 X 65M = 130M
Miscellaneous : 0M
Total : 181M

Table limit with the given memory limit:

Max number of representatives: 4000000
Max number of word counting entries: 3727293381

comparing sequences from 0 to 1156
----- new table with 272 representatives
comparing sequences from 1156 to 2119
----- 219 remaining sequences to the next cycle
----- new table with 182 representatives
comparing sequences from 1900 to 2739
----- 225 remaining sequences to the next cycle
----- new table with 100 representatives
comparing sequences from 2514 to 3251
----- 243 remaining sequences to the next cycle
----- new table with 100 representatives
comparing sequences from 3008 to 3663
----- 203 remaining sequences to the next cycle
----- new table with 100 representatives
comparing sequences from 3460 to 4039
----- 237 remaining sequences to the next cycle
----- new table with 100 representatives
comparing sequences from 3802 to 4324
----- 198 remaining sequences to the next cycle
----- new table with 100 representatives
comparing sequences from 4126 to 4594
...----- new table with 99 representatives

```

# comparing sequences from      4594  to      4984
-----      19 remaining sequences to the next cycle
----- new table with      100 representatives
# comparing sequences from      4965  to      5293
-----      35 remaining sequences to the next cycle
----- new table with      100 representatives
# comparing sequences from      5258  to      5538
...----- new table with      74 representatives
# comparing sequences from      5538  to      5771
...----- new table with      63 representatives
# comparing sequences from      5771  to      5965
...----- new table with      79 representatives
# comparing sequences from      5965  to      6938
...----- new table with      234 representatives

```

6938 finished 1703 clusters

Approximated maximum memory consumption: 186M
writing new database
writing clustering information
program completed !

Total CPU time 1.76
CD-HIT concluído.

Executando CD-HIT...

```

=====
Program: CD-HIT, V4.8.1 (+OpenMP), Aug 20 2021, 08:39:56
Command: cd-hit -i pipelineV/negative.fasta -o
         pipelineV/negative_nr.fasta -c 0.7 -n 5 -M 30000 -T 4

```

Started: Tue Jun 9 10:32:23 2026

```

=====
                        Output
-----

```

```

total seq: 9992
longest and shortest : 5098 and 13
Total letters: 2771330
Sequences have been sorted

```

Approximated minimal memory consumption:

```

Sequence      : 4M
Buffer        : 4 X 11M = 46M
Table         : 2 X 65M = 131M
Miscellaneous  : 0M
Total         : 181M

```

Table limit with the given memory limit:

Max number of representatives: 4000000
Max number of word counting entries: 3727253824

```
# comparing sequences from      0  to      1665
.----- new table with      453 representatives
# comparing sequences from      1665  to      3052
-----  900 remaining sequences to the next cycle
----- new table with      100 representatives
# comparing sequences from      2152  to      3458
-----  740 remaining sequences to the next cycle
----- new table with      100 representatives
# comparing sequences from      2718  to      3930
-----  866 remaining sequences to the next cycle
----- new table with      100 representatives
# comparing sequences from      3064  to      4218
-----  623 remaining sequences to the next cycle
----- new table with      100 representatives
# comparing sequences from      3595  to      4661
-----  461 remaining sequences to the next cycle
----- new table with      100 representatives
# comparing sequences from      4200  to      5165
-----  418 remaining sequences to the next cycle
----- new table with      100 representatives
# comparing sequences from      4747  to      5621
-----  254 remaining sequences to the next cycle
----- new table with      100 representatives
# comparing sequences from      5367  to      6137
-----  203 remaining sequences to the next cycle
----- new table with      100 representatives
# comparing sequences from      5934  to      6610
...----- new table with      83 representatives
# comparing sequences from      6610  to      7173
...----- new table with      49 representatives
# comparing sequences from      7173  to      7642
...----- new table with      39 representatives
# comparing sequences from      7642  to      8033
...----- new table with      47 representatives
# comparing sequences from      8033  to      8359
...----- new table with      27 representatives
# comparing sequences from      8359  to      8631
99.6%----- new table with      12 representatives
# comparing sequences from      8631  to      8857
100.0%----- new table with      10 representatives
# comparing sequences from      8857  to      9046
...----- new table with      15 representatives
# comparing sequences from      9046  to      9992
...----- new table with      24 representatives
```

9992 finished 1559 clusters

Approximated maximum memory consumption: 185M
writing new database
writing clustering information
program completed !

Total CPU time 0.69
CD-HIT concluído.

Total de Features/Atributos: 440

Features/atributos:

['protein_length', 'AAC_A', 'AAC_C', 'AAC_D', 'AAC_E', 'AAC_F', 'AAC_G',
'AAC_H', 'AAC_I', 'AAC_K', 'AAC_L', 'AAC_M', 'AAC_N', 'AAC_P', 'AAC_Q', 'AAC_R',
'AAC_S', 'AAC_T', 'AAC_V', 'AAC_W', 'AAC_Y', 'DIPEP_AA', 'DIPEP_AC', 'DIPEP_AD',
'DIPEP_AE', 'DIPEP_AF', 'DIPEP_AG', 'DIPEP_AH', 'DIPEP_AI', 'DIPEP_AK',
'DIPEP_AL', 'DIPEP_AM', 'DIPEP_AN', 'DIPEP_AP', 'DIPEP_AQ', 'DIPEP_AR',
'DIPEP_AS', 'DIPEP_AT', 'DIPEP_AV', 'DIPEP_AW', 'DIPEP_AY', 'DIPEP_CA',
'DIPEP_CC', 'DIPEP_CD', 'DIPEP_CE', 'DIPEP_CF', 'DIPEP_CG', 'DIPEP_CH',
'DIPEP_CI', 'DIPEP_CK', 'DIPEP_CL', 'DIPEP_CM', 'DIPEP_CN', 'DIPEP_CP',
'DIPEP_CQ', 'DIPEP_CR', 'DIPEP_CS', 'DIPEP_CT', 'DIPEP_CV', 'DIPEP_CW',
'DIPEP_CY', 'DIPEP_DA', 'DIPEP_DC', 'DIPEP_DD', 'DIPEP_DE', 'DIPEP_DF',
'DIPEP_DG', 'DIPEP_DH', 'DIPEP_DI', 'DIPEP_DK', 'DIPEP_DL', 'DIPEP_DM',
'DIPEP_DN', 'DIPEP_DP', 'DIPEP_DQ', 'DIPEP_DR', 'DIPEP_DS', 'DIPEP_DT',
'DIPEP_DV', 'DIPEP_DW', 'DIPEP_DY', 'DIPEP_EA', 'DIPEP_EC', 'DIPEP_ED',
'DIPEP_EE', 'DIPEP_EF', 'DIPEP_EG', 'DIPEP_EH', 'DIPEP_EI', 'DIPEP_EK',
'DIPEP_EL', 'DIPEP_EM', 'DIPEP_EN', 'DIPEP_EP', 'DIPEP_EQ', 'DIPEP_ER',
'DIPEP_ES', 'DIPEP_ET', 'DIPEP_EV', 'DIPEP_EW', 'DIPEP_EY', 'DIPEP_FA',
'DIPEP_FC', 'DIPEP_FD', 'DIPEP_FE', 'DIPEP_FF', 'DIPEP_FG', 'DIPEP_FH',
'DIPEP_FI', 'DIPEP_FK', 'DIPEP_FL', 'DIPEP_FM', 'DIPEP_FN', 'DIPEP_FP',
'DIPEP_FQ', 'DIPEP_FR', 'DIPEP_FS', 'DIPEP_FT', 'DIPEP_FV', 'DIPEP_FW',
'DIPEP_FY', 'DIPEP_GA', 'DIPEP_GC', 'DIPEP_GD', 'DIPEP_GE', 'DIPEP_GF',
'DIPEP_GG', 'DIPEP_GH', 'DIPEP_GI', 'DIPEP_GK', 'DIPEP_GL', 'DIPEP_GM',
'DIPEP_GN', 'DIPEP_GP', 'DIPEP_GQ', 'DIPEP_GR', 'DIPEP_GS', 'DIPEP_GT',
'DIPEP_GV', 'DIPEP_GW', 'DIPEP_GY', 'DIPEP_HA', 'DIPEP_HC', 'DIPEP_HD',
'DIPEP_HE', 'DIPEP_HF', 'DIPEP_HG', 'DIPEP_HH', 'DIPEP_HI', 'DIPEP_HK',
'DIPEP_HL', 'DIPEP_HM', 'DIPEP_HN', 'DIPEP_HP', 'DIPEP_HQ', 'DIPEP_HR',
'DIPEP_HS', 'DIPEP_HT', 'DIPEP_HV', 'DIPEP_HW', 'DIPEP_HY', 'DIPEP_IA',
'DIPEP_IC', 'DIPEP_ID', 'DIPEP_IE', 'DIPEP_IF', 'DIPEP_IG', 'DIPEP_IH',
'DIPEP_II', 'DIPEP_IK', 'DIPEP_IL', 'DIPEP_IM', 'DIPEP_IN', 'DIPEP_IP',
'DIPEP_IQ', 'DIPEP_IR', 'DIPEP_IS', 'DIPEP_IT', 'DIPEP_IV', 'DIPEP_IW',
'DIPEP_IY', 'DIPEP_KA', 'DIPEP_KC', 'DIPEP_KD', 'DIPEP_KE', 'DIPEP_KF',
'DIPEP_KG', 'DIPEP_KH', 'DIPEP_KI', 'DIPEP_KK', 'DIPEP_KL', 'DIPEP_KM',
'DIPEP_KN', 'DIPEP_KP', 'DIPEP_KQ', 'DIPEP_KR', 'DIPEP_KS', 'DIPEP_KT',
'DIPEP_KV', 'DIPEP_KW', 'DIPEP_KY', 'DIPEP_LA', 'DIPEP_LC', 'DIPEP_LD',
'DIPEP_LE', 'DIPEP_LF', 'DIPEP_LG', 'DIPEP_LH', 'DIPEP_LI', 'DIPEP_LK',
'DIPEP_LL', 'DIPEP_LM', 'DIPEP_LN', 'DIPEP_LP', 'DIPEP_LQ', 'DIPEP_LR',

```

'DIPEP_LS', 'DIPEP_LT', 'DIPEP_LV', 'DIPEP_LW', 'DIPEP_LY', 'DIPEP_MA',
'DIPEP_MC', 'DIPEP_MD', 'DIPEP_ME', 'DIPEP_MF', 'DIPEP_MG', 'DIPEP_MH',
'DIPEP_MI', 'DIPEP_MK', 'DIPEP_ML', 'DIPEP_MM', 'DIPEP_MN', 'DIPEP_MP',
'DIPEP_MQ', 'DIPEP_MR', 'DIPEP_MS', 'DIPEP_MT', 'DIPEP_MV', 'DIPEP_MW',
'DIPEP_MY', 'DIPEP_NA', 'DIPEP_NC', 'DIPEP_ND', 'DIPEP_NE', 'DIPEP_NF',
'DIPEP_NG', 'DIPEP_NH', 'DIPEP_NI', 'DIPEP_NK', 'DIPEP_NL', 'DIPEP_NM',
'DIPEP_NN', 'DIPEP_NP', 'DIPEP_NQ', 'DIPEP_NR', 'DIPEP_NS', 'DIPEP_NT',
'DIPEP_NV', 'DIPEP_NW', 'DIPEP_NY', 'DIPEP_PA', 'DIPEP_PC', 'DIPEP_PD',
'DIPEP_PE', 'DIPEP_PF', 'DIPEP_PG', 'DIPEP_PH', 'DIPEP_PI', 'DIPEP_PK',
'DIPEP_PL', 'DIPEP_PM', 'DIPEP_PN', 'DIPEP_PP', 'DIPEP_PQ', 'DIPEP_PR',
'DIPEP_PS', 'DIPEP_PT', 'DIPEP_PV', 'DIPEP_PW', 'DIPEP_PY', 'DIPEP_QA',
'DIPEP_QC', 'DIPEP_QD', 'DIPEP_QE', 'DIPEP_QF', 'DIPEP_QG', 'DIPEP_QH',
'DIPEP_QI', 'DIPEP_QK', 'DIPEP_QL', 'DIPEP_QM', 'DIPEP_QN', 'DIPEP_QP',
'DIPEP_QQ', 'DIPEP_QR', 'DIPEP_QS', 'DIPEP_QT', 'DIPEP_QV', 'DIPEP_QW',
'DIPEP_QY', 'DIPEP_RA', 'DIPEP_RC', 'DIPEP_RD', 'DIPEP_RE', 'DIPEP_RF',
'DIPEP_RG', 'DIPEP_RH', 'DIPEP_RI', 'DIPEP_RK', 'DIPEP_RL', 'DIPEP_RM',
'DIPEP_RN', 'DIPEP_RP', 'DIPEP_RQ', 'DIPEP_RR', 'DIPEP_RS', 'DIPEP_RT',
'DIPEP_RV', 'DIPEP_RW', 'DIPEP_RY', 'DIPEP_SA', 'DIPEP_SC', 'DIPEP_SD',
'DIPEP_SE', 'DIPEP_SF', 'DIPEP_SG', 'DIPEP_SH', 'DIPEP_SI', 'DIPEP_SK',
'DIPEP_SL', 'DIPEP_SM', 'DIPEP_SN', 'DIPEP_SP', 'DIPEP_SQ', 'DIPEP_SR',
'DIPEP_SS', 'DIPEP_ST', 'DIPEP_SV', 'DIPEP_SW', 'DIPEP_SY', 'DIPEP_TA',
'DIPEP_TC', 'DIPEP_TD', 'DIPEP_TE', 'DIPEP_TF', 'DIPEP_TG', 'DIPEP_TH',
'DIPEP_TI', 'DIPEP_TK', 'DIPEP_TL', 'DIPEP_TM', 'DIPEP_TN', 'DIPEP_TP',
'DIPEP_TQ', 'DIPEP_TR', 'DIPEP_TS', 'DIPEP_TT', 'DIPEP_TV', 'DIPEP_TW',
'DIPEP_TY', 'DIPEP_VA', 'DIPEP_VC', 'DIPEP_VD', 'DIPEP_VE', 'DIPEP_VF',
'DIPEP_VG', 'DIPEP_VH', 'DIPEP_VI', 'DIPEP_VK', 'DIPEP_VL', 'DIPEP_VM',
'DIPEP_VN', 'DIPEP_VP', 'DIPEP_VQ', 'DIPEP_VR', 'DIPEP_VS', 'DIPEP_VT',
'DIPEP_VV', 'DIPEP_VW', 'DIPEP_VY', 'DIPEP_WA', 'DIPEP_WC', 'DIPEP_WD',
'DIPEP_WE', 'DIPEP_WF', 'DIPEP_WG', 'DIPEP_WH', 'DIPEP_WI', 'DIPEP_WK',
'DIPEP_WL', 'DIPEP_WM', 'DIPEP_WN', 'DIPEP_WP', 'DIPEP_WQ', 'DIPEP_WR',
'DIPEP_WS', 'DIPEP_WT', 'DIPEP_WV', 'DIPEP_WW', 'DIPEP_WY', 'DIPEP_YA',
'DIPEP_YC', 'DIPEP_YD', 'DIPEP_YE', 'DIPEP_YF', 'DIPEP_YG', 'DIPEP_YH',
'DIPEP_YI', 'DIPEP_YK', 'DIPEP_YL', 'DIPEP_YM', 'DIPEP_YN', 'DIPEP_YP',
'DIPEP_YQ', 'DIPEP_YR', 'DIPEP_YS', 'DIPEP_YT', 'DIPEP_YV', 'DIPEP_YW',
'DIPEP_YY', 'P_LOOP', 'KINASE2', 'RNBS_A', 'RNBS_B', 'RNBS_C', 'GLPL', 'RNBS_D',
'MHD', 'num_motifs_detectados', 'dist_ploop_kinase2', 'dist_kinase2_glpl',
'dist_glpl_mhd', 'dist_ploop_kinase2_norm', 'dist_kinase2_glpl_norm',
'dist_glpl_mhd_norm', 'has_ploop', 'has_kinase2', 'has_glpl', 'has_mhd']

```

Clusters ausentes:

682

Dataset: (2564, 443)

Fim tratamento dos dados...

[5]: *'''
k-Fold-Cross-Validation*

```

'''

def validacao_cruzada(nome, model, X_train, y_train, groups_train):

    cv = StratifiedGroupKFold(
        n_splits=5, #10
        shuffle=True,
        random_state=42
    )
    mcc_scorer = make_scorer(matthews_corrcoef)
    scores = cross_validate(
        model,
        X_train,
        y_train,
        groups=groups_train,
        cv=cv,
        scoring=[
            'accuracy',
            'precision',
            'recall',
            'f1',
            'roc_auc',
            mcc_scorer
        ],
        n_jobs=-1
    )
    return scores

```

```

[6]: '''
      Criação dos modelos/ Treinamento
      '''

      # para melhor separar os conjuntos de treino e teste considerando os
      ↳ agrupamentos feitos no CD-HIT para sequências muito parecidas
def split_por_homologia(df):
    print(df.head(30))
    groups = df["cluster"]
    splitter = GroupShuffleSplit(
        n_splits=1,
        test_size=0.2,
        random_state=42
    )
    # cv = StratifiedGroupKFold(
    #     n_splits = 10,
    #     shuffle=True,
    #     random_state = 42

```

```

# )

train_idx, test_idx = next(
    splitter.split(df, groups=groups)
    # cv.split(df, df["target"], groups)
)
train_df = df.iloc[train_idx]
test_df = df.iloc[test_idx]
return train_df, test_df

def calcular_e_salvar_shap(nome, model, X_test, feature_names, output_dir):
    """
    Calcula os SHAP values para modelos de árvore e salva os gráficos
    explicativos.
    """
    print(f"\n[SHAP] Inicializando análise de interpretabilidade para: {nome}...")

    # 1. Inicializa o explicador otimizado para árvores
    explainer = shap.TreeExplainer(model)

    # 2. Calcula os SHAP values para o conjunto de teste
    shap_values = explainer.shap_values(X_test)

    # 3. Tratamento de formato (Scikit-Learn Random Forest vs XGBoost)
    # O Random Forest do sklearn retorna uma lista contendo [valores_classe_0,
    valores_classe_1]
    # O XGBoost retorna diretamente a matriz de SHAP values para a classe alvo
    if isinstance(shap_values, list):
        # Selecionamos o índice 1 (classe positiva: proteínas de resistência/
        alvos)
        shap_values_pos = shap_values[1]
    elif isinstance(shap_values, np.ndarray) and len(shap_values.shape) == 3:
        # Tratamento para versões específicas do SHAP que geram arrays 3D
        shap_values_pos = shap_values[:, :, 1]
    else:
        shap_values_pos = shap_values

    # 4. Gráfico 1: Summary Plot (Beeswarm)
    # Mostra o impacto biológico de cada feature (ex: se alta frequência
    aumenta ou diminui a predição)
    plt.figure(figsize=(12, 8))
    shap.summary_plot(
        shap_values_pos,
        X_test,
        feature_names=feature_names,
        max_display=20, # Foco nas top 20 características

```

```

        show=False
    )
    # plt.title(f"SHAP Summary Plot (Top 20) - {nome}", fontsize=14, pad=20)
    plt.tight_layout()
    plt.savefig(f"{output_dir}/{nome}_shap_summary.png", bbox_inches="tight",
    ↪dpi=300)
    plt.close()

    # 5. Gráfico 2: Bar Plot (Importância Global)
    # Mostra a magnitude média do impacto de cada feature de forma absoluta
    plt.figure(figsize=(12, 8))
    shap.summary_plot(
        shap_values_pos,
        X_test,
        feature_names=feature_names,
        plot_type="bar",
        max_display=20,
        show=False
    )
    # plt.title(f"SHAP Global Feature Importance - {nome}", fontsize=14, pad=20)
    plt.tight_layout()
    plt.savefig(f"{output_dir}/{nome}_shap_bar.png", bbox_inches="tight",
    ↪dpi=300)
    plt.close()

    print(f"[SHAP] Gráficos salvos com sucesso em '{output_dir}/'!")

def calcular_shap_svm(nome, model, X_test, y_test, output_dir):
    # =====
    # IMPORTÂNCIA POR PERMUTAÇÃO PARA O SVM (Novo)
    # =====
    print("\n[SVM] Calculando a importância por permutação dos atributos...")

    # Calcula a permutação no X_test (pode usar X_train se quiser focar no
    ↪ajuste ao treino)
    result_svm = permutation_importance(model, X_test, y_test, n_repeats=5,
    ↪random_state=42, n_jobs=-1)

    # Monta o DataFrame com os resultados
    importancia_svm = pd.DataFrame({
        'feature': columns,
        'importance_mean': result_svm.importances_mean
    }).sort_values('importance_mean', ascending=False)

    print("\nTop 20 features mais importantes para o SVM:")
    print(importancia_svm.head(20))

```

```

# Gera o gráfico de barras igual ao do XGBoost
top_svm = importancia_svm.head(20)
plt.figure(figsize=(10,8))
plt.barh(top_svm["feature"][:-1], top_svm["importance_mean"][:-1],
color='seagreen')
plt.xlabel("Queda no Desempenho (Média)")
plt.ylabel("Feature / Atributo")
# plt.title("Top 20 Features - SVM Permutation Importance")
plt.tight_layout()
plt.savefig(f"{output_dir}/svm_importancia_permutacao.png",
bbox_inches="tight", dpi=300)
plt.close()
print(f"[SVM] Gráfico salvo com sucesso em '{output_dir}/"
svm_importancia_permutacao.png'!")

# =====
# TREINAMENTO - treina os modelos
# =====

def avaliar_modelo(nome, model, X_train, y_train, X_test, y_test):
    print("\n=====")
    print(nome)
    print("=====")
    model.fit(X_train, y_train)

    probs = model.predict_proba(X_test)[: ,1]
    preds = (probs >= 0.5).astype(int)
    print(classification_report(y_test, preds))
    roc = roc_auc_score(y_test, probs)
    pr = average_precision_score(y_test, probs)
    mcc = matthews_corrcoef(y_test, preds)
    f1 = f1_score(y_test, preds)
    precision = precision_score(y_test, preds)
    recall = recall_score(y_test, preds)
    bal_acc = balanced_accuracy_score(y_test, preds)

    print("ROC-AUC          :", roc)
    print("PR-AUC            :", pr)
    print("MCC               :", mcc)
    print("F1                :", f1)
    print("Precision         :", precision)
    print("Recall            :", recall)
    print("Balanced Accuracy:", bal_acc)

# =====
# MATRIZ DE CONFUSÃO

```

```

# =====
cm = confusion_matrix(y_test, preds)
plt.figure(figsize=(5,5))
disp = ConfusionMatrixDisplay(
    confusion_matrix=cm,
    display_labels=["Negativo", "Positivo"]
)
disp.plot(cmap="Blues")
# plt.title(f"Matriz de Confusão - {nome}")
plt.savefig(
    f"{OUTPUT_DIR}/{nome}_matriz_confusao.png",
    bbox_inches="tight"
)
plt.close()
# =====
# CURVA ROC
# =====
fpr, tpr, _ = roc_curve(y_test, probs)
roc_auc = auc(fpr, tpr)
plt.figure(figsize=(6,6))
plt.plot(
    fpr,
    tpr,
    label=f"AUC = {roc_auc:.4f}"
)
plt.plot([0,1], [0,1], linestyle="--")
plt.xlabel("False Positive Rate")
plt.ylabel("True Positive Rate")
# plt.title(f"Curva ROC - {nome}")
plt.legend(loc="lower right")
plt.savefig(
    f"{OUTPUT_DIR}/{nome}_roc.png",
    bbox_inches="tight"
)
plt.close()

return {
    "Modelo": nome,
    "ROC_AUC": roc,
    "F1": f1,
    "Precision": precision,
    "Recall": recall,
    "Balanced_Accuracy": bal_acc,
    "MCC": mcc
}, model

```

```

# =====
# Separação Treino/Teste 80/20
# SPLIT POR HOMOLOGIA
# =====

train_df, test_df = split_por_homologia(df)
X_train = train_df[columns]
y_train = train_df["target"]
X_test = test_df[columns]
y_test = test_df["target"]
scaler = StandardScaler()
X_train = scaler.fit_transform(X_train)
X_test = scaler.transform(X_test)

# =====
# MODELOS
# =====

rf = RandomForestClassifier(
    n_estimators=1000,
    max_depth = 12,
    min_samples_split=4,
    max_features='sqrt',
    random_state=42,
    class_weight="balanced",
    n_jobs = -1
)
xgb = XGBClassifier(
    n_estimators=1200,
    max_depth=5,
    learning_rate=0.01,
    subsample=0.8,
    colsample_bytree=0.8,
    eval_metric="logloss",
    random_state=42,
    min_child_weight=3,
    reg_alpha=0.5,
    reg_lambda=2,
    scale_pos_weight=1.2
)
svm = SVC(
    probability=True,
    kernel="rbf",
    class_weight="balanced",
    random_state=42,
    C=2,
    gamma='scale'
)

```

```

)
scores = []
groups_train = train_df["cluster"]

scores_rf = validacao_cruzada('RF',rf,X_train, y_train, groups_train)
scores_xgb = validacao_cruzada('XGB',xgb, X_train, y_train, groups_train)
scores_svm = validacao_cruzada('SVM',svm, X_train, y_train, groups_train)

print("Cross-Validation:RF")
for k,v in scores_rf.items():
    if "test" in k:
        print(f"{k}: {v.mean():.4f} ± {v.std():.4f}")

print("Cross-Validation XGB")
for k,v in scores_xgb.items():
    if "test" in k:
        print(f"{k}: {v.mean():.4f} ± {v.std():.4f}")

print("Cross-Validation SVM")
for k,v in scores_svm.items():
    if "test" in k:
        print(f"{k}: {v.mean():.4f} ± {v.std():.4f}")

resultados_cv = pd.DataFrame({
    'Modelo': ['RF', 'XGB', 'SVM'],
    'Accuracy': [
        scores_rf['test_accuracy'].mean(),
        scores_xgb['test_accuracy'].mean(),
        scores_svm['test_accuracy'].mean(),
    ],
    'Recall': [
        scores_rf['test_recall'].mean(),
        scores_xgb['test_recall'].mean(),
        scores_svm['test_recall'].mean(),
    ],
    'Precision': [
        scores_rf['test_precision'].mean(),
        scores_xgb['test_precision'].mean(),
        scores_svm['test_precision'].mean(),
    ],
    'F1': [
        scores_rf['test_f1'].mean(),
        scores_xgb['test_f1'].mean(),
        scores_svm['test_f1'].mean(),
    ],
    'ROC_AUC': [

```

```

        scores_rf['test_roc_auc'].mean(),
        scores_xgb['test_roc_auc'].mean(),
        scores_svm['test_roc_auc'].mean(),
    ]
})
print(resultados_cv)
resultados_cv.to_csv(
    f"{OUTPUT_DIR}/metricas_cv.csv",
    index=False
)
dados = []

for score in scores_rf['test_roc_auc']:
    dados.append(['RF', score])
for score in scores_xgb['test_roc_auc']:
    dados.append(['XGB', score])
for score in scores_svm['test_roc_auc']:
    dados.append(['SVM', score])

grafico = pd.DataFrame(dados, columns=['Modelo', 'ROC_AUC'])
grafico.boxplot(by='Modelo')
plt.ylabel("ROC-AUC")
# plt.title("10-Fold Cross Validation")
plt.suptitle("")
plt.tight_layout()
# plt.show()
plt.savefig(
    f"{OUTPUT_DIR}/kfold_cross_validation_roc.png",
    bbox_inches="tight"
)
plt.close()

#####
# Treinamento

results = []
r1, rf_model = avaliar_modelo(
    "Random Forest",
    rf,
    X_train,
    y_train,
    X_test,
    y_test
)
results.append(r1)

```

```

calcular_e_salvar_shap("Random Forest", rf_model, X_test, columns,OUTPUT_DIR )

r2, xgb_model = avaliar_modelo(
    "XGBoost",
    xgb,
    X_train,
    y_train,
    X_test,
    y_test
)
results.append(r2)
calcular_e_salvar_shap("XGBoost", xgb_model, X_test, columns,OUTPUT_DIR )

r3, svm_model = avaliar_modelo(
    "SVM",
    svm,
    X_train,
    y_train,
    X_test,
    y_test
)
results.append(r3)
calcular_shap_svm("SVM", svm_model, X_test, y_test, OUTPUT_DIR)

print("\nFim criação/treino dos modelos\n")

```

	protein_length	AAC_A	AAC_C	AAC_D	AAC_E	AAC_F	\
0	231	0.090909	0.012987	0.069264	0.077922	0.051948	
1	888	0.055180	0.018018	0.061937	0.072072	0.045045	
2	504	0.103175	0.019841	0.045635	0.071429	0.029762	
3	704	0.049716	0.007102	0.080966	0.117898	0.041193	
4	535	0.095327	0.009346	0.020561	0.026168	0.082243	
5	450	0.040000	0.028889	0.035556	0.082222	0.024444	
6	117	0.025641	0.017094	0.051282	0.068376	0.042735	
7	89	0.123596	0.078652	0.011236	0.112360	0.033708	
90	751	0.061252	0.014647	0.057257	0.055925	0.038615	
91	166	0.072289	0.024096	0.054217	0.072289	0.054217	
92	160	0.043750	0.062500	0.087500	0.062500	0.062500	
93	116	0.034483	0.086207	0.120690	0.068966	0.086207	
94	1167	0.032562	0.011140	0.084833	0.117395	0.024850	
95	812	0.036946	0.027094	0.060345	0.081281	0.040640	
96	782	0.061381	0.015345	0.066496	0.070332	0.034527	
97	896	0.053571	0.016741	0.049107	0.050223	0.046875	
98	1038	0.069364	0.011561	0.065511	0.075145	0.049133	
99	334	0.080838	0.002994	0.047904	0.077844	0.029940	
100	214	0.116822	0.000000	0.074766	0.112150	0.028037	
101	665	0.046617	0.022556	0.049624	0.052632	0.049624	
102	448	0.055804	0.033482	0.062500	0.037946	0.024554	

103	182	0.060440	0.065934	0.076923	0.087912	0.049451
104	909	0.044004	0.028603	0.037404	0.097910	0.036304
105	540	0.044444	0.022222	0.051852	0.046296	0.044444
106	790	0.060759	0.026582	0.054430	0.035443	0.056962
107	830	0.059036	0.027711	0.053012	0.036145	0.059036
108	690	0.057971	0.023188	0.056522	0.043478	0.052174
109	616	0.068182	0.022727	0.055195	0.037338	0.056818
110	660	0.059091	0.025758	0.050000	0.054545	0.057576
111	667	0.050975	0.023988	0.053973	0.044978	0.043478

	AAC_G	AAC_H	AAC_I	AAC_K	...	dist_ploop_kinase2_norm	\
0	0.077922	0.038961	0.043290	0.082251	...	-1.000000	
1	0.047297	0.023649	0.061937	0.085586	...	0.087838	
2	0.081349	0.005952	0.075397	0.073413	...	-1.000000	
3	0.048295	0.009943	0.065341	0.117898	...	-1.000000	
4	0.106542	0.014953	0.065421	0.039252	...	-1.000000	
5	0.048889	0.006667	0.075556	0.091111	...	-1.000000	
6	0.076923	0.119658	0.042735	0.059829	...	-1.000000	
7	0.078652	0.056180	0.022472	0.089888	...	-1.000000	
90	0.078562	0.017310	0.053262	0.049268	...	-1.000000	
91	0.036145	0.024096	0.054217	0.090361	...	-1.000000	
92	0.043750	0.037500	0.025000	0.062500	...	-1.000000	
93	0.017241	0.034483	0.025862	0.060345	...	-1.000000	
94	0.065124	0.014567	0.046272	0.140531	...	-1.000000	
95	0.049261	0.029557	0.064039	0.062808	...	0.088670	
96	0.083120	0.019182	0.056266	0.078005	...	-1.000000	
97	0.062500	0.021205	0.056920	0.070312	...	-1.000000	
98	0.043353	0.020231	0.058767	0.053950	...	-1.000000	
99	0.101796	0.026946	0.080838	0.050898	...	-1.000000	
100	0.093458	0.000000	0.037383	0.116822	...	-1.000000	
101	0.063158	0.018045	0.064662	0.058647	...	-1.000000	
102	0.049107	0.024554	0.029018	0.044643	...	-1.000000	
103	0.027473	0.032967	0.032967	0.104396	...	-1.000000	
104	0.050605	0.024202	0.057206	0.059406	...	0.083608	
105	0.072222	0.020370	0.072222	0.053704	...	-1.000000	
106	0.056962	0.016456	0.053165	0.034177	...	-1.000000	
107	0.056627	0.015663	0.056627	0.037349	...	-1.000000	
108	0.069565	0.023188	0.063768	0.047826	...	-1.000000	
109	0.063312	0.006494	0.060065	0.038961	...	-1.000000	
110	0.063636	0.016667	0.077273	0.037879	...	-1.000000	
111	0.065967	0.010495	0.055472	0.047976	...	-1.000000	

	dist_kinase2_glpl_norm	dist_glpl_mhd_norm	has_ploop	has_kinase2	\
0	-1.000000	-1.0	0	0	
1	0.097973	-1.0	1	1	
2	-1.000000	-1.0	0	0	
3	-1.000000	-1.0	0	0	
4	-1.000000	-1.0	0	0	

5	-1.000000	-1.0	0	0
6	-1.000000	-1.0	0	0
7	-1.000000	-1.0	0	0
90	-1.000000	-1.0	0	0
91	-1.000000	-1.0	0	0
92	-1.000000	-1.0	0	0
93	-1.000000	-1.0	0	0
94	-1.000000	-1.0	0	0
95	-1.000000	-1.0	1	1
96	-1.000000	-1.0	1	0
97	-1.000000	-1.0	0	0
98	-1.000000	-1.0	0	0
99	-1.000000	-1.0	0	0
100	-1.000000	-1.0	0	0
101	-1.000000	-1.0	0	0
102	-1.000000	-1.0	0	0
103	-1.000000	-1.0	0	0
104	0.097910	-1.0	1	1
105	-1.000000	-1.0	0	0
106	-1.000000	-1.0	0	0
107	-1.000000	-1.0	0	0
108	-1.000000	-1.0	0	0
109	-1.000000	-1.0	0	0
110	-1.000000	-1.0	0	0
111	-1.000000	-1.0	0	0

	has_glp1	has_mhd	target	id	cluster
0	0	0	1	NP_001234459.3	POS_1492
1	1	0	1	NP_001234202.1	POS_583
2	0	0	1	NP_001333606.1	POS_1114
3	0	0	1	NP_001308492.1	POS_851
4	0	0	1	NP_001307892.1	POS_1081
5	0	0	1	NP_001234240.1	POS_1181
6	0	0	1	pdb 9KBZ B	POS_1668
7	0	0	1	pdb 9K9P A	POS_1683
90	0	0	1	CA07058141.1	POS_790
91	0	0	1	CA07056953.1	POS_1629
92	1	0	1	CA07056440.1	POS_1635
93	0	0	1	CA07056439.1	POS_1669
94	0	0	1	CA07055314.1	POS_253
95	0	0	1	CA07055273.1	POS_717
96	0	0	1	CA07054023.1	POS_756
97	0	0	1	CA07053068.1	POS_554
98	0	0	1	CA07052349.1	POS_372
99	0	0	1	CA07051023.1	POS_1363
100	0	0	1	CA07050796.1	POS_1542
101	0	0	1	CA07050404.1	POS_933
102	0	0	1	CA07049100.1	POS_1184

103	0	0	1	CA07048966.1	POS_1605
104	1	0	1	CA07048770.1	POS_534
105	0	0	1	CA07048398.1	POS_1075
106	0	0	1	CA07048397.1	POS_742
107	0	0	1	CA07048396.1	POS_687
108	0	0	1	CA07048394.1	POS_878
109	0	0	1	CA07048391.1	POS_1016
110	0	0	1	CA07048379.1	POS_951
111	0	0	1	CA07048370.1	POS_930

[30 rows x 443 columns]

Cross-Validation:RF

test_accuracy: 0.8347 ± 0.0051
test_precision: 0.8883 ± 0.0056
test_recall: 0.8052 ± 0.0081
test_f1: 0.8447 ± 0.0052
test_roc_auc: 0.9211 ± 0.0079

Cross-Validation XGB

test_accuracy: 0.8591 ± 0.0104
test_precision: 0.8914 ± 0.0219
test_recall: 0.8524 ± 0.0220
test_f1: 0.8710 ± 0.0094
test_roc_auc: 0.9322 ± 0.0089

Cross-Validation SVM

test_accuracy: 0.8664 ± 0.0127
test_precision: 0.9267 ± 0.0112
test_recall: 0.8262 ± 0.0213
test_f1: 0.8734 ± 0.0132
test_roc_auc: 0.9375 ± 0.0059

	Modelo	Accuracy	Recall	Precision	F1	ROC_AUC
0	RF	0.834717	0.805240	0.888279	0.844696	0.921074
1	XGB	0.859094	0.852402	0.891429	0.871023	0.932205
2	SVM	0.866402	0.826201	0.926659	0.873383	0.937519

=====

Random Forest

=====

	precision	recall	f1-score	support
0	0.76	0.88	0.81	234
1	0.88	0.77	0.82	279
accuracy			0.82	513
macro avg	0.82	0.82	0.82	513
weighted avg	0.83	0.82	0.82	513

ROC-AUC : 0.9125769690285819
PR-AUC : 0.9356945329680102

```

MCC                : 0.6415036153663386
F1                 : 0.8199233716475096
Precision          : 0.8806584362139918
Recall             : 0.7670250896057348
Balanced Accuracy: 0.8215467328370554

```

```

[SHAP] Inicializando análise de interpretabilidade para: Random Forest...
[SHAP] Gráficos salvos com sucesso em 'pipelineV/'!

```

```

=====
XGBoost
=====

```

	precision	recall	f1-score	support
0	0.80	0.85	0.82	234
1	0.87	0.82	0.84	279
accuracy			0.83	513
macro avg	0.83	0.84	0.83	513
weighted avg	0.84	0.83	0.83	513

```

ROC-AUC           : 0.9303143093465674
PR-AUC            : 0.9477306698913448
MCC               : 0.6694690399135323
F1                : 0.8428835489833642
Precision         : 0.8702290076335878
Recall            : 0.8172043010752689
Balanced Accuracy: 0.8359525778880618

```

```

[SHAP] Inicializando análise de interpretabilidade para: XGBoost...
[SHAP] Gráficos salvos com sucesso em 'pipelineV/'!

```

```

=====
SVM
=====

```

	precision	recall	f1-score	support
0	0.79	0.90	0.84	234
1	0.91	0.80	0.85	279
accuracy			0.85	513
macro avg	0.85	0.85	0.85	513
weighted avg	0.85	0.85	0.85	513

```

ROC-AUC           : 0.9261327083907729
PR-AUC            : 0.9478765620843403
MCC               : 0.6988762018552301
F1                : 0.8495238095238096

```

Precision : 0.9065040650406504
Recall : 0.7992831541218638
Balanced Accuracy: 0.8504962779156328

[SVM] Calculando a importância por permutação dos atributos...

Top 20 features mais importantes para o SVM:

	feature	importance_mean
105	DIPEP_FF	0.006238
79	DIPEP_DW	0.006238
93	DIPEP_EP	0.005848
382	DIPEP_WC	0.004678
239	DIPEP_MW	0.004678
222	DIPEP_MC	0.004288
300	DIPEP_QY	0.004288
381	DIPEP_WA	0.004288
367	DIPEP_VH	0.004288
411	DIPEP_YM	0.003899
362	DIPEP_VC	0.003509
211	DIPEP_LM	0.003509
301	DIPEP_RA	0.003119
60	DIPEP_CY	0.003119
49	DIPEP_CK	0.003119
143	DIPEP_HD	0.003119
250	DIPEP_NL	0.002729
128	DIPEP_GI	0.002729
425	RNBS_C	0.002729
148	DIPEP_HI	0.002339

[SVM] Gráfico salvo com sucesso em 'pipelineV/svm_importancia_permutacao.png'!

Fim criação/treino dos modelos

<Figure size 500x500 with 0 Axes>

<Figure size 500x500 with 0 Axes>

<Figure size 500x500 with 0 Axes>

```
[7]: '''  
Avaliação e Validação dos modelos  
'''  
  
# verificar importância dos atributos/feature para o Random Forest  
importancia = pd.DataFrame({"feature":columns,"importance":rf_model.  
    ↳feature_importances_})  
importancia = importancia.sort_values("importance",ascending = False)  
print("\nTop 20 features: Random Forest")  
print(importancia.head(20))  
# GRÁFICO
```

```

top = importancia.head(20)
plt.figure(figsize=(10,8))
plt.barh( top["feature"][::-1], top["importance"][::-1] )
plt.xlabel("Importância")
plt.ylabel("Feature")
# plt.title("Top 20 Features - Random Forest")
plt.tight_layout()
plt.savefig(
    f"{OUTPUT_DIR}/rf_importancia_variaveis.png",
    bbox_inches="tight"
)
plt.close()

# verificar importância dos atributos/feature para o XGBoost
importancia = pd.DataFrame({"feature":columns, "importance":xgb_model.
    ↪feature_importances_})
importancia = importancia.sort_values("importance", ascending = False)
print("\nTop 20 features: XGBoost")
print(importancia.head(20))
# GRÁFICO
top = importancia.head(20)
plt.figure(figsize=(10,8))
plt.barh(top["feature"][::-1], top["importance"][::-1])
plt.xlabel("Importância")
plt.ylabel("Feature")
# plt.title("Top 20 Features - XGBoost")
plt.tight_layout()
plt.savefig(
    f"{OUTPUT_DIR}/xgb_importancia_variaveis.png",
    bbox_inches="tight"
)
plt.close()

print("\nCOMPARAÇÃO MODELOS")
print(pd.DataFrame(results))

results_df = pd.DataFrame(results)
results_df.to_csv(
    f"{OUTPUT_DIR}/metricas_comparacao.csv",
    index=False
)

metrics = [
    "ROC_AUC",
    "F1",
    "Precision",
    "Recall",

```

```

        "Balanced_Accuracy"
    ]

    for metric in metrics:
        plt.figure(figsize=(8,5))
        plt.bar(
            results_df["Modelo"],
            results_df[metric]
        )

        plt.ylim(0, 1)
        plt.ylabel(metric)
        # plt.title(f"Comparação dos Modelos - {metric}")
        for i, v in enumerate(results_df[metric]):
            plt.text(i, v + 0.01, f"{v:.3f}", ha='center')

        plt.savefig(
            f"{OUTPUT_DIR}/comparacao_{metric}.png",
            bbox_inches="tight"
        )
        plt.close()

modelos = {
    "Random Forest": rf_model,
    "XGBoost": xgb_model,
    "SVM": svm_model
}

plt.figure(figsize=(7,7))
for nome, model in modelos.items():
    probs = model.predict_proba(X_test)[: ,1]
    fpr, tpr, _ = roc_curve(y_test, probs)
    roc_auc = auc(fpr, tpr)
    plt.plot(
        fpr,
        tpr,
        label=f"{nome} AUC={roc_auc:.3f}"
    )
plt.plot([0,1],[0,1], '--')
plt.xlabel("FPR")
plt.ylabel("TPR")
# plt.title("Comparação ROC")
plt.legend()
plt.savefig(f"{OUTPUT_DIR}/roc_comparativa.png")
plt.close()

print("Fim avaliação / validação modelos ")

```

Top 20 features: Random Forest

	feature	importance
0	protein_length	0.028496
1	AAC_A	0.028358
250	DIPEP_NL	0.027193
10	AAC_L	0.024220
429	num_motifs_detectados	0.020061
65	DIPEP_DF	0.015512
50	DIPEP_CL	0.012260
207	DIPEP_LH	0.012234
45	DIPEP_CF	0.009901
106	DIPEP_FG	0.009336
410	DIPEP_YL	0.009030
272	DIPEP_PN	0.008838
100	DIPEP_EY	0.008712
21	DIPEP_AA	0.008661
436	has_ploop	0.008512
421	P_LOOP	0.008490
12	AAC_N	0.008455
437	has_kinase2	0.007694
203	DIPEP_LD	0.007023
248	DIPEP_NI	0.006620

Top 20 features: XGBoost

	feature	importance
0	protein_length	0.056978
429	num_motifs_detectados	0.023898
1	AAC_A	0.011449
250	DIPEP_NL	0.009930
65	DIPEP_DF	0.009155
10	AAC_L	0.007816
438	has_glp1	0.007765
100	DIPEP_EY	0.007325
421	P_LOOP	0.007046
79	DIPEP_DW	0.006813
437	has_kinase2	0.006312
422	KINASE2	0.005989
155	DIPEP_HR	0.005407
12	AAC_N	0.005322
207	DIPEP_LH	0.005278
106	DIPEP_FG	0.005266
144	DIPEP_HE	0.004981
42	DIPEP_CC	0.004788
50	DIPEP_CL	0.004414
402	DIPEP_YC	0.004312

COMPARAÇÃO MODELOS

Modelo	ROC_AUC	F1	Precision	Recall	Balanced_Accuracy
--------	---------	----	-----------	--------	-------------------

0	Random Forest	0.912577	0.819923	0.880658	0.767025	0.821547
1	XGBoost	0.930314	0.842884	0.870229	0.817204	0.835953
2	SVM	0.926133	0.849524	0.906504	0.799283	0.850496

Fim avaliação / validação modelos

```
[87]: '''
Funções para rodar a aplicação
'''

motifs = {
    "P_LOOP": r"[A-Z]G[A-Z]{4}GK[ST]",
    "KINASE2": r"[LIVM]{3,5}DD",
    "RNBS_A": r"FDL",
    "RNBS_B": r"G[RK]G",
    "RNBS_C": r"[A-Z]{2}P[A-Z]{2}W",
    "GLPL": r"GLPL",
    "RNBS_D": r"CFL",
    "MHD": r"MHD",
}

df_validacao = []

def validar_motifs(df,planta,modelo):
    print("\nVALIDAÇÃO BIOLÓGICA\n")
    counts = {}
    for motif_name, pattern in motifs.items():
        counts[motif_name] = 0
        for seq in df["protein_seq"]:
            if re.search(pattern, seq):
                counts[motif_name] += 1
    for k, v in counts.items():
        print(k, ":", v)

    counts['planta'] = planta
    counts['modelo'] = modelo

    df_validacao.append(counts)
    df_counts = pd.DataFrame([counts])
    df_counts.to_csv(
        f"{OUTPUT_DIR}/validacao_biologica_{modelo}_{planta}.csv",
        index=False
    )

def rodar_transdecoder(fasta_nt):
    cmd1 = [
        "TransDecoder.LongOrfs",
```

```

        "-t",
        fasta_nt,
        "--output_dir",
        f"{OUTPUT_DIR}"
    ]
    with open(fasta_nt+"_output1.txt", "a", encoding="utf-8") as log_file:
        subprocess.run(cmd1,
                        stdout=log_file,
                        stderr=subprocess.STDOUT,
                        text=True)

    cmd2 = [
        "TransDecoder.Predict",
        "-t",
        fasta_nt,
        "--output_dir",
        f"{OUTPUT_DIR}"
    ]
    with open(fasta_nt+"_output2.txt", "a", encoding="utf-8") as log_file:
        subprocess.run(cmd2,
                        stdout=log_file,
                        stderr=subprocess.STDOUT,
                        text=True)

    pep_file = fasta_nt + ".transdecoder.pep"
    return pep_file

def predizer_transcritos(fasta_nt,model,nmodel, output, planta):
    probabilidade = 0.85
    candidatos = []
    pep_file = rodar_transdecoder(fasta_nt)
    for record in SeqIO.parse(fasta_nt+".transdecoder.pep", "fasta"):
        protein = str(record.seq)
        feats = extrair_features_proteina(protein)
        if feats is None:
            continue
        X = scaler.transform([feats])
        prob = model.predict_proba(X)[0][1]
        candidatos.append({
            "id": record.id,
            "descricao": record.description,
            "protein_length": len(protein),
            "probabilidade_resistencia": prob,
            "protein_seq": protein
        })

    candidatos_df = pd.DataFrame(candidatos)

```

```

candidatos_df = candidatos_df.sort_values(
    "probabilidade_resistencia",
    ascending=False
)

# top = candidatos_df.head(40)
top = candidatos_df[candidatos_df["probabilidade_resistencia"] >=
↳probabilidade]
print("\nTOP CANDIDATOS com probabilidade de >= {probabilidade}:
↳"+fasta_nt+", MODELO: "+nmodel)
print(top[[
    "id",
    "descricao",
    "protein_length",
    "probabilidade_resistencia"
]])

validar_motifs(top,planta,nmodel)

candidatos_df.to_csv(
    f"{OUTPUT_DIR}/{output}",
    index=False
)

```

```

[88]: '''
Aplicação - Modelo XGBoost
'''

# print("\nPredição para ARABIDOPSIS\n")
# predizer_transcritos(transcriptoma_arabidopsis_fasta,
↳xgb_model, 'XGBoost', output="predicoes_xgboost.csv")

# print("\nPredição para BETACEUM\n")
# predizer_transcritos(transcriptoma_betaceum_fasta,
↳xgb_model, 'XGBoost', output="predicoes_xgboost.csv")

print("\nPredição para MELONGENA\n")
predizer_transcritos(transcriptoma_melongena_fasta,
↳xgb_model, 'XGBoost', output="predicoes_melongena_xgboost.csv", planta="Solanum
↳melongena")

print("\nPredição para TUBEROSUM\n")
predizer_transcritos(transcriptoma_tuberosum_fasta,
↳xgb_model, 'XGBoost', output="predicoes_tuberosum_xgboost.csv", planta="Solanum
↳tuberosum")

print("\nPredição para PHYSALIS\n")

```

```

predizer_transcritos(transcriptoma_physalis_fasta,
↳xgb_model, 'XGBoost', output="predicoes_physalis_xgboost.csv", planta="Physalis
↳peruviana")

print("\nArquivo salvo:")
print(f"{OUTPUT_DIR}/predicoes_xgboost.csv")

```

Predição para MELONGENA

TOP CANDIDATOS com probabilidade de ≥ 0.95 :

pipelineV/melongena_transcriptoma.fasta, MODELO: XGBoost

	id	descricao \
590	GBEF01002242.1.p1	GBEF01002242.1.p1 GENE.GBEF01002242.1~~GBEF010...
589	GBEF01002241.1.p1	GBEF01002241.1.p1 GENE.GBEF01002241.1~~GBEF010...
967	GBEF01014919.1.p1	GBEF01014919.1.p1 GENE.GBEF01014919.1~~GBEF010...
40	GBEF01000145.1.p1	GBEF01000145.1.p1 GENE.GBEF01000145.1~~GBEF010...
8171	GBEF01041955.1.p1	GBEF01041955.1.p1 GENE.GBEF01041955.1~~GBEF010...
...	...	...
9222	GBEF01044444.1.p1	GBEF01044444.1.p1 GENE.GBEF01044444.1~~GBEF010...
6200	GBEF01031392.1.p1	GBEF01031392.1.p1 GENE.GBEF01031392.1~~GBEF010...
3652	GBEF01024321.1.p1	GBEF01024321.1.p1 GENE.GBEF01024321.1~~GBEF010...
5372	GBEF01028323.1.p1	GBEF01028323.1.p1 GENE.GBEF01028323.1~~GBEF010...
8013	GBEF01041718.1.p1	GBEF01041718.1.p1 GENE.GBEF01041718.1~~GBEF010...

	protein_length	probabilidade_resistencia
590	802	0.998287
589	815	0.998278
967	978	0.996921
40	808	0.996877
8171	959	0.996494
...	...	...
9222	858	0.850925
6200	532	0.850557
3652	638	0.850427
5372	709	0.850376
8013	688	0.850316

[776 rows x 4 columns]

VALIDAÇÃO BIOLÓGICA

P_LOOP : 49
KINASE2 : 79
RNBS_A : 135
RNBS_B : 262
RNBS_C : 370

GLPL : 42
RNBS_D : 64
MHD : 23

Predição para TUBEROSUM

TOP CANDIDATOS com probabilidade de ≥ 0.95 :

pipelineV/tuberosum_transcriptoma.fasta, MODELO: XGBoost

	id		descricao \
45	EF137705.1.p1	EF137705.1.p1	GENE.EF137705.1~~EF137705.1.p1 ...
43	BD391474.1.p1	BD391474.1.p1	GENE.BD391474.1~~BD391474.1.p1 ...
46	EF471737.1.p1	EF471737.1.p1	GENE.EF471737.1~~EF471737.1.p1 ...
211	MG763883.1.p1	MG763883.1.p1	GENE.MG763883.1~~MG763883.1.p1 ...
268	PP061819.1.p1	PP061819.1.p1	GENE.PP061819.1~~PP061819.1.p1 ...
21	AJ300266.1.p1	AJ300266.1.p1	GENE.AJ300266.1~~AJ300266.1.p1 ...
24	AJ306627.1.p1	AJ306627.1.p1	GENE.AJ306627.1~~AJ306627.1.p1 ...
23	AJ306626.1.p1	AJ306626.1.p1	GENE.AJ306626.1~~AJ306626.1.p1 ...
163	KC914392.1.p1	KC914392.1.p1	GENE.KC914392.1~~KC914392.1.p1 ...
296	X74985.1.p1	X74985.1.p1	GENE.X74985.1~~X74985.1.p1 ORF ty...
162	KC914391.1.p1	KC914391.1.p1	GENE.KC914391.1~~KC914391.1.p1 ...
164	KC979135.1.p1	KC979135.1.p1	GENE.KC979135.1~~KC979135.1.p1 ...
254	PP061808.1.p2	PP061808.1.p2	GENE.PP061808.1~~PP061808.1.p2 ...
263	PP061818.1.p2	PP061818.1.p2	GENE.PP061818.1~~PP061818.1.p2 ...
251	PP061795.1.p2	PP061795.1.p2	GENE.PP061795.1~~PP061795.1.p2 ...
272	PP061822.1.p2	PP061822.1.p2	GENE.PP061822.1~~PP061822.1.p2 ...
152	JE864385.1.p1	JE864385.1.p1	GENE.JE864385.1~~JE864385.1.p1 ...
78	HI543298.1.p1	HI543298.1.p1	GENE.HI543298.1~~HI543298.1.p1 ...
128	JC300104.1.p1	JC300104.1.p1	GENE.JC300104.1~~JC300104.1.p1 ...
137	JC300327.1.p1	JC300327.1.p1	GENE.JC300327.1~~JC300327.1.p1 ...
261	PP061811.1.p1	PP061811.1.p1	GENE.PP061811.1~~PP061811.1.p1 ...
250	PP061795.1.p1	PP061795.1.p1	GENE.PP061795.1~~PP061795.1.p1 ...
253	PP061808.1.p1	PP061808.1.p1	GENE.PP061808.1~~PP061808.1.p1 ...
262	PP061818.1.p1	PP061818.1.p1	GENE.PP061818.1~~PP061818.1.p1 ...
274	PP061822.1.p1	PP061822.1.p1	GENE.PP061822.1~~PP061822.1.p1 ...
257	PP061811.1.p2	PP061811.1.p2	GENE.PP061811.1~~PP061811.1.p2 ...
277	PQ276083.1.p1	PQ276083.1.p1	GENE.PQ276083.1~~PQ276083.1.p1 ...
22	AJ300266.1.p2	AJ300266.1.p2	GENE.AJ300266.1~~AJ300266.1.p2 ...
48	EU049848.1.p1	EU049848.1.p1	GENE.EU049848.1~~EU049848.1.p1 ...
35	AM411449.1.p1	AM411449.1.p1	GENE.AM411449.1~~AM411449.1.p1 ...
148	JE864376.1.p1	JE864376.1.p1	GENE.JE864376.1~~JE864376.1.p1 ...
74	HI543289.1.p1	HI543289.1.p1	GENE.HI543289.1~~HI543289.1.p1 ...
34	AM411448.1.p1	AM411448.1.p1	GENE.AM411448.1~~AM411448.1.p1 ...
232	NM_001288250.1.p1	NM_001288250.1.p1	GENE.NM_001288250.1~~NM_0012...
319	Z11741.1.p1	Z11741.1.p1	GENE.Z11741.1~~Z11741.1.p1 ORF ty...
31	AJ507316.1.p1	AJ507316.1.p1	GENE.AJ507316.1~~AJ507316.1.p1 ...
224	NM_001287914.1.p1	NM_001287914.1.p1	GENE.NM_001287914.1~~NM_0012...
246	PA556229.1.p1	PA556229.1.p1	GENE.PA556229.1~~PA556229.1.p1 ...

248 PA559322.1.p1 PA559322.1.p1 GENE.PA559322.1~~PA559322.1.p1 ...
 182 LQ596448.1.p1 LQ596448.1.p1 GENE.LQ596448.1~~LQ596448.1.p1 ...

	protein_length	probabilidade_resistencia
45	849	0.997765
43	871	0.995184
46	1207	0.993484
211	895	0.992059
268	337	0.982241
21	486	0.979885
24	677	0.978849
23	677	0.977341
163	616	0.973372
296	221	0.966070
162	616	0.960543
164	1018	0.958861
254	337	0.958183
263	337	0.958183
251	337	0.958183
272	337	0.957867
152	427	0.951681
78	427	0.951681
128	483	0.949353
137	483	0.949353
261	471	0.947310
250	478	0.946668
253	478	0.946089
262	478	0.946089
274	478	0.944989
257	337	0.942107
277	603	0.929323
22	333	0.924512
48	797	0.918794
35	535	0.870586
148	886	0.864643
74	886	0.864643
34	554	0.859783
232	554	0.859783
319	510	0.859178
31	509	0.857984
224	900	0.855298
246	1158	0.853750
248	1158	0.853750
182	442	0.853369

VALIDAÇÃO BIOLÓGICA

P_LOOP : 11

KINASE2 : 5
 RNBS_A : 5
 RNBS_B : 12
 RNBS_C : 11
 GLPL : 8
 RNBS_D : 10
 MHD : 2

Predição para PHYSALIS

TOP CANDIDATOS com probabilidade de ≥ 0.95 :

pipelineV/physalis_transcriptoma.fasta, MODELO: XGBoost

	id	descricao \
8851	J0132546.1.p1	J0132546.1.p1 GENE.J0132546.1~~J0132546.1.p1 ...
941	J0125565.1.p1	J0125565.1.p1 GENE.J0125565.1~~J0125565.1.p1 ...
12682	J0138557.1.p1	J0138557.1.p1 GENE.J0138557.1~~J0138557.1.p1 ...
13063	J0138829.1.p1	J0138829.1.p1 GENE.J0138829.1~~J0138829.1.p1 ...
12868	J0138683.1.p1	J0138683.1.p1 GENE.J0138683.1~~J0138683.1.p1 ...
...	...	...
12421	J0138336.1.p1	J0138336.1.p1 GENE.J0138336.1~~J0138336.1.p1 ...
13259	J0138981.1.p1	J0138981.1.p1 GENE.J0138981.1~~J0138981.1.p1 ...
14434	J0139933.1.p1	J0139933.1.p1 GENE.J0139933.1~~J0139933.1.p1 ...
7604	J0130844.1.p1	J0130844.1.p1 GENE.J0130844.1~~J0130844.1.p1 ...
12477	J0138380.1.p1	J0138380.1.p1 GENE.J0138380.1~~J0138380.1.p1 ...

	protein_length	probabilidade_resistencia
8851	776	0.998335
941	646	0.998280
12682	888	0.998251
13063	721	0.998092
12868	1148	0.998043
...	...	...
12421	239	0.851462
13259	448	0.850935
14434	551	0.850716
7604	530	0.850681
12477	448	0.850583

[1213 rows x 4 columns]

VALIDAÇÃO BIOLÓGICA

P_LOOP : 122
 KINASE2 : 158
 RNBS_A : 153
 RNBS_B : 368
 RNBS_C : 401

GLPL : 77
RNBS_D : 136
MHD : 50

Arquivo salvo:
pipelineV/predicoes_xgboost.csv

```
[89]: print(df_validacao)
```

```
[{'P_LOOP': 49, 'KINASE2': 79, 'RNBS_A': 135, 'RNBS_B': 262, 'RNBS_C': 370, 'GLPL': 42, 'RNBS_D': 64, 'MHD': 23, 'planta': 'Solanum melongena', 'modelo': 'XGBoost'}, {'P_LOOP': 11, 'KINASE2': 5, 'RNBS_A': 5, 'RNBS_B': 12, 'RNBS_C': 11, 'GLPL': 8, 'RNBS_D': 10, 'MHD': 2, 'planta': 'Solanum tuberosum', 'modelo': 'XGBoost'}, {'P_LOOP': 122, 'KINASE2': 158, 'RNBS_A': 153, 'RNBS_B': 368, 'RNBS_C': 401, 'GLPL': 77, 'RNBS_D': 136, 'MHD': 50, 'planta': 'Physalis peruviana', 'modelo': 'XGBoost'}]
```

```
[90]: '''  
Aplicação - Modelo Random Forest  
'''  
  
# print("\nPredição para ARABIDOPSIS\n")  
# predizer_transcritos(transcriptoma_arabidopsis_fasta,   
    ↪ rf_model, "RF", output="predicoes_rf.csv")  
  
# print("\nPredição para BETACEUM\n")  
# predizer_transcritos(transcriptoma_betaceum_fasta,   
    ↪ rf_model, "RF", output="predicoes_rf.csv")  
  
print("\nPredição para MELONGENA\n")  
predizer_transcritos(transcriptoma_melongena_fasta,   
    ↪ rf_model, "RF", output="predicoes_melongena_rf.csv", planta="Solanum melongena")  
  
print("\nPredição para TUBEROSUM\n")  
predizer_transcritos(transcriptoma_tuberosum_fasta,   
    ↪ rf_model, "RF", output="predicoes_tuberosum_rf.csv", planta="Solanum tuberosum")  
  
print("\nPredição para PHYSALIS\n")  
predizer_transcritos(transcriptoma_physalis_fasta,   
    ↪ rf_model, "RF", output="predicoes_physalis_rf.csv", planta="Physalis peruviana")  
  
print("\nArquivo salvo:")  
print(f"{OUTPUT_DIR}/predicoes_rf.csv")
```

Predição para MELONGENA

TOP CANDIDATOS com probabilidade de ≥ 0.95 :

pipelineV/melongena_transcriptoma.fasta, MODELO: RF

	id	descricao \
267	GBEF01001042.1.p1	GBEF01001042.1.p1 GENE.GBEF01001042.1~~GBEF010...
9150	GBEF01044247.1.p1	GBEF01044247.1.p1 GENE.GBEF01044247.1~~GBEF010...
3214	GBEF01023314.1.p1	GBEF01023314.1.p1 GENE.GBEF01023314.1~~GBEF010...
4481	GBEF01026076.1.p1	GBEF01026076.1.p1 GENE.GBEF01026076.1~~GBEF010...
9151	GBEF01044248.1.p1	GBEF01044248.1.p1 GENE.GBEF01044248.1~~GBEF010...
589	GBEF01002241.1.p1	GBEF01002241.1.p1 GENE.GBEF01002241.1~~GBEF010...
3774	GBEF01024584.1.p1	GBEF01024584.1.p1 GENE.GBEF01024584.1~~GBEF010...
4482	GBEF01026077.1.p1	GBEF01026077.1.p1 GENE.GBEF01026077.1~~GBEF010...
4127	GBEF01025346.1.p1	GBEF01025346.1.p1 GENE.GBEF01025346.1~~GBEF010...
590	GBEF01002242.1.p1	GBEF01002242.1.p1 GENE.GBEF01002242.1~~GBEF010...
3213	GBEF01023313.1.p1	GBEF01023313.1.p1 GENE.GBEF01023313.1~~GBEF010...
1568	GBEF01016235.1.p1	GBEF01016235.1.p1 GENE.GBEF01016235.1~~GBEF010...
5625	GBEF01028897.1.p1	GBEF01028897.1.p1 GENE.GBEF01028897.1~~GBEF010...
994	GBEF01014969.1.p1	GBEF01014969.1.p1 GENE.GBEF01014969.1~~GBEF010...
5210	GBEF01027867.1.p1	GBEF01027867.1.p1 GENE.GBEF01027867.1~~GBEF010...
4989	GBEF01027318.1.p1	GBEF01027318.1.p1 GENE.GBEF01027318.1~~GBEF010...
36	GBEF01000129.1.p1	GBEF01000129.1.p1 GENE.GBEF01000129.1~~GBEF010...
40	GBEF01000145.1.p1	GBEF01000145.1.p1 GENE.GBEF01000145.1~~GBEF010...
8171	GBEF01041955.1.p1	GBEF01041955.1.p1 GENE.GBEF01041955.1~~GBEF010...
5647	GBEF01028998.1.p1	GBEF01028998.1.p1 GENE.GBEF01028998.1~~GBEF010...
6390	GBEF01032474.1.p1	GBEF01032474.1.p1 GENE.GBEF01032474.1~~GBEF010...
9230	GBEF01044458.1.p1	GBEF01044458.1.p1 GENE.GBEF01044458.1~~GBEF010...
8760	GBEF01043405.1.p1	GBEF01043405.1.p1 GENE.GBEF01043405.1~~GBEF010...
3216	GBEF01023316.1.p1	GBEF01023316.1.p1 GENE.GBEF01023316.1~~GBEF010...
4330	GBEF01025817.1.p1	GBEF01025817.1.p1 GENE.GBEF01025817.1~~GBEF010...
4331	GBEF01025818.1.p1	GBEF01025818.1.p1 GENE.GBEF01025818.1~~GBEF010...
278	GBEF01001080.1.p1	GBEF01001080.1.p1 GENE.GBEF01001080.1~~GBEF010...
6324	GBEF01032168.1.p1	GBEF01032168.1.p1 GENE.GBEF01032168.1~~GBEF010...
3215	GBEF01023315.1.p1	GBEF01023315.1.p1 GENE.GBEF01023315.1~~GBEF010...
8761	GBEF01043406.1.p1	GBEF01043406.1.p1 GENE.GBEF01043406.1~~GBEF010...
967	GBEF01014919.1.p1	GBEF01014919.1.p1 GENE.GBEF01014919.1~~GBEF010...
9154	GBEF01044251.1.p1	GBEF01044251.1.p1 GENE.GBEF01044251.1~~GBEF010...
9153	GBEF01044250.1.p1	GBEF01044250.1.p1 GENE.GBEF01044250.1~~GBEF010...
9152	GBEF01044249.1.p1	GBEF01044249.1.p1 GENE.GBEF01044249.1~~GBEF010...
8372	GBEF01042441.1.p1	GBEF01042441.1.p1 GENE.GBEF01042441.1~~GBEF010...
5672	GBEF01029068.1.p1	GBEF01029068.1.p1 GENE.GBEF01029068.1~~GBEF010...
9155	GBEF01044252.1.p1	GBEF01044252.1.p1 GENE.GBEF01044252.1~~GBEF010...
355	GBEF01001371.1.p1	GBEF01001371.1.p1 GENE.GBEF01001371.1~~GBEF010...
4387	GBEF01025926.1.p1	GBEF01025926.1.p1 GENE.GBEF01025926.1~~GBEF010...
4937	GBEF01027184.1.p1	GBEF01027184.1.p1 GENE.GBEF01027184.1~~GBEF010...
516	GBEF01002010.1.p1	GBEF01002010.1.p1 GENE.GBEF01002010.1~~GBEF010...
517	GBEF01002011.1.p1	GBEF01002011.1.p1 GENE.GBEF01002011.1~~GBEF010...
4690	GBEF01026509.1.p1	GBEF01026509.1.p1 GENE.GBEF01026509.1~~GBEF010...
5673	GBEF01029069.1.p1	GBEF01029069.1.p1 GENE.GBEF01029069.1~~GBEF010...
6031	GBEF01030328.1.p1	GBEF01030328.1.p1 GENE.GBEF01030328.1~~GBEF010...

	protein_length	probabilidade_resistencia
267	867	0.954040
9150	713	0.941230
3214	872	0.939822
4481	892	0.936933
9151	706	0.934861
589	815	0.932735
3774	1214	0.929063
4482	866	0.927837
4127	1022	0.927140
590	802	0.927018
3213	881	0.921305
1568	982	0.919823
5625	905	0.918581
994	1020	0.918201
5210	965	0.916250
4989	935	0.912404
36	718	0.910924
40	808	0.910358
8171	959	0.909852
5647	1005	0.908947
6390	905	0.907333
9230	851	0.900809
8760	921	0.896192
3216	874	0.895480
4330	886	0.894965
4331	886	0.894965
278	818	0.892260
6324	679	0.891063
3215	883	0.888107
8761	915	0.887935
967	978	0.883544
9154	532	0.882926
9153	572	0.882509
9152	579	0.879006
8372	1061	0.871550
5672	808	0.871168
9155	525	0.870757
355	798	0.866484
4387	924	0.865198
4937	666	0.860073
516	750	0.854167
517	746	0.853680
4690	627	0.853556
5673	711	0.851621
6031	734	0.850211

VALIDAÇÃO BIOLÓGICA

P_LOOP : 9
 KINASE2 : 21
 RNBS_A : 11
 RNBS_B : 21
 RNBS_C : 17
 GLPL : 11
 RNBS_D : 13
 MHD : 2

Predição para TUBEROSUM

TOP CANDIDATOS com probabilidade de ≥ 0.95 :

pipelineV/tuberosum_transcriptoma.fasta, MODELO: RF

	id	descricao \
43	BD391474.1.p1	BD391474.1.p1 GENE.BD391474.1~~BD391474.1.p1 ...
45	EF137705.1.p1	EF137705.1.p1 GENE.EF137705.1~~EF137705.1.p1 ...
46	EF471737.1.p1	EF471737.1.p1 GENE.EF471737.1~~EF471737.1.p1 ...
211	MG763883.1.p1	MG763883.1.p1 GENE.MG763883.1~~MG763883.1.p1 ...

	protein_length	probabilidade_resistencia
43	871	0.961462
45	849	0.959072
46	1207	0.934380
211	895	0.866416

VALIDAÇÃO BIOLÓGICA

P_LOOP : 2
 KINASE2 : 2
 RNBS_A : 1
 RNBS_B : 0
 RNBS_C : 0
 GLPL : 1
 RNBS_D : 2
 MHD : 1

Predição para PHYSALIS

TOP CANDIDATOS com probabilidade de ≥ 0.95 :

pipelineV/physalis_transcriptoma.fasta, MODELO: RF

	id	descricao \
12682	J0138557.1.p1	J0138557.1.p1 GENE.J0138557.1~~J0138557.1.p1 ...
12825	J0138656.1.p1	J0138656.1.p1 GENE.J0138656.1~~J0138656.1.p1 ...
12868	J0138683.1.p1	J0138683.1.p1 GENE.J0138683.1~~J0138683.1.p1 ...
10868	J0134210.1.p1	J0134210.1.p1 GENE.J0134210.1~~J0134210.1.p1 ...

```

10869 J0134211.1.p1 J0134211.1.p1 GENE.J0134211.1~~J0134211.1.p1 ...
...
9646 J0133187.1.p1 J0133187.1.p1 GENE.J0133187.1~~J0133187.1.p1 ...
4533 J0128173.1.p1 J0128173.1.p1 GENE.J0128173.1~~J0128173.1.p1 ...
12926 J0138727.1.p1 J0138727.1.p1 GENE.J0138727.1~~J0138727.1.p1 ...
7039 J0130273.1.p1 J0130273.1.p1 GENE.J0130273.1~~J0130273.1.p1 ...
12580 J0138498.1.p1 J0138498.1.p1 GENE.J0138498.1~~J0138498.1.p1 ...

```

	protein_length	probabilidade_resistencia
12682	888	0.980514
12825	1150	0.976682
12868	1148	0.975879
10868	865	0.973397
10869	865	0.973397
...	...	...
9646	670	0.857734
4533	857	0.855554
12926	579	0.855192
7039	539	0.852677
12580	1330	0.851227

[155 rows x 4 columns]

VALIDAÇÃO BIOLÓGICA

```

P_LOOP : 31
KINASE2 : 51
RNBS_A : 19
RNBS_B : 68
RNBS_C : 56
GLPL : 28
RNBS_D : 41
MHD : 8

```

Arquivo salvo:
pipelineV/predicoes_rf.csv

```

[91]: '''
      Aplicação - Modelo SVM
      '''

      # print("\nPredição para ARABIDOPSIS\n")
      # predizer_transcritos(transcriptoma_arabidopsis_fasta,
      ↪sum_model, "SVM", output="predicoes_svm.csv")

      # print("\nPredição para BETACEUM\n")

```

```
# predizer_transcritos(transcriptoma_betaceum_fasta,
↳svm_model, 'SVM', output="predicoes_svm.csv")

print("\nPredição para MELONGENA\n")
predizer_transcritos(transcriptoma_melongena_fasta,
↳svm_model, 'SVM', output="predicoes_melongena_svm.csv", planta="Solanum_
↳melongena")

print("\nPredição para TUBEROSUM\n")
predizer_transcritos(transcriptoma_tuberosum_fasta,
↳svm_model, "SVM", output="predicoes_tuberosum_svm.csv", planta="Solanum_
↳tuberosum")

print("\nPredição para PHYSALIS\n")
predizer_transcritos(transcriptoma_physalis_fasta,
↳svm_model, "SVM", output="predicoes_physalis_svm.csv", planta="Physalis_
↳peruviana")

print("\nArquivo salvo:")
print(f"{OUTPUT_DIR}/predicoes_svm.csv")
```

Predição para MELONGENA

TOP CANDIDATOS com probabilidade de ≥ 0.95 :

pipelineV/melongena_transcriptoma.fasta, MODELO: SVM

	id	descricao \
590	GBEF01002242.1.p1	GBEF01002242.1.p1 GENE.GBEF01002242.1~~GBEF010...
589	GBEF01002241.1.p1	GBEF01002241.1.p1 GENE.GBEF01002241.1~~GBEF010...
6390	GBEF01032474.1.p1	GBEF01032474.1.p1 GENE.GBEF01032474.1~~GBEF010...
286	GBEF01001123.1.p1	GBEF01001123.1.p1 GENE.GBEF01001123.1~~GBEF010...
967	GBEF01014919.1.p1	GBEF01014919.1.p1 GENE.GBEF01014919.1~~GBEF010...
...	...	...
3168	GBEF01023211.1.p1	GBEF01023211.1.p1 GENE.GBEF01023211.1~~GBEF010...
3167	GBEF01023210.1.p1	GBEF01023210.1.p1 GENE.GBEF01023210.1~~GBEF010...
9121	GBEF01044209.1.p1	GBEF01044209.1.p1 GENE.GBEF01044209.1~~GBEF010...
8622	GBEF01043088.1.p1	GBEF01043088.1.p1 GENE.GBEF01043088.1~~GBEF010...
8887	GBEF01043648.1.p1	GBEF01043648.1.p1 GENE.GBEF01043648.1~~GBEF010...

	protein_length	probabilidade_resistencia
590	802	1.000000
589	815	1.000000
6390	905	1.000000
286	749	1.000000
967	978	0.999999
...	...	...

3168	376	0.851564
3167	376	0.851564
9121	920	0.851264
8622	530	0.850853
8887	433	0.850653

[909 rows x 4 columns]

VALIDAÇÃO BIOLÓGICA

P_LOOP : 52
 KINASE2 : 84
 RNBS_A : 121
 RNBS_B : 271
 RNBS_C : 406
 GLPL : 35
 RNBS_D : 61
 MHD : 29

Predição para TUBEROSUM

TOP CANDIDATOS com probabilidade de ≥ 0.95 :

pipelineV/tuberosum_transcriptoma.fasta, MODELO: SVM

	id	descricao \
211	MG763883.1.p1	MG763883.1.p1 GENE.MG763883.1~~MG763883.1.p1 ...
277	PQ276083.1.p1	PQ276083.1.p1 GENE.PQ276083.1~~PQ276083.1.p1 ...
46	EF471737.1.p1	EF471737.1.p1 GENE.EF471737.1~~EF471737.1.p1 ...
45	EF137705.1.p1	EF137705.1.p1 GENE.EF137705.1~~EF137705.1.p1 ...
163	KC914392.1.p1	KC914392.1.p1 GENE.KC914392.1~~KC914392.1.p1 ...
162	KC914391.1.p1	KC914391.1.p1 GENE.KC914391.1~~KC914391.1.p1 ...
43	BD391474.1.p1	BD391474.1.p1 GENE.BD391474.1~~BD391474.1.p1 ...
23	AJ306626.1.p1	AJ306626.1.p1 GENE.AJ306626.1~~AJ306626.1.p1 ...
21	AJ300266.1.p1	AJ300266.1.p1 GENE.AJ300266.1~~AJ300266.1.p1 ...
24	AJ306627.1.p1	AJ306627.1.p1 GENE.AJ306627.1~~AJ306627.1.p1 ...
268	PP061819.1.p1	PP061819.1.p1 GENE.PP061819.1~~PP061819.1.p1 ...
152	JE864385.1.p1	JE864385.1.p1 GENE.JE864385.1~~JE864385.1.p1 ...
78	HI543298.1.p1	HI543298.1.p1 GENE.HI543298.1~~HI543298.1.p1 ...
263	PP061818.1.p2	PP061818.1.p2 GENE.PP061818.1~~PP061818.1.p2 ...
254	PP061808.1.p2	PP061808.1.p2 GENE.PP061808.1~~PP061808.1.p2 ...
251	PP061795.1.p2	PP061795.1.p2 GENE.PP061795.1~~PP061795.1.p2 ...
137	JC300327.1.p1	JC300327.1.p1 GENE.JC300327.1~~JC300327.1.p1 ...
128	JC300104.1.p1	JC300104.1.p1 GENE.JC300104.1~~JC300104.1.p1 ...
41	AY704177.1.p1	AY704177.1.p1 GENE.AY704177.1~~AY704177.1.p1 ...
272	PP061822.1.p2	PP061822.1.p2 GENE.PP061822.1~~PP061822.1.p2 ...
274	PP061822.1.p1	PP061822.1.p1 GENE.PP061822.1~~PP061822.1.p1 ...
250	PP061795.1.p1	PP061795.1.p1 GENE.PP061795.1~~PP061795.1.p1 ...
253	PP061808.1.p1	PP061808.1.p1 GENE.PP061808.1~~PP061808.1.p1 ...

262	PP061818.1.p1	PP061818.1.p1	GENE.PP061818.1~~PP061818.1.p1	...
173	KT036486.1.p1	KT036486.1.p1	GENE.KT036486.1~~KT036486.1.p1	...
261	PP061811.1.p1	PP061811.1.p1	GENE.PP061811.1~~PP061811.1.p1	...
257	PP061811.1.p2	PP061811.1.p2	GENE.PP061811.1~~PP061811.1.p2	...
22	AJ300266.1.p2	AJ300266.1.p2	GENE.AJ300266.1~~AJ300266.1.p2	...
35	AM411449.1.p1	AM411449.1.p1	GENE.AM411449.1~~AM411449.1.p1	...
182	LQ596448.1.p1	LQ596448.1.p1	GENE.LQ596448.1~~LQ596448.1.p1	...
74	HI543289.1.p1	HI543289.1.p1	GENE.HI543289.1~~HI543289.1.p1	...
148	JE864376.1.p1	JE864376.1.p1	GENE.JE864376.1~~JE864376.1.p1	...
72	HI543285.1.p1	HI543285.1.p1	GENE.HI543285.1~~HI543285.1.p1	...
146	JE864372.1.p1	JE864372.1.p1	GENE.JE864372.1~~JE864372.1.p1	...
164	KC979135.1.p1	KC979135.1.p1	GENE.KC979135.1~~KC979135.1.p1	...
232	NM_001288250.1.p1	NM_001288250.1.p1	GENE.NM_001288250.1~~NM_001288250.1.p1	...
34	AM411448.1.p1	AM411448.1.p1	GENE.AM411448.1~~AM411448.1.p1	...
77	HI543297.1.p1	HI543297.1.p1	GENE.HI543297.1~~HI543297.1.p1	...
151	JE864384.1.p1	JE864384.1.p1	GENE.JE864384.1~~JE864384.1.p1	...
65	HI542718.1.p1	HI542718.1.p1	GENE.HI542718.1~~HI542718.1.p1	...
139	JE863805.1.p1	JE863805.1.p1	GENE.JE863805.1~~JE863805.1.p1	...
138	JE863804.1.p1	JE863804.1.p1	GENE.JE863804.1~~JE863804.1.p1	...
64	HI542717.1.p1	HI542717.1.p1	GENE.HI542717.1~~HI542717.1.p1	...
239	OM569620.1.p1	OM569620.1.p1	GENE.OM569620.1~~OM569620.1.p1	...
68	HI543281.1.p1	HI543281.1.p1	GENE.HI543281.1~~HI543281.1.p1	...
142	JE864368.1.p1	JE864368.1.p1	GENE.JE864368.1~~JE864368.1.p1	...
9	AB022719.1.p1	AB022719.1.p1	GENE.AB022719.1~~AB022719.1.p1	...

	protein_length	probabilidade_resistencia
211	895	0.999981
277	603	0.997228
46	1207	0.997077
45	849	0.995024
163	616	0.994240
162	616	0.991858
43	871	0.989988
23	677	0.985225
21	486	0.985023
24	677	0.983149
268	337	0.983038
152	427	0.981761
78	427	0.981761
263	337	0.976250
254	337	0.976250
251	337	0.976250
137	483	0.975979
128	483	0.975979
41	350	0.962704
272	337	0.962282
274	478	0.958416
250	478	0.957004

253	478	0.956852
262	478	0.956852
173	618	0.943153
261	471	0.931567
257	337	0.926334
22	333	0.925981
35	535	0.923779
182	442	0.903977
74	886	0.896299
148	886	0.896299
72	568	0.888935
146	568	0.888935
164	1018	0.866716
232	554	0.859510
34	554	0.859510
77	622	0.859186
151	622	0.859186
65	519	0.857140
139	519	0.857140
138	519	0.857140
64	519	0.857140
239	580	0.856713
68	622	0.854011
142	622	0.854011
9	566	0.852005

VALIDAÇÃO BIOLÓGICA

P_LOOP : 9
 KINASE2 : 2
 RNBS_A : 5
 RNBS_B : 15
 RNBS_C : 15
 GLPL : 8
 RNBS_D : 10
 MHD : 2

Predição para PHYSALIS

TOP CANDIDATOS com probabilidade de ≥ 0.95 :

pipelineV/physalis_transcriptoma.fasta, MODELO: SVM

	id	descricao \
8851	J0132546.1.p1	J0132546.1.p1 GENE.J0132546.1~~J0132546.1.p1 ...
8853	J0132547.1.p1	J0132547.1.p1 GENE.J0132547.1~~J0132547.1.p1 ...
7040	J0130274.1.p1	J0130274.1.p1 GENE.J0130274.1~~J0130274.1.p1 ...
941	J0125565.1.p1	J0125565.1.p1 GENE.J0125565.1~~J0125565.1.p1 ...
7039	J0130273.1.p1	J0130273.1.p1 GENE.J0130273.1~~J0130273.1.p1 ...

```

...
4037  J0127793.1.p3  J0127793.1.p3  GENE.J0127793.1~~J0127793.1.p3  ...
6212  J0129782.1.p1  J0129782.1.p1  GENE.J0129782.1~~J0129782.1.p1  ...
9094  J0132906.1.p2  J0132906.1.p2  GENE.J0132906.1~~J0132906.1.p2  ...
9095  J0132907.1.p2  J0132907.1.p2  GENE.J0132907.1~~J0132907.1.p2  ...
6750  J0130110.1.p1  J0130110.1.p1  GENE.J0130110.1~~J0130110.1.p1  ...

```

	protein_length	probabilidade_resistencia
8851	776	1.000000
8853	759	1.000000
7040	632	1.000000
941	646	1.000000
7039	539	1.000000
...	...	...
4037	189	0.851154
6212	482	0.850517
9094	390	0.850250
9095	390	0.850250
6750	904	0.850129

[1309 rows x 4 columns]

VALIDAÇÃO BIOLÓGICA

```

P_LOOP : 127
KINASE2 : 164
RNBS_A : 129
RNBS_B : 358
RNBS_C : 403
GLPL : 75
RNBS_D : 120
MHD : 48

```

Arquivo salvo:
pipelineV/predicoes_svm.csv

```
[92]: print(df_validacao)
```

```

[{'P_LOOP': 49, 'KINASE2': 79, 'RNBS_A': 135, 'RNBS_B': 262, 'RNBS_C': 370,
'GLPL': 42, 'RNBS_D': 64, 'MHD': 23, 'planta': 'Solanum melongena', 'modelo':
'XGBoost'}, {'P_LOOP': 11, 'KINASE2': 5, 'RNBS_A': 5, 'RNBS_B': 12, 'RNBS_C':
11, 'GLPL': 8, 'RNBS_D': 10, 'MHD': 2, 'planta': 'Solanum tuberosum', 'modelo':
'XGBoost'}, {'P_LOOP': 122, 'KINASE2': 158, 'RNBS_A': 153, 'RNBS_B': 368,
'RNBS_C': 401, 'GLPL': 77, 'RNBS_D': 136, 'MHD': 50, 'planta': 'Physalis
peruviana', 'modelo': 'XGBoost'}, {'P_LOOP': 9, 'KINASE2': 21, 'RNBS_A': 11,
'RNBS_B': 21, 'RNBS_C': 17, 'GLPL': 11, 'RNBS_D': 13, 'MHD': 2, 'planta':
'Solanum melongena', 'modelo': 'RF'}, {'P_LOOP': 2, 'KINASE2': 2, 'RNBS_A': 1,
'RNBS_B': 0, 'RNBS_C': 0, 'GLPL': 1, 'RNBS_D': 2, 'MHD': 1, 'planta': 'Solanum

```

```
tuberosum', 'modelo': 'RF'}, {'P_LOOP': 31, 'KINASE2': 51, 'RNBS_A': 19,
'RNBS_B': 68, 'RNBS_C': 56, 'GLPL': 28, 'RNBS_D': 41, 'MHD': 8, 'planta':
'Physalis peruviana', 'modelo': 'RF'}, {'P_LOOP': 52, 'KINASE2': 84, 'RNBS_A':
121, 'RNBS_B': 271, 'RNBS_C': 406, 'GLPL': 35, 'RNBS_D': 61, 'MHD': 29,
'planta': 'Solanum melongena', 'modelo': 'SVM'}, {'P_LOOP': 9, 'KINASE2': 2,
'RNBS_A': 5, 'RNBS_B': 15, 'RNBS_C': 15, 'GLPL': 8, 'RNBS_D': 10, 'MHD': 2,
'planta': 'Solanum tuberosum', 'modelo': 'SVM'}, {'P_LOOP': 127, 'KINASE2': 164,
'RNBS_A': 129, 'RNBS_B': 358, 'RNBS_C': 403, 'GLPL': 75, 'RNBS_D': 120, 'MHD':
48, 'planta': 'Physalis peruviana', 'modelo': 'SVM'}]
```

```
[93]: df_copia = df_validacao.copy()
df_inicial = pd.DataFrame(df_validacao)

df_validacao = df_inicial.melt(
    id_vars=["planta", "modelo"],
    var_name="motivo",
    value_name="contagem"
)
print(df_validacao.head())

df_validacao.to_csv(f"{OUTPUT_DIR}/df_validacao.csv", index=False)
```

	planta	modelo	motivo	contagem
0	Solanum melongena	XGBoost	P_LOOP	49
1	Solanum tuberosum	XGBoost	P_LOOP	11
2	Physalis peruviana	XGBoost	P_LOOP	122
3	Solanum melongena	RF	P_LOOP	9
4	Solanum tuberosum	RF	P_LOOP	2

```
[97]: #Scatterplot
plt.figure(figsize=(12,6))
sns.scatterplot(
    data=df_validacao,
    x="motivo",
    y="contagem",
    hue="planta",
    style="modelo",
    s=200
)
# plt.title( "Validação biológica dos motivos conservados")
plt.ylabel("Número de ocorrências")
plt.xlabel("Motivo")
plt.legend(
    bbox_to_anchor=(1.05,1),
    loc="upper left"
)
plt.tight_layout()
plt.savefig(f"{OUTPUT_DIR}/Validacao_biologica_dos_motivos_conservados.png")
```

```

plt.close()
# plt.show()

#Bubble Chart
plt.figure(figsize=(12,6))
sns.scatterplot(
    data=df_validacao,
    x="motivo",
    y="modelo",
    hue="planta",
    size="contagem",
    sizes=(50,600)
)
# plt.title("Distribuição dos motivos por modelo e espécie")
plt.tight_layout()
plt.savefig(f"{OUTPUT_DIR}/distribuicao_dos_motivos_por_modelo_especie.png")
plt.close()
# plt.show()

#Facetas por planta
g = sns.catplot(
    data=df_validacao,
    x="motivo",
    y="contagem",
    hue="modelo",
    col="planta",
    kind="bar",
    height=5,
    aspect=1.2
)
g.set_xticklabels(rotation=45)
plt.savefig(f"{OUTPUT_DIR}/facetas_por_planta.png")
plt.close()
# plt.show()

#por planta

#Physalis peruviana
df_physalis = df_validacao[df_validacao["planta"] == "Physalis peruviana"]
plt.figure(figsize=(12, 6))
sns.set_theme(style="whitegrid")
sns.lineplot(
    data=df_physalis,
    x="motivo",
    y="contagem",
    hue="modelo",

```

```

        style="modelo",
        markers=True,      # Ativa os marcadores nos pontos
        dashes=False,      # Mantém as linhas contínuas
        linewidth=2,       # Espessura da linha
        markersize=10      # Tamanho dos pontos de dispersão
    )

    # plt.title("Comparação dos Modelos para Physalis peruviana", fontsize=14,
    #           ↪fontweight="bold", pad=15)
    plt.xlabel("Motivos Conservados", fontsize=12, labelpad=10)
    plt.ylabel("Número de Ocorrências (Contagem)", fontsize=12, labelpad=10)
    plt.xticks(rotation=45, ha="right")
    plt.legend(title="Modelos", bbox_to_anchor=(1.02, 1), loc="upper left")
    plt.tight_layout()
    plt.savefig(f"{OUTPUT_DIR}/comparacao_modelos_physalis.png", dpi=300)
    plt.close()

    #Solanum melongena
    df_melongena = df_validacao[df_validacao["planta"] == "Solanum melongena"]
    plt.figure(figsize=(12, 6))
    sns.set_theme(style="whitegrid")
    sns.lineplot(
        data=df_melongena,
        x="motivo",
        y="contagem",
        hue="modelo",
        style="modelo",
        markers=True,      # Ativa os marcadores nos pontos
        dashes=False,      # Mantém as linhas contínuas
        linewidth=2,       # Espessura da linha
        markersize=10      # Tamanho dos pontos de dispersão
    )

    # plt.title("Comparação dos Modelos para Solanum melongena", fontsize=14,
    #           ↪fontweight="bold", pad=15)
    plt.xlabel("Motivos Conservados", fontsize=12, labelpad=10)
    plt.ylabel("Número de Ocorrências (Contagem)", fontsize=12, labelpad=10)
    plt.xticks(rotation=45, ha="right")
    plt.legend(title="Modelos", bbox_to_anchor=(1.02, 1), loc="upper left")
    plt.tight_layout()
    plt.savefig(f"{OUTPUT_DIR}/comparacao_modelos_melongena.png", dpi=300)
    plt.close()

    #Solanum tuberosum
    df_tuberosum = df_validacao[df_validacao["planta"] == "Solanum tuberosum"]
    plt.figure(figsize=(12, 6))
    sns.set_theme(style="whitegrid")

```

```

sns.lineplot(
    data=df_tuberosum,
    x="motivo",
    y="contagem",
    hue="modelo",
    style="modelo",
    markers=True,      # Ativa os marcadores nos pontos
    dashes=False,      # Mantém as linhas contínuas
    linewidth=2,       # Espessura da linha
    markersize=10      # Tamanho dos pontos de dispersão
)

# plt.title("Comparação dos Modelos para Solanum tuberosum", fontsize=14,
#           fontweight="bold", pad=15)
plt.xlabel("Motivos Conservados", fontsize=12, labelpad=10)
plt.ylabel("Número de Ocorrências (Contagem)", fontsize=12, labelpad=10)
plt.xticks(rotation=45, ha="right")
plt.legend(title="Modelos", bbox_to_anchor=(1.02, 1), loc="upper left")
plt.tight_layout()
plt.savefig(f"{OUTPUT_DIR}/comparacao_modelos_tuberosum.png", dpi=300)
plt.close()

#Heatmap
df_validacao["grupo"] = (
    df_validacao["planta"]
    + "_"
    + df_validacao["modelo"]
)

pivot = df_validacao.pivot_table(
    index="motivo",
    columns="grupo",
    values="contagem",
    fill_value=0
)

plt.figure(figsize=(14, 8))
sns.heatmap(
    pivot,
    annot=True,
    fmt="g",
    cmap="YlGnBu",
    linewidths=0.5,
    cbar_kws={'label': 'Contagem'} # Nomeia a barra de cores lateral
)

```

```

# plt.title("Distribuição dos Motivos Conservados por Planta e Modelo",
↳ fontsize=14, fontweight="bold", pad=15)
plt.ylabel("Motivo", fontsize=12)
plt.xlabel("Grupo (Planta & Modelo)", fontsize=12)
plt.xticks(rotation=45, ha="right", fontsize=10)
plt.yticks(rotation=0, fontsize=10)
plt.tight_layout()
plt.savefig(f"{OUTPUT_DIR}/heatmap_distribuicao_dos_motivos_conservados.
↳ png", dpi=300)
plt.close()
# plt.show()

print("===== Fim do Pipeline =====")

```

===== Fim do Pipeline =====

[]: