KÜHNE LOGISTICS UNIVERSITY

EatALot Delivery: ER Diagram

This presentation outlines the ER diagram for the EatALot Delivery system, detailing its core components and their interactions.

Database Management Group 4

Marcela Santos

Daria Fedorova

January 26, 2026



Understanding the EatALot Scenario

EatALot is a food delivery service connecting customers with various restaurants. Users can place individual or group orders, select from restaurant menus, and have their food delivered to a specified address.

Key Entities in EatALot

1

Participant/Customer

Individuals placing orders. This is a weak entity, as customers can exist without being part of a group order.

2

Group

Represents a collective order, often with multiple participants. Includes delivery address and payment details.

3

Restaurant

Food providers with specific opening hours and locations. They are the owners of the menu items.

4

Menu

A weak entity, dependent on a Restaurant. Each item has a price and title.

5

Order

The core transaction, detailing items, total amount, payment, and delivery address.

Attributes of Each Entity



Weak Entities and Owner Types

Menu

A weak entity, its existence is dependent on a specific Restaurant. Item_ID is a partial key.

Restaurant

Acts as an owner type for Menu, meaning a menu cannot exist without a restaurant.



Participation Constraints: Total and Partial



Total Participation

Every instance of an entity must participate in the relationship. For example, every Menu must belong to a Restaurant.



Partial Participation

Not every instance of an entity is required to participate. A Participant/Customer might exist without being part of a Group order.

Cardinality Ratios

M:N Relationships

- **Participant/Customer to Group (Belongs):** Many customers can belong to many groups, and vice-versa.
- **Group to Restaurant (Selects):** A group can select from many restaurants, and a restaurant can be selected by many groups.
- **Menu to Restaurant (Has):** A menu can have many items, and a restaurant can have many menu items.

1:M Relationships

- **Restaurant to Order (Receives):** One restaurant can receive many orders, but each order is received by only one restaurant.
- **Group to Order (Delivered):** One group can have many orders delivered, but each order is delivered to one group.

Cardinality Ratios



Relationship with Attributes: "Delivered"



Delivered Relationship

This relationship links a **Group** to an **Order**.
It includes the attribute **Delivery_Status**.

Why an Attribute?

The Delivery_Status (e.g., "pending," "in transit," "delivered") is specific to the act of delivery itself, not solely to the Group or the Order.

Enhancing Detail

Adding attributes to relationships provides richer context and allows for tracking dynamic aspects of the interaction between entities.

KÜHNE LOGISTICS UNIVERSITY

EatALot Delivery: ER Diagram

This presentation outlines the updated ER diagram, conversion to RDBS and normalization for BCNS.

Database Management Group 4

Marcela Santos

Daria Fedorova

February 9, 2026

Updated ER Diagram

Extension: 5 → 10 entities





ER Diagram link: https://www.canva.com/design/DAG_PhYC7EQ/R-4qbQ8yG46Pi2a1w-7bMw/edit

ERD → RDBS: Customer

1 Group Membership

ParticipantCustomer — Belongs — Group (N:M)

Belongs(Customer_ID, Group_ID)



Customer_ID	Delivery_Address	First_Name	Last_Name	Email_Address	Group_	Group_Name	Created_at
9	Street 9, Hamburg	Olivia	Brown	olivia.brown@example.com	1	Dorm Buddies	2025-12-07 15:28:00
8	Street 8, Hamburg	Lucas	Novak	lucas.novak@example.com	2	Study Group	2025-12-11 04:55:00
4	Street 4, Hamburg	Liam	Schmidt	liam.schmidt@example.com	3	Office Lunch	2025-12-12 01:08:00
2	Street 2, Hamburg	Diego	Garcia	diego.garcia@example.com	1	Dorm Buddies	2025-12-07 15:28:00
6	Street 6, Hamburg	Emma	Rossi	emma.rossi@example.com	2	Study Group	2025-12-11 04:55:00
2	Street 2, Hamburg	Diego	Garcia	diego.garcia@example.com	3	Office Lunch	2025-12-12 01:08:00
3	Street 3, Hamburg	Sofia	Müller	sofia.mueller@example.com	1	Dorm Buddies	2025-12-07 15:28:00
2	Street 2, Hamburg	Diego	Garcia	diego.garcia@example.com	2	Study Group	2025-12-11 04:55:00
10	Street 10, Hamburg	Jonas	Weber	jonas.weber@example.com	3	Office Lunch	2025-12-12 01:08:00
2	Street 2, Hamburg	Diego	Garcia	diego.garcia@example.com	1	Dorm Buddies	2025-12-07 15:28:00
2	Street 2, Hamburg	Diego	Garcia	diego.garcia@example.com	2	Study Group	2025-12-11 04:55:00
10	Street 10, Hamburg	Jonas	Weber	jonas.weber@example.com	3	Office Lunch	2025-12-12 01:08:00
6	Street 6, Hamburg	Emma	Rossi	emma.rossi@example.com	1	Dorm Buddies	2025-12-07 15:28:00
3	Street 3, Hamburg	Sofia	Müller	sofia.mueller@example.com	2	Study Group	2025-12-11 04:55:00
4	Street 4, Hamburg	Liam	Schmidt	liam.schmidt@example.com	3	Office Lunch	2025-12-12 01:08:00

ERD → RDBS: Restaurants

2 Restaurant data

Restaurant — Has — Menu (1:N)

Has(Restaurant_ID, Menu_ID)

Menu — Contains — Menu_Item (N:M on ERD)

Contains_MenuItem(Menu_ID, MenuItem_ID)

Restaurant_I	Restaurant_Nam	Address	Opening_Hour	Cuisine_Type	Menu_I	Menu_Nam	Last_Update
1	Bella Pasta	Reeperbahn 12,	11:00-23:00	Italian	1	Main Menu	1/8/26 5:48
1	Bella Pasta	Reeperbahn 12,	11:00-23:00	Italian	1	Main Menu	1/8/26 5:48
1	Bella Pasta	Reeperbahn 12,	11:00-23:00	Italian	1	Main Menu	1/8/26 5:48
2	Sushi Zen	Jungfernstieg 5,	12:00-22:00	Japanese	2	Main Menu	12/29/25 4:36
2	Sushi Zen	Jungfernstieg 5,	12:00-22:00	Japanese	2	Main Menu	12/29/25 4:36
2	Sushi Zen	Jungfernstieg 5,	12:00-22:00	Japanese	2	Main Menu	12/29/25 4:36
3	Curry Corner	Schanzenstr. 8, H	10:00-21:00	Indian	3	Main Menu	12/31/25 10:55
3	Curry Corner	Schanzenstr. 8, H	10:00-21:00	Indian	3	Main Menu	12/31/25 10:55
3	Curry Corner	Schanzenstr. 8, H	10:00-21:00	Indian	3	Main Menu	12/31/25 10:55
4	Vegan Vibes	Altonaer Str. 44,	11:00-20:00	Vegan	4	Main Menu	1/9/26 17:24
4	Vegan Vibes	Altonaer Str. 44,	11:00-20:00	Vegan	4	Main Menu	1/9/26 17:24
4	Vegan Vibes	Altonaer Str. 44,	11:00-20:00	Vegan	4	Main Menu	1/9/26 17:24



ERD → RDBS: Orders

3 Order details

Restaurant — Receives — Order (1:N)
Receives(Restaurant_ID, Order_ID)

Order — Contains — Order_Item
Contains_OrderItem(Order_ID, Line_No)

Restaurant_I	Restaurant_Nam	Address	Opening_Hour	Cuisine_Type	Menu_I	Menu_Nam	Last_Update
1	Bella Pasta	Reeperbahn 12,	11:00-23:00	Italian	1	Main Menu	1/8/26 5:48
1	Bella Pasta	Reeperbahn 12,	11:00-23:00	Italian	1	Main Menu	1/8/26 5:48
1	Bella Pasta	Reeperbahn 12,	11:00-23:00	Italian	1	Main Menu	1/8/26 5:48
2	Sushi Zen	Jungfernstieg 5,	12:00-22:00	Japanese	2	Main Menu	12/29/25 4:36
2	Sushi Zen	Jungfernstieg 5,	12:00-22:00	Japanese	2	Main Menu	12/29/25 4:36
2	Sushi Zen	Jungfernstieg 5,	12:00-22:00	Japanese	2	Main Menu	12/29/25 4:36
3	Curry Corner	Schanzenstr. 8, I	10:00-21:00	Indian	3	Main Menu	12/31/25 10:55
3	Curry Corner	Schanzenstr. 8, I	10:00-21:00	Indian	3	Main Menu	12/31/25 10:55
3	Curry Corner	Schanzenstr. 8, I	10:00-21:00	Indian	3	Main Menu	12/31/25 10:55
4	Vegan Vibes	Altonaer Str. 44,	11:00-20:00	Vegan	4	Main Menu	1/9/26 17:24
4	Vegan Vibes	Altonaer Str. 44,	11:00-20:00	Vegan	4	Main Menu	1/9/26 17:24
4	Vegan Vibes	Altonaer Str. 44,	11:00-20:00	Vegan	4	Main Menu	1/9/26 17:24



ERD → RDBS: Payment Transaction

4 Payment information

PaymentTransaction — Paid — Order (shown on ERD)
Paid(Transaction_ID, Order_ID)

ParticipantCustomer — Makes — PaymentTransaction (1:N)
Makes(Customer_ID, Transaction_ID)

Transaction_ID	Order_ID	Bank_ID	Amount	Currency	Transaction_Time	Payment_Method
50001	1001	2	63.75	EUR	2026-01-28 01:55:00	Card
50002	1002	1	29.5	EUR	2026-01-18 14:58:00	PayPal
50003	1003	2	51.85	EUR	2026-01-26 07:13:00	SEPA
50004	1004	2	39	EUR	2026-01-22 08:16:00	PayPal
50005	1006	1	21.6	EUR	2026-01-14 03:23:00	Card
50006	1008	1	12.6	EUR	2026-01-18 03:13:00	SEPA
50007	1009	1	17.6	EUR	2026-01-23 14:02:00	Card
50008	1010	1	14.3	EUR	2026-01-16 12:31:00	Card
50009	1011	2	37	EUR	2026-01-27 00:38:00	PayPal
50010	1012	1	29.7	EUR	2026-01-16 20:43:00	Card
50011	1013	2	47.75	EUR	2026-01-20 21:30:00	PayPal
50012	1015	2	31.75	EUR	2026-01-13 08:04:00	Card



ERD → RDBS: Order Delivery

5 Delivery Assignment and Validation

Delivery — Assigned — Courier (relationship has attributes!)
Assigned(Delivery_ID, Courier_ID, AssignedAt, AcceptedAt)

Delivery — Validates — Courier
Validates(Delivery_ID, Courier_ID)

Delivery_ID	Order_ID	Delivery_Status	Pickup_Time	Dropoff_Time	Delivery_Fee
7001	1001	OutForDelivery	2026-01-28 02:05:00		3
7002	1002	OutForDelivery	2026-01-18 14:54:00		2.5
7003	1004	Delivered	2026-01-22 08:33:00	2026-01-22 08:51:00	4
7004	1006	OutForDelivery	2026-01-14 03:42:00		2.5
7005	1008	OutForDelivery	2026-01-18 03:19:00		3
7006	1009	Delivered	2026-01-23 14:24:00	2026-01-23 14:47:00	4
7007	1010	Delivered	2026-01-16 13:01:00	2026-01-16 13:33:00	4
7008	1011	OutForDelivery	2026-01-27 00:54:00		3.5
7009	1012	Delivered	2026-01-16 21:02:00	2026-01-16 21:23:00	4
7010	1013	OutForDelivery	2026-01-20 21:32:00		2.5



Boyce-Codd-Normal Form (BCNF)

Relation	Primary Key	Foreign Key	Non-key attributes
Customer	Customer_ID	-	First_Name; Last_Name; Email_Address; Phone_Number; Delivery_Address; Created_at
Group	Group_ID	-	Group_Name; Created_at
Restaurant	Restaurant_ID	-	Name; Address; Opening_Hours; Cuisine_Type
Menu	Menu_ID	Restaurant_ID → Restaurant(Restaurant_ID)	Menu_Name; Last_Updated
Menu_Item	MenuItem_ID	-	Item_Name; Description; Price; Category; IsAvailable
Order	Order_ID	Customer_ID → Customer(Customer_ID) Restaurant_ID → Restaurant(Restaurant_ID) Group_ID → Group(Group_ID) [nullable]	Order_Timestamp; Order_Status; Delivery_Address; Total_amount [or derived]
Order_Item	(Order_ID, Line_No)	Order_ID → Order(Order_ID) MenuItem_ID → Menu_Item(MenuItem_ID)	Quantity; PriceAtOrderTime; Special_Instructions
Menu_Contains	(Menu_ID, MenuItem_ID)	Menu_ID → Menu(Menu_ID) MenuItem_ID → Menu_Item(MenuItem_ID)	-
PaymentTransaction	Transaction_ID	Order_ID → Order(Order_ID)	Amount; Currency; Transaction_Time; Payment_Method; Payment_Status
Delivery	Delivery_ID	Order_ID → Order(Order_ID) [UNIQUE]	Delivery_Status; Pickup_Time; Dropoff_Time; Delivery_Fee
Courier	Courier_ID	-	First_Name; Last_Name; Phone_Number; Vehicle_Type
Belongs	(Customer_ID, Group_ID)	Customer_ID → Customer(Customer_ID) Group_ID → Group(Group_ID)	-
Selects	(Customer_ID, Group_ID, Restaurant_ID)	Customer_ID → Customer(Customer_ID) Group_ID → Group(Group_ID) Restaurant_ID → Restaurant(Restaurant_ID)	-
Assigned	(Delivery_ID, Courier_ID)	Delivery_ID → Delivery(Delivery_ID) Courier_ID → Courier(Courier_ID)	AssignedAt; AcceptedAt
Validates	(Delivery_ID, Courier_ID)	Delivery_ID → Delivery(Delivery_ID) Courier_ID → Courier(Courier_ID)	-

Boyce-Codd-Normal Form (BCNF)

Relation	Main FD(s)	BCNF result
Customer	Customer_ID → all non-key attributes	BCNF
Group	Group_ID → all non-key attributes	BCNF
Restaurant	Restaurant_ID → all non-key attributes	BCNF
Menu	Menu_ID → Restaurant_ID, Menu_Name, Last_Updated	BCNF
Menu_Item	MenuItem_ID → all non-key attributes	BCNF
Order	Order_ID → all non-key attributes	BCNF
Order_Item	(Order_ID, Line_No) → all non-key attributes	BCNF
Menu_Contains	Key-only (no non-trivial FDs)	BCNF
PaymentTransaction	Transaction_ID → all non-key attributes	BCNF
Delivery	Delivery_ID → all non-key attributes; additionally, for 1:1, Order_ID → Delivery_ID	BCNF if UNIQUE(Order_ID) enforced
Courier	Courier_ID → all non-key attributes	BCNF
Belongs	Key-only (no non-trivial FDs)	BCNF
Selects	Key-only (no non-trivial FDs)	BCNF (see note)
Assigned	(Delivery_ID, Courier_ID) → AssignedAt, AcceptedAt	BCNF
Validates	Key-only (no non-trivial FDs)	BCNF

KÜHNE LOGISTICS UNIVERSITY

EatALot Delivery: Q&A

Thank you for your attention ☺

KÜHNE LOGISTICS UNIVERSITY

EatALot Delivery: Final Presentation

This presentation summarizes the final design, implementation, and key components of EatALot Delivery Database system.

Database Management Group 4

Marcela Santos

Daria Fedorova

February 24, 2026



Understanding the EatALot Scenario

EatALot is a food delivery service connecting customers with various restaurants. Users can place individual or group orders, select from restaurant menus, and have their food delivered to a specified address.

Updated ER Diagram



ER Diagram link: https://www.canva.com/design/DAG_PhYC7EQ/R-4qbQ8yG46Pi2a1w-7bMw/edit

Relational Algebra & SQL Queries 3/24

Customers in the Top 10% by No. of Orders

- Percentile function
- Aggregation
- Cross join with threshold

```sql
WITH orders_per_customer AS (
SELECT customer_id, COUNT(*) AS num_orders
FROM "Order"
GROUP BY customer_id
),
threshold AS (
SELECT percentile_cont(0.9) WITHIN GROUP (ORDER BY num_orders) AS p90
FROM orders_per_customer
)
SELECT opc.customer_id, opc.num_orders
FROM orders_per_customer opc
CROSS JOIN threshold t
WHERE opc.num_orders >= t.p90
ORDER BY opc.num_orders DESC;
```

Customers Who Ordered from All Italian Restaurants

- Join
- Relational division
- GROUP BY + HAVING

```sql
SELECT o.Customer_ID
FROM "Order" o
JOIN Restaurant r
ON r.Restaurant_ID = o.Restaurant_ID
WHERE r.Cuisine_type = 'Italian'
AND CAST(o.Order_Timestamp AS DATE) = CURRENT_DATE
GROUP BY o.Customer_ID
HAVING COUNT(DISTINCT o.Restaurant_ID) = (
SELECT COUNT(*)
FROM Restaurant r2
WHERE r2.Cuisine_type = 'Italian'
);
```

Relational Algebra & SQL Queries 3/24

Couriers who are slower than the average delivery time

Date/Time Calculation, Filtering (Where), Join operations, Aggregation, GROUP BY, Subquery (Scalar Subquery), Order by

```sql
WITH delivery_minutes AS (
SELECT d.delivery_id,
EXTRACT(EPOCH FROM (d.dropoff_time - d.pickup_time))/60.0 AS minutes
FROM Delivery d
WHERE d.pickup_time IS NOT NULL AND d.dropoff_time IS NOT NULL
),
courier_avg AS (
SELECT a.courier_id, AVG(dm.minutes) AS avg_minutes
FROM Assigned a
JOIN delivery_minutes dm ON dm.delivery_id = a.delivery_id
GROUP BY a.courier_id
)
SELECT c.courier_id, c.first_name, c.last_name, ca.avg_minutes
FROM courier_avg ca
JOIN Courier c ON c.courier_id = ca.courier_id
WHERE ca.avg_minutes >
(SELECT AVG(avg_minutes) FROM courier_avg)
ORDER BY ca.avg_minutes DESC;
```

	courier_id [PK] integer	first_name character varying (50)	last_name character varying (50)	avg_minutes numeric
1	210	Ava	Neumann	35.0000000000000000
2	212	Iris	Cole	35.0000000000000000
3	214	Nora	Lehmann	35.0000000000000000
4	204	Lea	Brandt	30.0000000000000000
5	205	Ivan	Petrov	30.0000000000000000

Conceptual & Logical Design

1

Triggers

- Automatic recalculation of Order.total_amount.
- Cannot mark order delivered unless delivery exists.
- Payments cannot exceed order total.
- Group orders require item owners to belong to group.

2

Assertions

- Successful payments must not exceed order total.
- Delivered orders must have valid delivery confirmation.

3

Views

- Order financial summary (total vs paid vs remaining)
- Restaurant revenue per month
- Delivery status overview (order + courier + delivery)

Data Population → 15 test tuples

```
133 INSERT INTO Restaurant(restaurant_id, name, address, opening_hours, cuisine_type) VALUES
134 (1,'Bella Pasta','Reeperbahn 12, Hamburg','11:00-23:00','Italian'),
135 (2,'Sushi Zen','Jungfernstieg 5, Hamburg','12:00-22:00','Japanese'),
136 (3,'Curry Corner','Schanzenstr. 8, Hamburg',
137 (4,'Vegan Vibes','Altonaer Str. 44, Hamburg
138 (5,'Burger Hub','Millerntor 1, Hamburg','1
139 (6,'Taco Town','HafenCity 2, Hamburg','12:
140 (7,'Noodle House','Eppendorf 7, Hamburg','
141 (8,'Kebab King','Ottensen 3, Hamburg','10:
```

Data Output | Messages | Notifications

Showing rows: 1 to 15 | Page No: 1

	restaurant_id [PK] integer	name character varying (120)	address character varying (255)	opening_hours character varying (50)	cuisine_type character varying (50)
1	1	Bella Pasta	Reeperbahn 12, Hambu…	11:00-23:00	Italian
2	2	Sushi Zen	Jungfernstieg 5, Hamb…	12:00-22:00	Japanese
3	3	Curry Corner	Schanzenstr. 8, Hamburg	10:00-21:00	Indian
4	4	Vegan Vibes	Altonaer Str. 44, Hamb…	11:00-20:00	Vegan
5	5	Burger Hub	Millerntor 1, Hamburg	11:00-23:00	American
6	6	Taco Town	HafenCity 2, Hamburg	12:00-22:00	Mexican
7	7	Noodle House	Eppendorf 7, Hamburg	11:00-22:00	Asian
8	8	Kebab King	Ottensen 3, Hamburg	10:00-22:00	Turkish
9	9	Breakfast Bistro	St. Georg 9, Hamburg	07:00-15:00	Breakfast
10	10	Pizza Palace	Barmbek 6, Hamburg	11:00-23:00	Italian
11	11	Ramen Room	Wandsbek 10, Hamburg	11:30-22:30	Japanese
12	12	Falafel Factory	Harburg 2, Hamburg	10:00-21:30	Middle Eastern
13	13	BBQ Barn	Rotherbaum 4, Hamburg	12:00-23:00	American
14	14	Seafood Spot	St. Pauli 8, Hamburg	11:00-22:00	Seafood
15	15	Gelato Garden	Winterhude 6, Hamburg	12:00-21:00	Italian

Transactions

Transaction 1 – Individual Order Lifestyle

- Creates an individual order and adds/modifies/removes items
- Order total is automatically recalculated via trigger
- Payment is validated against total and shown in summary view

Transaction 2 – Restaurant Revenue Effect

- Creates a second order with item updates
- Trigger recalculates totals dynamically
- Monthly revenue view reflects the new paid order

Transaction 3 – Delivery Lifecycle

- Simulates assignment, pickup, and delivery process
- Order cannot be marked delivered without valid delivery record
- Delivery and payment status confirmed via overview views

Initial User Interface → UI Application

pgAdmin

HTML

Application → First Successful Order

```
========== EatALot DB Application ==========
[1] Start New Order (customer UI)
[2] Show Order Payment Summary (view)
---- Assignment 6 Transactions (demo in-app) ----
[11] Run Transaction 1 (lifecycle)
[12] Run Transaction 2 (revenue effect)
[13] Run Transaction 3 (delivery lifecycle)
[0] Exit
Choose: 1

========== EatALot ==========
Welcome! Let's place your order.

First name: Marcela
Last name: Santos

🍴 Choose a restaurant:
   1 | Bella Pasta | Italian
   2 | Sushi Zen | Japanese
   3 | Curry Corner | Indian
   4 | Vegan Vibes | Vegan
   5 | Burger Hub | American
   6 | Taco Town | Mexican
   7 | Noodle House | Asian
   8 | Kebab King | Turkish
   9 | Breakfast Bistro | Breakfast
  10 | Pizza Palace | Italian
  11 | Ramen Room | Japanese
  12 | Falafel Factory | Middle Eastern
  13 | BBQ Barn | American
  14 | Seafood Spot | Seafood
  15 | Gelato Garden | Italian
Restaurant number: 1
Delivery address: Lokstedter Weg 88

✅ Order created! (Order #1016)
```

```
🛒 Now choose items. Type 'done' when finished.

Menu:
   1 | Spaghetti Carbonara | Pasta | €12.50 | ✅
   2 | Margherita Pizza | Pizza | €11.00 | ✅
   3 | Lasagna al Forno | Pasta | €13.50 | ✅
   4 | Bruschetta | Starter | €6.00 | ✅
   5 | Tiramisu | Dessert | €6.50 | ✅
Item number (or done): 1
Quantity: 1
Special instructions (optional, press Enter to skip):
✅ Added! (Order total recalculated by trigger)

Menu:
   1 | Spaghetti Carbonara | Pasta | €12.50 | ✅
   2 | Margherita Pizza | Pizza | €11.00 | ✅
   3 | Lasagna al Forno | Pasta | €13.50 | ✅
   4 | Bruschetta | Starter | €6.00 | ✅
   5 | Tiramisu | Dessert | €6.50 | ✅
Item number (or done): 2
Quantity: 1
Special instructions (optional, press Enter to skip):
✅ Added! (Order total recalculated by trigger)

Menu:
   1 | Spaghetti Carbonara | Pasta | €12.50 | ✅
   2 | Margherita Pizza | Pizza | €11.00 | ✅
   3 | Lasagna al Forno | Pasta | €13.50 | ✅
   4 | Bruschetta | Starter | €6.00 | ✅
   5 | Tiramisu | Dessert | €6.50 | ✅
Item number (or done): done

💳 Payment
Choose payment method (card/paypal): card
Processing payment...
✅ Payment successful!

🚴 Assigning a courier...
Courier assigned: Nora Lehmann
✅ Delivery completed!

🎉 Your order has been delivered. Enjoy your meal!
```

Let’s Check Out the App!





Future Outlook

1

Functional Extension

- Add customer reviews & restaurant ratings.
- Order tracking with real-time status updates.
- Implement discount codes and promotions.
- Multiple payment providers.

2

Reporting & Analytics

- Customer behavior analysis
- Dynamic pricing strategies
- Fraud detection for suspicious payments
- Revenue forecasting models

3

Techical Improvements

- Better frontend application
- Add automated backups of the database
- Improve system performance for larger amounts of data

KÜHNE LOGISTICS UNIVERSITY

EatALot Delivery: Q&A

Thank you for your attention ☺