

S T Q Q S S D

Tarefa básica

CALCULO GERAL DE DETERMINANTES

$$\textcircled{1} \quad A = \begin{vmatrix} 1 & 0 \\ 0 & 1 & 1 \\ 0 & -1 & 1 \end{vmatrix}$$

escolhida

1 cof(a_{11})

$$1. \begin{vmatrix} 1 & 1 \\ -1 & 1 \end{vmatrix} \rightarrow 1 - (-1) = 2$$

0 cof(a_{21})

0 cof(a_{31})

$$\det A = 2$$

$$B = \begin{vmatrix} 1 & 0 & 0 & 3 \\ d & 1 & -1 & 4 \\ 0 & 0 & 0 & 3 \\ 0 & 1 & 1 & 4 \end{vmatrix}$$

escolhida

1 cof(b_{11})

$$1. \begin{vmatrix} 1 & -1 & 4 \\ 0 & 0 & 3 \\ 1 & 1 & 4 \end{vmatrix} \rightarrow 1 - 0 + 0 = 1$$

$$0 + 3 + 0 = 3$$

$$0 - 3 + 0 = -3$$

$$-3 - 3 = -6$$

d. cof(b_{21})

$$d. \begin{vmatrix} 0 & 0 & 3 & 0 & 0 \\ 0 & 0 & 3 & 0 & 0 \\ 1 & 1 & 4 & 1 & 1 \end{vmatrix}$$

$$0 + 0 + 0 = 0 \quad 0 + 0 + 0 = 0$$

$$0 - 0 = 0$$

* Resposta = $\det A = 2$ e

$$\det B = -6$$

$$\det B = -6$$

S T Q Q S S D

$$\begin{array}{|c|c|c|c|c|} \hline
 2 & x^2 & 0 & x & -1/10 \\ \hline
 4 & 5 & 0 & 5 & 2 \\ \hline
 10 & 0 & 4 & 2 \\ \hline
 1 & 1 & 1 & 1 \\ \hline
 \end{array}
 \xrightarrow{\text{escolhida}}
 \begin{array}{|c|c|c|c|c|} \hline
 1. & x^2 & x & -1/10 & x^2 & x \\ \hline
 1. & 5 & 2 & & 5 & 2 \\ \hline
 10 & 4 & 2 & & 4 & 2 \\ \hline
 \end{array}
 \xrightarrow{-50/10 + 8x^2 + 15x \cdot 10x^2 + 20x - 30/10}$$

$$\det = 10x^2 + 20x - 3 - (-5 + 8x^2 + 15x) = 0$$

$$10x^2 + 20x - 3 + 5 - 8x^2 - 15x = 0$$

$$2x^2 + 5x + 2 = 0$$

$$a = 2 \quad b = 5 \quad c = 2$$

$$x = \frac{-b \pm \sqrt{9}}{2 \cdot a}$$

$$\Delta = b^2 - 4 \cdot a \cdot c$$

$$x = \frac{-5 \pm 3}{4}$$

$$\Delta = 5^2 - 4 \cdot 2 \cdot 2$$

4

$$\Delta = 25 - 16$$

$$\Delta = 9$$

$$x' = -5 - 3/4 = -2$$

$$x'' = -5 + 3/4 = -1/2$$

$$x = \{-1, 2; -\frac{1}{2}\}$$

$$\begin{array}{|c|c|c|c|c|} \hline
 3 & x & 0 & 0 & 3 \\ \hline
 -1 & x & 0 & 0 \\ \hline
 0 & -1 & x & 1 \\ \hline
 0 & 0 & -1 & -2 \\ \hline
 \end{array}
 \xrightarrow{\text{escolhida}}
 \begin{array}{|c|c|c|c|c|} \hline
 x & 0 & 0 & x & 0 \\ \hline
 -1 & x & 1 & -1 & x \\ \hline
 0 & -1 & -2 & 0 & -1 \\ \hline
 \end{array}
 \xrightarrow{-2x^2 - (-x)} -2x^2 + x$$

$$x \cdot (-2x^2 + x)$$

$$-2x^3 + x^2$$

$$-1 \cdot \text{cof}(a_{21}) \quad 0 + 0 + 0$$

i+j

$$\begin{array}{|c|c|c|c|c|} \hline
 & 0 & 0 & 3 & 0 & 0 \\ \hline
 & -1 & x & 1 & -1 & x \\ \hline
 & 0 & -1 & -2 & 0 & -1 \\ \hline
 \end{array}
 \xrightarrow{2+1 \rightarrow} 3 \quad (\text{l\'ımpar})$$

Ent\~ao, -3

Alternativa A)

$$0 + 0 + 3$$

$$-1 \cdot (-3) = 3$$

S T Q Q S S D

— / — /

(4)	$\begin{vmatrix} x & 1 & 0 & 0 & 0 \\ 0 & x & 1 & 0 & 0 \\ 0 & 0 & x & 1 & 0 \\ 0 & 0 & 0 & x & k \\ 0 & 0 & 0 & 1 & x \end{vmatrix}$
-----	---

$$f(x) = \det A \quad e \quad f(-2) = 8$$

escolhida

$$x \cdot \text{cof}(11)$$

x	1	0	0	
0	x	1	0	
0	0	x	1	
0	0	0	x	k

$$\rightarrow x \cdot \begin{vmatrix} x & 1 & 0 & x & 1 \\ 0 & x & k & 0 & x \\ 0 & 1 & x & 0 & 1 \end{vmatrix} \rightarrow x^3 - xk$$

$x^3 + 0 + 0$

escolhida

$$x \cdot (x \cdot (x^3 - xk))$$

$$x^2 \cdot (x^3 - xk)$$

$$x^5 - x^3 k \rightarrow \det A$$

$$f(-2) = 8 \quad f(x) = \det A$$

$$f(-2) = x^5 - x^3 k = 8$$

$$f(-2) = (-2)^5 - (-2)^3 k = 8$$

$$-32 + 8k = 8$$

$$8k = 8 + 32$$

$$8k = 40$$

$$k = \frac{40}{8}$$

$$k = 5$$

alternativa D)