

PTMI LOGO PLACEHOLDER		Preventive Maintenance Checksheet PT MATTEL INDONESIA Form PM-STD-06 · Rev 4 · Page 1 of 4 — one sheet per machine		WORK ORDER NO. SHEET REF.	
DATE		TECHNICIAN NAME		SHIFT (paper only)	
		Registered: Budi Santoso · Sari Rahmawati · Agus Wijaya (Tristar Maintenance) · Dewi Lestari · Rizky Pratama · Andi Saputra (Apex Industrial Services)		☐ 1 ☐ 2 ☐ 3	
				TIME STARTED	
MACHINE ☒ CNC Mill #3 MC-104 ☐ Injection Molder A2 MC-221 ☐ Conveyor Line 7 MC-317 ☐ Packaging Robot B1 MC-412 pre-selected for this sheet					
Area: Machining — Bay 2 PM interval: Every 30 days Inspection points: 6					
#	INSPECTION POINT				RESULT
01	Spindle lubrication level Reservoir between MIN–MAX marks IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Needs replacement * ☐ Misaligned ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
02	Coolant concentration Target 6–8% on refractometer IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Needs replacement * ☐ Misaligned ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
03	Way covers & wipers No tears, chips cleared from tracks IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Needs replacement * ☐ Misaligned ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
04	Tool changer alignment Dry-run 3 change cycles IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Needs replacement * ☐ Misaligned ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
05	Axis backlash check X/Y axis ≤ 0.01 mm IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Needs replacement * ☐ Misaligned ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
06	Cabinet air filter Swap if pressure drop > 250 Pa IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Needs replacement * ☐ Misaligned ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
* These two categories automatically draft a vendor part-request email on submission. Every other category is logged as a finding only. A category is mandatory for any point marked FAIL — the digital form rejects a fail with no category. Tick one category per failed point. Leave the whole band blank for points marked PASS. There is no free-text field on this form by design: every entry is a fixed choice.					
GENERATED BY SMARTPM ON ENTRY — DO NOT FILL BY HAND					
Checksheet code (CS-####)		Work order (WO-CS-####)		Sheet status	
		Severity per finding		Submitted timestamp	
TECHNICIAN SIGNATURE		DATE		TIME COMPLETED	
I confirm every inspection point above was physically checked.		DD / MM / YYYY		HH : MM	

PTMI LOGO PLACEHOLDER		Preventive Maintenance Checksheet PT MATTEL INDONESIA Form PM-STD-06 · Rev 4 · Page 2 of 4 — one sheet per machine		WORK ORDER NO. SHEET REF.	
DATE		TECHNICIAN NAME		SHIFT (paper only)	
		Registered: Budi Santoso · Sari Rahmawati · Agus Wijaya (Tristar Maintenance) · Dewi Lestari · Rizky Pratama · Andi Saputra (Apex Industrial Services)		☐ 1 ☐ 2 ☐ 3	
				TIME STARTED	
MACHINE ☐ CNC Mill #3 MC-104 ☒ Injection Molder A2 MC-221 ☐ Conveyor Line 7 MC-317 ☐ Packaging Robot B1 MC-412 pre-selected for this sheet					
Area: Molding — Hall A PM interval: Every 30 days Inspection points: 6					
#	INSPECTION POINT				RESULT
01	Hydraulic oil level & temperature 45–55 °C at idle IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
02	Heater band continuity Zones 1–6 within ±5% IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
03	Nozzle & barrel condition No drool, no scoring IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
04	Mold position sensor Verify trigger at set point IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
05	Safety gate interlock Must halt cycle instantly IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
06	Water lines & fittings No leaks at manifold IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
* These two categories automatically draft a vendor part-request email on submission. Every other category is logged as a finding only. A category is mandatory for any point marked FAIL — the digital form rejects a fail with no category. Tick one category per failed point. Leave the whole band blank for points marked PASS. There is no free-text field on this form by design: every entry is a fixed choice.					
GENERATED BY SMARTPM ON ENTRY — DO NOT FILL BY HAND					
Checksheet code (CS-####)		Work order (WO-CS-####)		Sheet status	
		Severity per finding		Submitted timestamp	
TECHNICIAN SIGNATURE		DATE		TIME COMPLETED	
I confirm every inspection point above was physically checked.		DD / MM / YYYY		HH : MM	

PTMI LOGO PLACEHOLDER		Preventive Maintenance Checksheet PT MATTEL INDONESIA Form PM-STD-06 · Rev 4 · Page 3 of 4 — one sheet per machine		WORK ORDER NO. SHEET REF.	
DATE		TECHNICIAN NAME		SHIFT (paper only)	
		Registered: Budi Santoso · Sari Rahmawati · Agus Wijaya (Tristar Maintenance) · Dewi Lestari · Rizky Pratama · Andi Saputra (Apex Industrial Services)		☐ 1 ☐ 2 ☐ 3	
				TIME STARTED	
MACHINE ☐ CNC Mill #3 MC-104 ☐ Injection Molder A2 MC-221 ☒ Conveyor Line 7 MC-317 ☐ Packaging Robot B1 MC-412 pre-selected for this sheet					
Area: Final Assembly — Line 7 PM interval: Every 30 days Inspection points: 6					
#	INSPECTION POINT				RESULT
01	Belt tension & tracking Deflection ≤ 12 mm mid-span IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected ☐ Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
02	Drive motor spark plug Gap 0.8 mm, no fouling IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected ☐ Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
03	Roller bearings No play or grinding noise IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected ☐ Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
04	Drive chain & belt lubrication Full pass with SKF LGMT 2 IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected ☐ Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
05	Photo sensor alignment Beam centered on reflector IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected ☐ Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
06	Emergency stop circuit Test both end stations IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected ☐ Photo attached ☐ Yes ☐ No photo file ref. _____ ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail
* These two categories automatically draft a vendor part-request email on submission. Every other category is logged as a finding only. A category is mandatory for any point marked FAIL — the digital form rejects a fail with no category. Tick one category per failed point. Leave the whole band blank for points marked PASS. There is no free-text field on this form by design: every entry is a fixed choice.					
GENERATED BY SMARTPM ON ENTRY — DO NOT FILL BY HAND					
Checksheet code (CS-####)		Work order (WO-CS-####)		Sheet status	
		Severity per finding		Submitted timestamp	
TECHNICIAN SIGNATURE		DATE		TIME COMPLETED	
I confirm every inspection point above was physically checked.		DD / MM / YYYY		HH : MM	

PTMI LOGO PLACEHOLDER		Preventive Maintenance Checksheet PT MATTEL INDONESIA Form PM-STD-06 · Rev 4 · Page 4 of 4 — one sheet per machine		WORK ORDER NO. SHEET REF.			
DATE		TECHNICIAN NAME Registered: Budi Santoso · Sari Rahmawati · Agus Wijaya (Tristar Maintenance) · Dewi Lestari · Rizky Pratama · Andi Saputra (Apex Industrial Services)		SHIFT (paper only) ☐ 1 ☐ 2 ☐ 3		TIME STARTED	
MACHINE ☐ CNC Mill #3 MC-104 ☐ Injection Molder A2 MC-221 ☐ Conveyor Line 7 MC-317 ☒ Packaging Robot B1 MC-412 pre-selected for this sheet							
Area: Packing — Cell B PM interval: Every 45 days Inspection points: 6							
#	INSPECTION POINT				RESULT		
01	Gripper pads & alignment Replace pads worn below 2 mm IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail		
02	Vacuum cup seals Hold 8 s at −60 kPa IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail		
03	Servo motor temperature < 65 °C after 10 cycles IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail		
04	Cable carrier condition No cracked links IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail		
05	Home position calibration Offset ≤ 0.5 mm IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail		
06	Safety scanner zones Verify slow & stop fields IF FAIL — FINDING CATEGORY (select exactly one — required) ☐ Damaged part * ☐ Misaligned ☐ Needs replacement * ☐ Leak detected Photo attached ☐ Yes ☐ No photo file ref. ☐ Needs lubrication ☐ Abnormal noise / vibration				☐ Pass ☐ Fail		
* These two categories automatically draft a vendor part-request email on submission. Every other category is logged as a finding only. A category is mandatory for any point marked FAIL — the digital form rejects a fail with no category. Tick one category per failed point. Leave the whole band blank for points marked PASS. There is no free-text field on this form by design: every entry is a fixed choice.							
GENERATED BY SMARTPM ON ENTRY — DO NOT FILL BY HAND Checksheet code (CS-####) Work order (WO-CS-####) Sheet status Severity per finding Submitted timestamp							
TECHNICIAN SIGNATURE I confirm every inspection point above was physically checked.			DATE DD / MM / YYYY		TIME COMPLETED HH : MM		