

Ex.No.: 1	CREATION OF BASE TABLE AND DML OPERATIONS
Date: 26/7/24	

AIM:

ALGORITHM:

STEP-1: Start.

STEP-2: Create a base Table

Syntax:

CREATE TABLE <table name> (column1 type, column2 type, ...);

STEP-3: Describe the Table structure

Syntax:

DESC <table name>

STEP-4: Add a new row to a Table using INSERT statement.

Syntax:

- INSERT INTO <table name> VALUES (value1, value2..);
- INSERT INTO <table name> (column1, column2..) VALUES (value1, value2..);
- INSERT INTO <table name>VALUES (&column1,'&column');

STEP-5: Modify the existing rows in the base Table with UPDATE statement.

Syntax:

UPDATE <table name> SET column1=value, column2 = 'value'
WHERE (condition);

STEP-6: Remove the existing rows from the Table using DELETE statement.

Syntax:

DELETE FROM <table name> WHERE <condition>;

STEP-7: Perform a Query using SELECT statement.

Syntax:

SELECT [DISTINCT] {*,<column1,..>} FROM <table name>
WHERE <condition>;

NAME	NULL?	TYPE
ID	Not null	Number(4)
Last_name		Varchar(25)
First_name		Varchar(25)
Userid		Varchar(25)
Salary		Number(9,2)

CREATE TABLE MY-EMPLOYEE (ID number(4) NOT NULL, Last_name varchar(25), First_name varchar(25), Userid varchar(25), Salary number(9,2));

2. Add the first and second rows data to MY_EMPLOYEE table from the following sample data.

ID	Last_name	First_name	Userid	salary
1	Patel	Ralph	rpatel	895
2	Dancs	Betty	bdancs	860
3	Biri	Ben	bbiri	1100
4	Newman	Chad	Cnewman	750
5	Ropebur	Audrey	aropebur	1550

INSERT INTO my-employee VALUES (1, 'Patel', 'Ralph', 'rpatel', 895);
 INSERT INTO my-employee VALUES (2, 'Dancs', 'Betty', 'bdancs', 860);

3. Display the table with values.

SELECT * FROM MY-EMPLOYEE;

4. Populate the next two rows of data from the sample data. Concatenate the first letter of the first_name with the first seven characters of the last_name to produce Userid.

INSERT INTO MY-EMPLOYEE VALUES (3, 'Biri', 'Ben', 'bbiri', 1100);
 INSERT INTO MY-EMPLOYEE VALUES (4, 'Newman', 'Chad', 'Cnewman', 750);

5. Delete Betty dancs from MY_EMPLOYEE table.

DELETE FROM MY-EMPLOYEE WHERE ID=2;

6. Empty the fourth row of the emp table.

```
DELETE FROM MY_EMPLOYEE WHERE ID=4;
```

7. Make the data additions permanent.

```
COMMIT;
```

8. Change the last name of employee 3 to Drexler.

```
UPDATE MY_EMPLOYEE SET last_name = 'Drexler' WHERE ID=3;
```

9. Change the salary to 1000 for all the employees with a salary less than 900.

```
UPDATE MY_EMPLOYEE SET Salary = 1000 WHERE Salary < 900;
```

Evaluation Procedure	Marks awarded
Query(5)	5
Execution (5)	5
Viva(5)	5
Total (15)	15
Faculty Signature	