

Light Cruiser (Medium Ship)



Isometric

TACTICAL ATTRIBUTES

Toughness: Md Maneuver Class: 2

FTL Range: 20 Ly

DEFENSES

LI: d8+1 HI: d8+1 En: d8+1

Target Modifier: 0

Active Defensive Modifiers:

- Stardrive Scrambler **[Full Coverage]**(Installed: 4/4 needed for 320 HP): +4 step penalty to drive detectors
- Deflection Inducer **[Full Coverage]**(Installed: 16/16 needed for 320 HP): +2 step penalty to enemy attacks

DAMAGE TRACKS

Stun (S): 40 Wound (W): 40 Mortal (M): 20 Critical (C): 10

ENGINEERING & LOGISTICS

Hull Points: 378 / 384 HP [6 remaining]

Base: 320 | Bonus: 64 | Component Usage: { "armor": 32, "power": 52, "sublight": 48, "ftl": 32, "weapons": 76, "accommodations": 35, "miscellaneous": 61, "command": 14.9, "computers": 23, "sensors": 4, "rounding": 0.1 }

Power Plant: 192 / 208 PW used

Usage: { "armor": 0, "sublight": 15, "ftl": 0, "weapons": 111, "accommodations": 11, "miscellaneous": 44, "command": 2, "computers": 5, "sensors": 4 }

Crew Quality: Normal

Crew Size: 12 (Max 34)

Passengers: 0 (Max 0)

Life Support: Max 320 Hull

Cargo Capacity: 600 units

Consumables / Stores: Self-Sustaining (3 years 11 months 7 days stores for 12 crew)

ARMAMENT (WEAPON SYSTEMS)

Heavy Mass Cannon Damage: 2d6s/2d6w/3d6w Fire: LI/L Range: 2/4/6 Attack Modifier: -3 steps (Fire Control: -3 steps, Accuracy: 0 steps) Location: Aft Arcs: Forward, Zero-Starboard, Starboard
Heavy Mass Cannon Damage: 2d6s/2d6w/3d6w Fire: LI/L Range: 2/4/6 Attack Modifier: -3 steps (Fire Control: -3 steps, Accuracy: 0 steps) Location: Aft Arcs: Zero-Port, Forward, Port
Advanced Fusion Beam Damage: 3d12+2w/3d12+4w/3d8+5m Fire: En/M Range: 3/6/12 Attack Modifier: -3 steps (Fire Control: -3 steps, Accuracy: +1 step, Battery: -1 step) Location: Aft Port Arcs: Forward, Aft, Port Details: Twin Battery
Advanced Fusion Beam Damage: 3d12+2w/3d12+4w/3d8+5m Fire: En/M Range: 3/6/12 Attack Modifier: -3 steps (Fire Control: -3 steps, Accuracy: +1 step, Battery: -1 step) Location: Aft Starboard Arcs: Forward, Starboard, Aft Details: Twin Battery
Matter Torpedo Damage: 2d6s/2d6w/d6+3m Fire: En/M Range: 2/4/8 Attack Modifier: -3 steps (Fire Control: -3 steps, Accuracy: 0 steps) Location: Aft Port
Matter Torpedo Damage: 2d6s/2d6w/d6+3m Fire: En/M Range: 2/4/8 Attack Modifier: -3 steps (Fire Control: -3 steps, Accuracy: 0 steps) Location: Aft Starboard
Advanced Weak Force Gun Damage: 6d4w/6d4m/6d4c Fire: En/H Range: 5/10/15 Attack Modifier: -1 step (Fire Control: -3 steps, Accuracy: +2 steps) Location: Fore Arcs: Forward

INSTALLED SYSTEMS (BY HIT LOCATION ZONE)

FORE ZONE

- Hi-Res Video 📖
- Life support (PL 7) 📖

AFT ZONE

- Advanced Induction engine 📖
- Cargo Hold 📖
- Autocargo 📖
- Heavy Mass Cannon 📖
- Dynamic Mass Reactor 📖

DISTRIBUTED ZONE

- Evac System 📖
- Neutronite, Heavy (PL 7) 📖

AFT CENTER ZONE

- Drivewave 📖
- Fabrication Facility 📖
- Nav Control, Amazing 📖
- Airlock 📖

AFT PORT ZONE

- Life support (PL 7) 📖
- Berthing, 6-man 📖
- Spectroanalyzer 📖
- Advanced Fusion Beam 📖

FORE STARBOARD ZONE

- Medical bay 📖
- Brig 📖
- Life support (PL 7) 📖

FORE PORT ZONE

- Galley 📖
- Mass Detector 📖
- Deflection Inducer 📖

AFT STARBOARD ZONE

- Mass Transceiver 📖
- Airlock 📖
- Life support (PL 7) 📖

FORE CENTER ZONE

- AI Cradle 📖
- Backup Command Deck 📖
- Sensor Control, Amazing 📖

- Dynamic Mass Reactor 📖
- Advanced Weak Force Gun 📖

- Hangar 📖
- Cargo Hold 📖
- Autocargo 📖
- Heavy Mass Cannon 📖
- Life support (PL 7) 📖

- AI Automation 📖

- Command Deck 📖
- Life support (PL 7) 📖
- Tac Control, Amazing 📖

- Stateroom 📖
- Radio Transceiver 📖
- Airlock 📖
- Matter Torpedo 📖


- Flag Bridge 📖
- Mass Detector 📖

- Hydroponics bay 📖
- Stardrive Scrambler 📖
- Life support (PL 7) 📖

- Multiband Radar 📖
- Advanced Fusion Beam 📖
- Matter Torpedo 📖

- Dynamic Mass Reactor 📖
- Life support (PL 7) 📖

HIT LOCATION DIAGRAM




HIT LOCATIONS (D12)

Forward	Port	Starboard	Aft	High/Low
1-3: F	1-2: F	1-2: F	1: FP	1-2: F
4-5: FP	3-5: FP	3: FC	2: FC	3: FP
6-7: FC	6: FC	4-6: FS	3: FS	4-5: FC
8-9: FS	7-9: AP	7: AC	4-5: AP	6: FS
10: AP	10: AC	8-10: AS	6-7: AC	7: AP
11: AC	11-12: A	11-12: A	8-9: AS	8-9: AC
12: AS			10-12: A	10: AS
				11-12: A

Legend: F = Forward, A = Aft, P = Port, S = Starboard, C = Center, FC = Forward Center, FP = Forward Port, FS = Forward Starboard, AC = Aft Center, AP = Aft Port, AS = Aft Starboard, FFC = Far Forward Center, FFP = Far Forward Port, FFS = Far Forward Starboard, CF = Center Forward, PC = Port Center, SC = Starboard Center, CA = Center Aft, AAP = Aft Aft Port, AAC = Aft Aft Center, AAS = Aft Aft Starboard

WEAPON FIRING ARCS DIAGRAM



COMPONENT LOCATION

FORE

Hi-Res Video

Dynamic Mass Reactor

Life support (PL 7)

Weak Force Gun [↑]

FORE PORT

Galley

Hydroponics bay

Mass Detector

Stardrive Scrambler

Deflection Inducer

Life support (PL 7)

FORE CENTER

AI Cradle

Dynamic Mass Reactor

Backup Command Deck

Life support (PL 7)

Sensor Control, Amazing

FORE STARBOARD

Medical bay

Flag Bridge

Brig

Mass Detector

Life support (PL 7)

AFT PORT

Life support (PL 7)

Stateroom

Berthing, 6-man

Radio Transceiver

Spectroanalyzer

Airlock

Turret Twin Fusion Beam
[↖←]

Matter Torpedo

AFT CENTER

Drivewave

Command Deck

Fabrication Facility

Life support (PL 7)

Nav Control, Amazing

Tac Control, Amazing

Airlock

AFT STARBOARD

Mass Transceiver

Multiband Radar

Airlock

Turret Twin Fusion Beam
[↑→↓]

Life support (PL 7)

Matter Torpedo

AFT

Induction engine

Hangar

Cargo Hold

Cargo Hold

Autocargo

Autocargo

Turret Heavy Mass Cannon [↑→→]

Turret Heavy Mass Cannon [←↑←]

Dynamic Mass Reactor

Life support (PL 7)

SYSTEM DESCRIPTIONS

AI Automation

Allows ship systems to operate autonomously. Requires an AI Cradle. It reduces the crew needed by 95%.

AI Cradle

Hardware matrix designed to host advanced synthetic intelligence. It also works as an amazing computer core.

Airlock

A small compartment with two heavy-duty hatches—one leading to the vacuum of space, the other to the ship's interior. Airlocks allow personnel to exit the ship in space suits without depressurizing the interior.

Autocargo

Consisting of automated cargo loading and handling machinery, the autocargo system provides service to cargo holds, bays, or spaces totaling 6 hull points or less. It allows the rapid loading or unloading of cargo, handling heavy or awkward loads with ease.

Backup Command Deck

Every ship requires either a cockpit or a command deck. A command deck begins at 2 hull points, and requires 1 extra hull point for each 100 hull points after the first 100 (a total of 3 hull points for a ship of 100 or more hull points, 4 for a ship of 200 or more, and so on). However, a command deck of 10 hull points can handle a ship of any size. A command deck includes three seats or stations per hull point. In a pitched battle, enemy fire may knock out the ship's bridge or command deck. Many ships install an auxiliary command deck as a little bit of insurance against that lucky hit. All command functions are duplicated in the auxiliary bridge. It takes one round to switch command from one bridge to another. The command deck includes an airlock for exterior access, if the ship designer wants one there.

Berthing, 6-man

Any ship designed for a voyage of more than two days should provide bunks for its crew. The standard berthing arrangement provides ten very small, cramped rooms with two bunks apiece, plus a very modest common area and sanitary facilities. It supports 20 crewmembers. Alternately, a ship designed for extremely long tours (such as a deep-space explorer) might use the 2-man berthing layout, which is much more spacious and comfortable. The 6-man berthing layout is a good compromise for ships like cruisers and battle-ships that stay out for long periods of time but require a large number of crewmembers. A ship with no berthing installed offers almost no degree of privacy and only a modicum of comfort—the crew essentially sleeps at its stations or strings hammocks in the passageways.

Brig

Think of the brig as accommodations for undesirable passengers. Each two hull points devoted to the brig provides individual cells for four individuals, plus a security station, interrogation room, visiting area, and alarm system in case any of the guests decides to leave.

Cargo Hold

Three hull points provide space for 100 cubic meters of cargo, or ten cargo units. This is more efficient than three one-point cargo spaces, or even a two-point bay plus a one-point space. An area 2.5 meters tall, 4 meters wide, and about 10 meters deep is reasonable for a 3-point hold. Large ships might purchase a cargo hold several times to create a hold with a capacity of 500 or 1,000 cubic meters. The cargo hold includes a large cargo or vehicular airlock for exterior access.

Command Deck

Every ship requires either a cockpit or a command deck. A command deck begins at 2 hull points, and requires 1 extra hull point for each 100 hull points after the first 100 (a total of 3 hull points for a ship of 100 or more hull points, 4 for a ship of 200 or more, and so on). However, a command deck of 10 hull points can handle a ship of any size. A command deck includes three seats or stations per hull point. In a pitched battle, enemy fire may knock out the ship's bridge or command deck. Many ships install an auxiliary command deck as a little bit of insurance against that lucky hit. All command functions are duplicated in the auxiliary bridge. It takes one round to switch command from one bridge to another. The command deck includes an airlock for exterior access, if the ship designer wants one there.

Deflection Inducer

The deflection inducer surrounds the ship in belts of gravitational energy intense enough to bend beam weapons away from the ship and stop projectiles cold. An operational deflection inducer adds a +2 step penalty to all enemy fire. Large ships require multiple inducers to cover the hull, so a ship of 40 hull points requires 2 inducers, a ship of 400 hull points requires 20 inducers, and so on. A ship may only have one type of screen (magnetic, particle, deflection inducer, or ablative shield) active at one time.

Drivewave

The drivewave generator is simply an improvement of the stardrive. It resembles the earlier engine in most details, except that the length of a drivespace submergence is only 11 hours, and the recharge time for the drive is only d4+1 hours. Since it cycles much faster, it can cover territory at a correspondingly faster pace.

Dynamic Mass Reactor

Basically a refinement of the PL 7 mass reactor, the dynamic mass reactor accelerates the decay process, releasing more energy than its predecessor. It's also a smaller and safer installation. The dynamic mass reactor requires refueling once every six months, at a cost equal to 10,000 per hull point of the power plant. For example, a dynamic mass reactor of 30 durability points costs 300,000 to refuel.

Evac System

This is a system of four escape pods, designed to serve a large ship. Each has a capacity of 10 people, carries 100 man-days of air and supplies, and can sustain up to 6 hours of independent flight with an acceleration of 1. An automated landing program can bring the pod to a planet's surface if there isn't a pilot available. The system can be expanded for larger ships. Each additional hull point provides two more life pods, at a cost of 50,000. Most warships and liners carry enough evacuation pods to provide all hands a chance to escape a major catastrophe in space. The stabilizer is a modification to the ship's engine system that increases its maneuverability. A ship equipped with a powered stabilizer increases its base Maneuverability Class by 1 point. For example, a fighter with a stabilizer is Maneuverability Class 5, not 4. The stabilizer requires 5 percent of the hull, and 1 power point per hull point of the system. For example, a corvette of 80 hull points requires a stabilizer of 4 hull points, consuming 4 points of power.

Fabrication Facility

This facility is a large, automated workshop with a manufacturing computer that holds design specs for thousands of useful devices and critical machinery. Virtually any part or component of the ship can be duplicated by the fabrication facility. Not only is the facility useful for creating specialpurpose tools, furniture, or repair parts, it also makes possible the repair of mortal damage to the ship without returning to a shipyard.

Flag Bridge

Many armored cruisers, battleships, carriers, or dreadnoughts are equipped with a flag bridge—a command deck with facilities for coordinating the actions of an entire fleet of ships. The flag bridge eliminates penalties applied to Tactics skill checks by the squadron commander or fleet admiral due to command and control limitations; see Chapter 3.

Fusion Beam

The fusion beam utilizes advanced fusion technology to deal tremendous damage. It requires a massive amount of power to contain the fusion reaction within its magnetic bottle before release.

Galley

Any ship with more than 50 crewmen should be equipped with a galley. The galley makes it possible to prepare meals of decent quality; without one, the crew is forced to eat field rations or pre-packaged meals. It doesn't take long for the lack of a galley to start affecting morale. One galley is sufficient to prepare meals for up to 50 crewmen.

Hangar

The hangar is an enclosed, internal space where small craft can be stored, maintained, launched, and recovered. Its capacity is one hull point of small craft per hull point allocated to the system, so a 200-hull point hangar could carry 20 10-hull point fighters. The hangar itself is a triple-airlock that can be opened to space, sealed from space, or sealed with a portion open to space for launch and recovery of small craft.

Heavy Mass Cannon

The mass cannon uses gravitic technology to “charge” a small bit of matter with an incredible amount of gravitational energy and then hurls it at the target. It strikes with the effect of a wrecking ball, battering the enemy to pieces. The heavy mass cannon is a larger and more powerful version of the same weapon.

Hi-Res Video

This is a high-powered camera system designed to spot targets by their visual profile. It includes a very powerful zoom feature, allowing close inspection of far-off targets. It's not a very good targeting or sensor system, but it's perfect for evaluating damage the target has suffered. It's hard to find a system that provides a better look at an object of interest.

Hydroponics bay

Long-term space voyages often use botanical gardens or hydroponics bays to supplement the ship's life support systems. The hydroponics bay is a self-contained ecosystem that breaks down carbon dioxide to create oxygen and provides a small amount of consumable food as well. A ship equipped with a hydroponics bay reduces its stores consumption by 20 days per day. For example, a ship of sixty crewmen normally consumes 60 days of stores per day; if it is equipped with a hydroponics bay (which counts as 20 crewmembers), 20 of these crewmember count as only 2, so the total stores consumption drops from 60 days to 42 days of stores per day. Hydroponics bays are very popular for ships designed to spend extremely long periods of time in deep space.

Induction engine

Hands-down the best engine available at this or any previous Progress Level, the induction engine uses artificial gravity to provide incredible thrust and maneuverability. The induction engine requires no fuel and produces no exhaust; it's ideal for atmospheric, orbital, or deep-space work.

Life support (PL 7)

To support human life in space, a ship must maintain an atmosphere and temperature similar to the human norm. Furthermore, the ship must have some way to provide its crew with water and deal with their organic waste. One life support system is capable of supporting up to twenty humans indefinitely (provided food and water is available, of course). Most ships carry at least twice as much life support capacity as they need to accommodate passengers and survive damage. Ships with no life support systems must be crewed by robots or characters in spacesuits. At PL 7 and 8, more efficient and advanced life support systems become available. Refer to the table below.

Mass Detector

The location of the arrival or departure is also recorded, 96 This device detects targets through their gravitational signatures. Even though a spaceship has an infinitesimal mass compared to a planet, a sufficiently sensitive sensor can determine its bearing and approximate range by measuring the target's influence on the sensing ship.

Mass Transceiver

This device can transmit instantaneously to any point in the same star system, with no “lag” due to FTL limitations. However, its range is limited to about 1,000 AU, so the signal can't cross interstellar space. A ship must be equipped with a mass transceiver to receive mass-burst communications.

Matter Torpedo

This energy torpedo launches a ball of dark matter plasma at the target, which explodes with tremendous effect upon impact. Its outstanding firepower makes up for a short range and high power demand. The plasma torpedo is a larger and more dangerous version of the same weapon.

Medical bay

While the basic first-aid kit is available on virtually any ship, an extended voyage requires better medical facilities. The medical bay supports the ship's doctor (even if the doctor is an AI or an automated system) and offers an excellent chance for severely injured characters to recover. It can accommodate 10 patients at a time. The medical bay includes an isolation ward, a surgery, and a small biological sciences lab. At PL 7 and 8, the medical bay incorporates increasingly sophisticated automated systems, including autodocs and stasis beds. The cost, power, and hull requirements don't change.

Multiband Radar

A powerful and sophisticated radar system that uses multiple frequency bands to locate objects and ships in space, providing excellent range, resolution, and targeting capabilities.

Nav Control, Amazing

The nav computer adds a –1, –2, or –3 step bonus to maneuver checks and Navigation-system astrogation or Navigation-drivespace astrogation skill checks. It continuously calculates potential course changes and helps the pilot to evaluate the effectiveness of various maneuvers in midround. warships carry the best computers they can fit into the hull. The computer core itself does not add any bonuses to the

Neutronite, Heavy (PL 7)

Advanced materials technologies lead to the creation of artificially dense materials that can withstand enormous forces. Neutronite is a tough steel alloy into which a “weave” of free neutrons has been pressed. It is incredibly massive, weighing about five times more than a similar volume of lead.

Radio Transceiver

The radio transceiver allows basic voice and data communication over standard radio frequencies. It is typically included with any command deck or control installation, although it doesn't take any more hull points.

Sensor Control, Amazing

A dedicated sensor control computer adds a –1, –2, or –3 step bonus to sensor checks made with one sensor system. Special filter and enhancement routines account for the superior sensor sensitivity.

Spectroanalyzer

While the spectroanalyzer isn't useful as a targeting sensor, it is a powerful analytical tool. It combines spectrum analysis of visible light, radar mapping, and precise mass measurements to create a profile of a planet or space object. The spectroanalyzer is an active sensor that confers a –2 step bonus on sensor checks for Battle Damage Assessment (see Chapter 2) and any Physical Science—astronomy or plane tology skill checks for the purpose of determining the mass, composition, or characteristics of a space object. Ship-sized objects may be examined at distances of 2/4/16 Mm for short/medium/long range on the sensor check; planets may be examined at ranges of 1/5/25 AUs for short/medium/long range.

Stardrive Scrambler

This device scrambles the distinctive mass signatures and drivespace resonances created when a ship enters drivespace, making it very difficult for a starfall detector to determine where the ship is bound when it makes the jump. This adds a +4 step penalty to the listening ship or outpost's sensor check to predict the departing vessel's destination. Naturally, the scrambler must be active and powered during the jump to mask the ship's signature.

Stateroom

While most starship crews find themselves crammed into bunks with very little privacy, high-ranking officers and VIP passengers enjoy the luxury of a private stateroom. A stateroom features a single bed (or a double bed, for couples), a small private bath, and a comfortable desk or easy chair.

Tac Control, Amazing

This computer collects data from a number of different sources and presents a synthesized diagram or summary in real time. A tactical control computer provides a step bonus to Tactics skill checks made by the ship's commander or sensor operator.

Weak Force Gun

The weak force gun interferes with the nuclear weak force, causing intense radioactive decay effects at the point of impact. The target suffers thermal and radioactive damage as its own atoms irradiate the vicinity. the weapon's bore are significant, but the effects are nothing short of spectacular. The heavy matter beam fires a sub-

GALLERY



Top View



Back View