

Módulo de Reservas de Grupo – PMS Maran (Replit Django)

Documento listo para subir a Replit para construir la sección de GRUPOS dentro del PMS existente. Incluye modelos, vistas, URLs, botones y estructura para integrarse sin romper lo que ya viene funcionando.

1) Nuevos Modelos (Agregar en core/models.py)

```
class Group(models.Model):
    STATUS_CHOICES = [
        ('TENTATIVE', 'Tentativo'),
        ('BLOCKED', 'Bloqueado'),
        ('CONFIRMED', 'Confirmado'),
        ('INHOUSE', 'En Casa'),
        ('FINISHED', 'Finalizado'),
        ('CANCELLED', 'Cancelado'),
    ]

    hotel = models.ForeignKey(Hotel, on_delete=models.CASCADE)
    group_code = models.CharField(max_length=30, unique=True)
    name = models.CharField(max_length=200)
    contact_name = models.CharField(max_length=200, blank=True, null=True)
    contact_phone = models.CharField(max_length=100, blank=True, null=True)
    contact_email = models.EmailField(blank=True, null=True)
    event_date = models.DateField(blank=True, null=True)
    checkin_date = models.DateField()
    checkout_date = models.DateField()
    status = models.CharField(max_length=20, choices=STATUS_CHOICES, default='TENTATIVE')
    release_date = models.DateField(blank=True, null=True)
    notes = models.TextField(blank=True, null=True)
    created_at = models.DateTimeField(auto_now_add=True)
    created_by = models.ForeignKey(User, on_delete=models.SET_NULL, null=True)

class GroupRoomBlock(models.Model):
    group = models.ForeignKey(Group, on_delete=models.CASCADE, related_name='blocks')
    room_type = models.ForeignKey(RoomType, on_delete=models.PROTECT)
    quantity = models.IntegerField()
    rate_plan = models.ForeignKey(RatePlan, on_delete=models.SET_NULL, null=True, blank=True)
    agreed_rate = models.DecimalField(max_digits=12, decimal_places=2, null=True, blank=True)

class GroupReservationLink(models.Model):
    group = models.ForeignKey(Group, on_delete=models.CASCADE, related_name='reservations')
    reservation = models.ForeignKey(Reservation, on_delete=models.CASCADE)
```

2) Migraciones

```
python manage.py makemigrations
python manage.py migrate
```

3) Botón Grupos (en menú reservas / dashboard reservas)

```
<a href="{% url 'groups_list' %}" class="btn btn-warning">Grupos</a>
```

4) URLs (core/urls.py)

```
path('groups/', groups_list, name='groups_list'),
```

```

path('groups/new/', group_create, name='group_create'),
path('groups/<int:group_id>/', group_detail, name='group_detail'),
path('groups/<int:group_id>/add-block/', group_add_block, name='group_add_block'),
path('groups/<int:group_id>/assign/', group_assign_rooms, name='group_assign_rooms'),

```

5) Vistas Base (core/views.py)

```

@login_required
def groups_list(request):
    hotel = request.user.userprofile.hotel
    groups = Group.objects.filter(hotel=hotel).order_by('-created_at')
    return render(request, 'core/groups_list.html', {'groups': groups})

@login_required
def group_create(request):
    hotel = request.user.userprofile.hotel
    if request.method == 'POST':
        group = Group.objects.create(
            hotel=hotel,
            group_code=request.POST['group_code'],
            name=request.POST['name'],
            checkin_date=request.POST['checkin_date'],
            checkout_date=request.POST['checkout_date'],
            status='TENTATIVE',
            created_by=request.user
        )
        return redirect('group_detail', group.id)
    return render(request, 'core/group_form.html')

@login_required
def group_detail(request, group_id):
    group = get_object_or_404(Group, id=group_id)
    return render(request, 'core/group_detail.html', {'group': group})

@login_required
def group_add_block(request, group_id):
    group = get_object_or_404(Group, id=group_id)
    hotel = request.user.userprofile.hotel
    if request.method == 'POST':
        GroupRoomBlock.objects.create(
            group=group,
            room_type_id=request.POST['room_type'],
            quantity=request.POST['quantity']
        )
        return redirect('group_detail', group.id)
    roomtypes = RoomType.objects.filter(hotel=hotel)
    return render(request, 'core/group_block_form.html', {'group': group, 'roomtypes': roomtypes})

```

6) Convertir bloque en reservas individuales

```

@login_required
def group_assign_rooms(request, group_id):
    group = get_object_or_404(Group, id=group_id)
    hotel = request.user.userprofile.hotel
    rooms = Room.objects.filter(hotel=hotel, status='AVAILABLE')

    if request.method == 'POST':
        room = Room.objects.get(id=request.POST['room'])
        guest = Guest.objects.create(
            hotel=hotel,
            first_name=request.POST.get('first_name', 'Grupo'),
            last_name=request.POST.get('last_name', 'Sin Nombre')
        )

        res = Reservation.objects.create(
            hotel=hotel,
            reservation_code=f"G{group.id}-{room.number}",

```

```

        guest=guest,
        room_type=room.room_type,
        room=room,
        checkin_date=group.checkin_date,
        checkout_date=group.checkout_date,
        nights=(group.checkout_date - group.checkin_date).days,
        base_rate_per_night=0,
        final_rate_per_night=0,
        total_room_amount=0,
        status='CONFIRMED',
        last_modified_by=request.user
    )

    GroupReservationLink.objects.create(group=group, reservation=res)
    return redirect('group_detail', group.id)

return render(request, 'core/group_assign.html', {'group': group, 'rooms': rooms})

```

Plantillas mínimas sugeridas

```

core/groups_list.html
core/group_form.html
core/group_detail.html
core/group_block_form.html
core/group_assign.html

```