Detailed Ecommerce Test Plan — CRTC 2026-78

Input: CRTC 2026-78 Ecommerce Test Strategy
Primary regulatory source: Telecom Regulatory Policy CRTC 2026-78, particularly paragraphs 13–17, 26–31, and 38–45.
Plan version/date: 1.0 / 10 November 2026
Status: Execution-ready template subject to product inventory, environment and regulatory approval.
Release/build: _____ **Environment:** _____ **Test lead:** _____ **Execution dates:** _____

1. Purpose, scope and interpretation

This plan turns the strategy into individual executable test cases for a typical provider's ecommerce storefront and self-service experience: Internet, wireless, home phone, TV, service plans and promotions, smartphones, watches, tablets, and security/IoT. Cases cover compliance, ecommerce functionality, regression, uncommon situations, failures, accessibility, and operational evidence. Actual system names and enabled features are unknown and must be mapped before execution.

Regulatory boundaries: CRTC 2026-78 requires an easy-to-use self-service mechanism for applicable telecommunications plans, informed and express consent, immediate effect to the greatest extent possible, written confirmation of self-service actions with the expected confirmation timeframe stated in the mechanism, and no customer-service access fees. The policy sets 26 April 2027 for implementation/enforcement of the self-service requirement. It does not impose a universal confirmation deadline, a specific website or app, or a numerical usability or processing SLA. Existing accessibility and privacy protections apply. The plan's technical and commercial checks, evidence practices, performance targets and release thresholds are provider controls, not additional mandates from this policy.

Legal/regulatory must decide applicability for TV-only offerings, hardware, financing, IoT, prepaid, specific add-ons and complex business contracts. Do not assume a product is covered merely because it appears in ecommerce. Other rules and contracts apply; in particular, an action fee is not automatically permissible simply because it is not a customer-service access fee. The policy references Telecom Regulatory Policy 2026-43 regarding activation and modification fees. An enterprise-wide review of customer-service access fees across non-ecommerce channels is outside this plan.

2. Execution instructions and common prerequisites

2.1 Before starting

1. Regulatory/legal and product approve the strategy's A1–A6 decisions: the product/action applicability and eligibility inventory; designated self-service mechanism(s); account roles; disclosure, consent and written-confirmation rules; fee rules under 2026-78, 2026-43 and other applicable requirements; and the effective-time/exception rules. Record versions and approvals. An undecided applicability or fee rule is **Blocked**, not Pass.
2. Obtain approved expected-result sources independent of the UI under test: contract and catalogue versions, plan entitlements, fee/tax/credit matrices, promotion and finance schedules, role permissions, billing and provisioning rules, approved translated content, supported platforms, accessibility standard and operational recovery objectives. Record source versions with each run.

3. Use a representative non-production environment with safe provision/billing endpoints or verified integration environments, controlled clock and fault injection. Obtain read-only access to customer, consent, order, provisioning, inventory, payment, billing and message-delivery records. Use sandbox payment instruments and monitored test inboxes; never modify a real customer's service.
4. Prepare the following **synthetic fixtures** with resettable balances and independent expected outcomes. Substitute actual product identifiers and values in the execution record; do not assume they exist in production.

Fixture	Required state and independently documented oracle
I	Individual account holder with active Internet, two eligible higher/lower plans, approved recurring prices/terms and reachable test inbox.
W	Individual with two active wireless lines, eligible higher/lower plans and add-on; one smartphone with an outstanding finance balance; one linked watch with a separate service relationship. Record actual dependencies and approved balances.
H	Individual with active home-phone service and eligible plan/feature changes.
S	Small-business account with multiple lines, account holder, an authorized user with a defined subset of permissions and a user without those permissions.
B	Internet + TV + home-phone bundle and qualifying wireless discount; record prices, credits, equipment and consequences if Internet is removed.
L	Grandfathered plan with an expiring promotion and approved non-restorable prior terms; also prepare a current plan with restorable terms.
T	Standalone TV package with equipment and optional channels; legal classification recorded.
D	Compatible smartphone, watch and tablet variants, accessories, SIM/eSIM, available stock and a distinct out-of-stock item. Record compatibility and finance schedule.
X	Security/IoT product with service/installation dependencies and an incompatible option. Record whether underlying connectivity is a telecommunications plan.
P	Promotions: valid, expired, ineligible and non-stackable; independently calculated expected current/future prices, credits and dates.
A	Multiple accounts and customer roles; valid/invalid credentials; monitored and invalid/bouncing confirmation destinations; accessible alternative if approved.
Q	Pending, suspended, overdue and disputed accounts with documented legal/contractual expected eligibility; sandbox outcomes for approved/declined/pending credit and payments.
E	Controlled clock, taxes for at least two supported jurisdictions, billing boundary, fault-injection controls, notification inbox and known transaction IDs.

5. Where a case says **“complete the action”**, use the designated mechanism, review the disclosure, actively provide consent and submit without a live representative. Where it says **“reconcile”**, compare the customer selection and consent with the order status, actual service/entitlement effective state, applicable billing/invoice entries and received written message. Capture request, effective and delivery timestamps. A pending order or queued message alone is not evidence of completion or delivery.

6. Execute parameterized cases **once for every applicable row** in the approved product-family × action × individual/small-business inventory and each designated mechanism. Run authorized-role variants and current/legacy, bundle and high-risk variants as specified. Assign each execution a unique suffix, e.g., `SS-01-I-UP-WEB`, and create a separate result record. Reset fixtures between runs. Mark a case N/A only with a documented inventory reference and approval.
7. For cases involving delayed notifications, billing cycles or asynchronous fulfilment, record an interim state but leave the case **Not run / pending** until the actual final outcome and received message are checked. Fault-injection cases require explicit authorization and must not run against production.

2.2 Recording results and priority

In every grid, the first column gives the case ID, priority, rule and originating strategy identifiers; the next columns are the requested tester fields. For each instantiated execution, record exact data/variant, date, tester, build, browser/device, timestamps, observed values and links to secured evidence in **Actual result**. Enter **Pass**, **Fail**, **Blocked**, **N/A** or **Not run** in the final column. **Blocked/N/A/Not run are not passes**; include owner and reason. A failure must have a defect ID and impact.

P0 = critical regulatory or high-impact control; **P1** = important functional/integration control; **P2** = lower-frequency coverage. Severity of an actual defect is separately assessed. Execute positive and negative outcomes as independent cases. Where a source specifies no exact threshold, use a previously approved provider criterion and retain its version; do not invent a regulatory deadline.

3. Self-service access, eligibility and independent action

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
SS-01 P0 — Upgrade independently (R1, R2; C01–C02, C08)	1. Choose an eligible lower plan from I, W, H or S and note price, entitlements and current state. 2. Sign in as account holder on a designated mechanism; choose an eligible higher plan. 3. Complete the action and reconcile. Execute per applicable plan family and customer segment.	Upgrade is discoverable and completes without live representative; selected plan is effective immediately where possible, order/service/billing agree, and written confirmation arrives within the disclosed expectation.	_____	_____
SS-02 P0 — Downgrade independently (R1, R2; C01–C02, C08)	1. Start with an eligible higher plan for each applicable family and segment, including a legacy plan.	Downgrade is available without mandatory live interaction; correct lower plan, impact and terms are applied and	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
	2. Select an eligible lower plan; decline any optional retention offer. 3. Complete the action and reconcile.	confirmed. A retention offer does not obstruct the request.		
SS-03 P0 — Add a service (R1; C03)	1. Start with an account and line eligible for an absent service/add-on. 2. Select that service and review its effects. 3. Complete the action; reconcile entitlements, bill and received confirmation.	Only the intended eligible service is added to the intended account/line; disclosed terms and downstream state match.	_____	_____
SS-04 P0 — Remove a service (R1; C03)	1. Start with an eligible active service/add-on and an unrelated service on the same account. 2. Select removal; complete the action. 3. Reconcile both services, billing and confirmation.	Selected service is removed as approved; unrelated service remains active, and the correct action and consequences are confirmed.	_____	_____
SS-05 P0 — Cancel an entire plan (R1, R2; C04, C08)	1. Prepare an independently cancellable account for each applicable Internet, wireless, home-phone and other approved telecom family and each customer segment. 2. Select the plan, choose cancellation and complete the action. 3. Reconcile effective	The intended plan can be cancelled without a mandatory live representative; only intended service is stopped at the approved effective time, billing is correct and confirmation is received.	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
	service state, billing and confirmation.			
SS-06 P0 — Cancel one line in a multi-line account (R1; C04)	1. Use W or S with at least two active lines and note both service IDs. 2. Select one eligible line and cancel it. 3. Compare service, billing and confirmation records for both lines.	Only the selected line is cancelled; the other remains active and correctly billed, with no misleading account-wide cancellation.	_____	_____
SS-07 P0 — Locate manage and cancel paths (R1; C05, E12)	1. Give an uncoached representative participant a signed-in applicable account and task to find plan modification and cancellation. 2. Observe navigation and record screens, obstacles and completion. 3. Repeat with an individual, a small-business participant and supported accessible path.	Participant can identify and reach applicable actions without a mandatory live handoff or unjustified obstacle; substantial usability issues are recorded for review against approved criteria.	_____	_____
SS-08 P0 — Decline optional retention/help (R1; C06)	1. Start a downgrade or cancellation with any offered retention, survey and help prompts enabled. 2. Decline each prompt without contacting support. 3. Complete the original request and reconcile.	Optional prompts can be declined and do not prevent, materially obstruct or force representative handling of the selected eligible action.	_____	_____
SS-09 P0 — Clarify genuinely	1. Using an approved ambiguity fixture,	Ambiguous request is clarified proportionately before affecting	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
ambiguous intent (R1; C07)	submit a request that does not identify which of two lines is to be changed. 2. Observe and answer the clarification request. 3. Submit an otherwise identical clear request; record any live interaction and reason.	a service; clear request does not require a live representative. Any representative clarification is reviewed by regulatory owner.		
SS-10 P0 — Authorized user (R2; C09)	1. Sign in as S's approved authorized user; select a line within their permitted scope. 2. Perform a permitted modification and reconcile. 3. Inspect actor and account evidence.	Authorized user can complete permitted action; audit record identifies the actor and correct account/line; no unrelated account is changed.	_____	_____
SS-11 P0 — Unauthorized role (R2; C09, E05)	1. Sign in as S's user lacking change permissions; select a protected line. 2. Attempt the action via UI and, where test access permits, direct submission. 3. Inspect order, service and consent records.	Action is denied with an appropriate message; no order, service change or consent record is created for the unauthorized transaction.	_____	_____
SS-12 P0 — Current and grandfathered coverage (R1, R2; C08)	1. Select one current and one eligible grandfathered account for each customer segment. 2. Locate an approved modification and cancellation option for each.	Both eligible cohorts have independent access to permitted actions; exclusions match approved applicability/contract rules, not an unexplained legacy-system limitation.	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
	3. Execute permitted actions using resettable fixtures; document exclusions.			
SS-13 P0 — Account with restrictions (R1; E04)	1. Prepare each Q state: suspended, overdue, dispute and outstanding device balance, with its approved legal oracle. 2. Attempt an otherwise eligible modification and cancellation separately. 3. Compare any restriction and customer instructions with the oracle.	Each action follows approved rules; no automatic live handoff or denial is imposed solely by account state where not justified. Unsupported restrictions are escalated.	_____	_____

4. Contract disclosure, consent and pricing consequences

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
CO-01 P0 — Accurate before/after terms (R3; C10)	1. Select a plan change with different price, term, features and promotional end date. 2. Capture the pre-consent summary. 3. Compare each value with independent approved current and proposed contract/catalogue versions.	Material resulting changes and applicable one-time/recurring amounts are accurate and clear before affirmative consent.	_____	_____
CO-02 P0 — Prior terms can be restored (R3; C11)	1. Use the approved restorable current-plan fixture. 2. Start a change and inspect the pre-consent restoration disclosure.	The disclosure accurately states that the customer can return to prior terms and states applicable approved conditions.	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
	3. Compare with the approved restoration rule.			
CO-03 P0 — Prior terms cannot be restored (R3; C11, E03)	1. Use grandfathered fixture L with an approved non-restorable plan. 2. Start a downgrade and inspect the pre-consent disclosure. 3. Compare it to the approved plan rule.	The customer is told prior terms cannot be restored; no false restoration promise is made.	_____	_____
CO-04 P0 — Cancellation consequences (R3; C12)	1. Use W or B with financing, promotion, equipment and bundle dependencies as applicable. 2. Start cancellation and capture the proposed effective date, balances, credits, equipment-return conditions and remaining prices. 3. Compare each item with approved independent rules.	Applicable consequences are correct and visible before consent; non-applicable fees or obligations are not presented as due.	_____	_____
CO-05 P0 — No affirmative consent (R3; C13)	1. Start an eligible plan change and reach the consent screen. 2. Do not actively consent; attempt to submit, including any preselected control. 3. Inspect order, service and billing states.	No material action is applied without valid informed, express affirmative consent to the displayed terms; a preselected option alone is not treated as consent.	_____	_____
CO-06 P0 — Record exact consent (R3, R8; C14)	1. Capture the version and text of displayed terms for a valid change. 2. Actively consent and complete the action. 3. Retrieve the associated consent and transaction evidence.	Evidence ties the authenticated actor, action, account/line, exact terms/version and timestamp to the committed transaction; sensitive data is limited and protected.	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
CO-07 P0 — Changed selection requires fresh consent (R3; C15, E07)	1. View terms for plan A and select consent. 2. Go back and change plan or line to B. 3. Attempt submission without reconfirming; then review new terms and consent.	Prior consent is not reused for materially changed terms; no B action commits until current disclosures and fresh affirmative consent are provided.	_____	_____
CO-08 P0 — Stale price or eligibility (R3; C15, E06)	1. Open a plan in two tabs and display terms in tab 1. 2. Change catalogue price/eligibility or complete a conflicting action in tab 2 using approved controls. 3. Submit the stale tab without new consent.	Stale transaction is rejected or requoted, current terms are shown and fresh consent is required before any materially changed action commits.	_____	_____
CO-09 P0 — Back, refresh and session expiry (R3; C13, E07)	1. Reach consent for a change; use back and refresh in separate runs. 2. In another run expire the session before submission. 3. Reauthenticate if needed and inspect action and consent records.	No unintended action or reused stale consent occurs; customer sees current state and must provide fresh consent where applicable.	_____	_____
CO-10 P0 — Two simultaneous changes (R3, R9; E06)	1. Open two sessions on the same line and select incompatible plan changes. 2. Consent and submit the first; then submit the stale second. 3. Inspect both orders, current contract and billing.	Conflicts are resolved according to approved rules; no silently overwritten consent, inconsistent plan or duplicate charge occurs.	_____	_____

5. Effective state, written confirmation and fee controls

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
EF-01 P0 — Immediate effect	1. Use a plan change supported by synchronous fulfilment.	Change takes effect immediately to the greatest extent possible; service and	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
where possible (R4; C16)	2. Record request/acceptance times; complete action. 3. Inspect effective service, order and billing timestamps and received confirmation.	billing match the selection and displayed status is truthful.		
EF-02 P0 — Unavoidable asynchronous fulfilment (R4; C17)	1. Configure a documented, approved asynchronous dependency for an eligible change. 2. Submit and capture pending status, stated timing and exception reason. 3. Observe through actual completion; reconcile timestamps and billing.	Pending is not represented as completion; delay has a documented reason and is monitored; correct service is ultimately effective and billing reconciles. Any avoidable delay is investigated.	_____	_____
EF-03 P0 — Cancellation actual effective state (R4; C18)	1. Record selected service and approved cancellation effective time. 2. Complete cancellation and wait for effective state. 3. Inspect provisioning, remaining services and the subsequent bill.	Selected service ceases at the approved effective time; unrelated services remain; no recurring charge continues beyond approved rules.	_____	_____
CN-01 P0 — Confirmation for each self-service action (R5; C19)	1. For each applicable upgrade, downgrade, add, remove and cancel action, record the displayed confirmation timeframe. 2. Complete that action using a fresh fixture. 3. Retrieve the actual written message in the monitored destination and correlate it to the action.	Expected timeframe is stated within the mechanism; each completed scoped action has a received written confirmation corresponding to that action.	_____	_____
CN-02 P0 — Confirmation contents (R5; C20)	1. Perform a change with a uniquely identified account/line and distinctive terms.	Message identifies the correct transaction and agrees with approved content and actual status;	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
	2. Retrieve the actual written message. 3. Compare action, selection, applicable terms, status and effective date to the accepted order and actual state.	pending or failed action is not described as completed.		
CN-03 P0 — Disclosed delivery timeframe (R5; C21)	1. Record the timeframe displayed for an action and the submission time. 2. Complete the action and record actual receipt time, including a run near the boundary using approved clock controls. 3. Compare with the displayed commitment and inspect alerts on a miss.	Actual confirmation is received within the displayed expectation; misses trigger investigation and remediation. The displayed interval is a provider commitment, not a universal policy deadline.	_____	_____
CN-04 P0 — Notification delivery failure (R5; C22, E11)	1. Inject notification queue failure or bounce for a completed action in non-production. 2. Inspect customer-visible status, delivery logs, monitoring and retry/escalation. 3. Restore service and verify actual receipt or an approved remediation path.	Failure is visible and alerted; queued is not reported as delivered; controlled retry/escalation occurs. Until the required message is received, the confirmation test fails and remains a remediation item.	_____	_____
CN-05 P0 — Cancelled service as contact route (R5; C23)	1. Set the account's only registered delivery route to one dependent on the service being cancelled. 2. Begin cancellation and follow approved contact/destination flow. 3. Cancel and check actual message receipt at the	A usable approved destination is established and the written confirmation is actually received without reliance on the cancelled service.	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
	approved usable destination.			
CN-06 P0 — Wrong or changed destination (R5, R7; E11)	1. Start an action with a verified test destination; change destination or revoke it before submission in an independent run. 2. Complete the action under approved verification rules. 3. Check all test inboxes and delivery logs.	Confirmation goes only to the approved verified destination; no personal information is sent to another customer and failed delivery is surfaced.	_____	_____
FE-01 P0 — No fee for ecommerce customer-service access (R6; C24)	1. From each ecommerce-supported help and customer-service entry point, access the service using a synthetic account. 2. Inspect UI, cart/order and fee ledger. 3. Inspect the posted bill for the same account.	No fee for access to customer service is charged or hidden in any inspected record. Non-ecommerce channel coverage is tracked separately.	_____	_____
FE-02 P0 — Prohibited action fee (R6; C25)	1. Select an action that the legal-approved 2026-43/other applicable fee matrix classifies as fee-prohibited. 2. Complete it and inspect summary, order, fee ledger and bill. 3. Compare against the approved rule.	No prohibited fee is presented or billed, irrespective of how a configured charge is labelled.	_____	_____
FE-03 P0 — Legally permitted applicable action fee (R6; C25)	1. Select an action and fixture for which legal has explicitly approved a specific applicable fee, if one exists. 2. Review charges before consent and complete the action. 3. Compare order and bill	Only the approved, applicable amount is accurately disclosed and billed. If no approved example exists, record N/A with legal reference; do not assume a fee is permitted.	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
	to the approved fee/tax rule.			
FE-04 P0 — Hidden or upstream access surcharge (R6; C26, E13)	1. In a controlled environment configure an upstream support/access surcharge or migration fee that reaches the order/billing path. 2. Access customer service and inspect totals, credits, ledger and bill. 3. Compare with the prohibited access-fee rule.	Prohibited access charges cannot reach the customer bill unnoticed; any observed charge is a failure requiring correction and escalation, even if the UI showed zero.	_____	_____

6. Ecommerce storefront, products and eligibility

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
EC-01 P1 — Sign-in and account selection (R9; F01–F02)	1. Sign in as fixture A with access to more than one account. 2. Switch between individual and permitted small-business accounts and select different lines. 3. Sign out and attempt to return to a protected page.	Correct account, entitlements and actions are displayed; sign-out removes protected access; no cross-account data leaks.	_____	_____
EC-02 P1 — Invalid credentials and recovery (R9; F01)	1. Attempt sign-in with invalid credentials and exercise approved lockout limits. 2. Run account recovery with a monitored test destination. 3. Check service/order records and sign in after authorized recovery.	Errors and recovery follow approved security rules; no service is changed and protected data is not disclosed.	_____	_____
EC-03 P1 — Search, filter and	1. Search and filter Internet, TV, phone and	Search and comparison return the correct eligible	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
compare plans (R9; F03)	wireless plans separately. 2. Compare representative options. 3. Check features, availability, recurring price and promotion against the approved catalogue.	products with accurate current prices, features and conditions.		
EC-04 P1 — Internet serviceability (R9; F04)	1. Query supported, unsupported, invalid, multi-unit and rural test addresses. 2. Select an eligible result and attempt checkout for the unsupported address. 3. Compare results with approved serviceability data.	Eligible addresses see applicable offers; unsupported or invalid locations cannot order unavailable service; any alternatives are accurately described.	_____	_____
EC-05 P1 — Wireless plan and add-on compatibility (R9; F05)	1. Select a wireless plan and an eligible add-on from W. 2. Attempt an ineligible or mutually exclusive add-on. 3. Review displayed coverage, data/voice and roaming features against catalogue.	Only permitted combinations can be ordered; advertised features and conditions are accurate and the incompatible selection is explained.	_____	_____
EC-06 P1 — TV packages and equipment (R9; F06)	1. Use T to choose a TV package, eligible channels and required equipment. 2. Attempt an incompatible channel/equipment combination. 3. Compare cart and bundle effects with approved TV rules.	Valid choices and pricing are correct; invalid combinations are blocked/explained. TV-only regulatory classification follows legal's inventory.	_____	_____
EC-07 P1 — Home-phone	1. Select an eligible home-phone plan and a	Eligible options and charges are correct; unavailable	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
features (R9; F07)	calling feature. 2. Attempt an incompatible feature or unavailable number option. 3. Compare resulting cart to approved eligibility and pricing.	options cannot be ordered and are explained.		
EC-08 P1 — Device variants and compatibility (R9; F08)	1. Browse D's smartphone, watch and tablet by model, colour and storage. 2. Select compatible and incompatible SIM/eSIM, accessory and plan combinations. 3. Compare availability and compatibility with the approved catalogue.	Correct variants, stock and compatibility are shown; incompatible combinations are not sold as valid.	_____	_____
EC-09 P1 — Security/IoT dependencies (R9; F09)	1. Select fixture X with the compatible service and installation options. 2. Attempt the incompatible connectivity option and omit any mandatory dependency. 3. Review cart and approved product rules.	Valid dependencies and prices are shown; incompatible or missing required combinations are explained and cannot proceed as valid.	_____	_____
EC-10 P1 — Geography and account eligibility (R9; F03–F05)	1. Use accounts and addresses eligible and ineligible for a region-restricted offer. 2. Search, select and attempt checkout for both. 3. Compare outcomes with independent eligibility rules.	Eligible customer can select the offer; ineligible customer receives an accurate explanation and cannot purchase it.	_____	_____

7. Cart, promotions, checkout and fulfilment

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
CK-01 P1 — Mixed cart (R9; F10)	1. Add eligible Internet, TV, phone, wireless, device and IoT items where supported. 2. Record quantities and recurring/one-time prices. 3. Compare cart line items and totals against independently calculated catalogue values.	Correct products, quantities, dependencies and totals appear; no unrelated item is altered or silently added.	_____	_____
CK-02 P1 — Add, edit and remove (R9; F11)	1. Add a plan and accessory; change quantity and plan option. 2. Remove an item, refresh and navigate back. 3. Inspect cart and submitted order.	Totals and prerequisites recalculate; removed items do not reappear or become billable.	_____	_____
CK-03 P1 — Valid promotion (R9; F12)	1. Select an eligible item and valid fixture P promotion. 2. Apply it and inspect immediate and future totals and expiry. 3. Complete checkout and compare order/billing with the promotion oracle.	Eligible promotion and credits apply exactly as approved, with correct dates and subsequent pricing.	_____	_____
CK-04 P1 — Expired or ineligible promotion (R9; F12)	1. Select the expired and ineligible P promotions in separate runs. 2. Apply each to the cart. 3. Inspect totals and attempt checkout.	Invalid promotion is rejected with a clear explanation; no unearned credit is applied or promised.	_____	_____
CK-05 P1 — Conflicting promotions (R9; F12)	1. Choose two approved non-stackable P promotions. 2. Apply them in both orders in separate runs. 3. Compare selected discount and totals with the stacking rule.	Only the permitted combination is applied; outcome is correct regardless of entry order and conflicts are explained.	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
CK-06 P1 — Bundle discount recalculation (R9; F13)	1. Add qualifying bundle items from B and record standalone and bundled prices. 2. Remove one qualifying item. 3. Compare all remaining prices and credits with the approved bundle rule.	Discount is applied and removed correctly; affected remaining services and future charges are accurately displayed.	_____	_____
CK-07 P1 — Device purchase and financing (R9; F14)	1. Select a D smartphone; record full-price option. 2. Select financing and capture down payment, instalments, term, credits and taxes. 3. Compare checkout and order with the approved finance schedule.	Purchase and financing options calculate correctly and disclose approved terms; remaining balance and credits match the independent schedule.	_____	_____
CK-08 P1 — Taxes, proration and rounding (R9; F15)	1. Prepare equivalent carts in two supported tax jurisdictions and an eligible mid-cycle change. 2. Independently calculate line taxes, credits, proration and rounding using approved rules. 3. Compare summary, order and posted invoice.	Each amount, rounding and total matches the applicable independent oracle across summary, order and bill.	_____	_____
CK-09 P1 — Credit check outcomes (R9; F16)	1. In separate sandbox runs configure approved, declined, pending and insufficient-information outcomes. 2. Submit an eligible order for each. 3. Inspect customer messages, order and payment state.	Each outcome follows approved rules; sensitive information is not exposed and no unauthorized order or payment is created.	_____	_____
CK-10 P1 — Delivery, pickup	1. Select valid delivery/pickup and installation options for an	Correct destination, stock reservation, slot and approved charges are	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
and installation (R9; F17)	eligible device/service. 2. Choose an available slot and review address and fees. 3. Complete checkout and compare order and fulfilment records.	recorded for the intended order.		
CK-11 P1 — Payment success (R9; F18)	1. Select a supported sandbox payment instrument. 2. Complete checkout once. 3. Compare payment authorization/capture, order amount and order ID.	One authorized payment is linked to the correct order and amount; status and totals agree.	_____	_____
CK-12 P1 — Payment decline and retry (R9; F18)	1. Submit checkout using a declined sandbox instrument. 2. Inspect order and payment states; retry with an approved instrument. 3. Inspect charges and order records.	Decline is clearly reported without a completed paid order; retry produces at most one valid order/payment and no duplicate charge.	_____	_____
CK-13 P1 — Payment cancellation and refund (R9; F18, F23)	1. Cancel a pending sandbox payment or cancel an eligible unfulfilled paid order in separate runs. 2. Execute the approved cancellation/refund path. 3. Reconcile payment, order and any inventory reservation.	Payment is not captured after cancellation or an appropriate refund is recorded; no duplicate refund/charge or orphaned reservation occurs.	_____	_____
CK-14 P1 — Final checkout disclosure (R9; F19)	1. Build a cart with one-time, recurring and future promotional amounts. 2. Capture final summary and terms before purchase. 3. Submit and compare	Current and future charges, term, applicable fees and tax match the approved oracle and accepted order.	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
	order and bill with approved commercial rules.			
CK-15 P1 — Guest order to account (R9; F20)	1. If guest checkout exists, make a sandbox guest order. 2. Complete approved identity verification and link it to an account. 3. Try linking with another unverified account.	Verified order links to the correct customer only; the other account cannot access or claim it. If guest checkout is absent, mark N/A with inventory reference.	_____	_____
CK-16 P1 — Number selection and successful transfer (R9; F07, F21)	1. Select a new test number in one run and a sandbox number transfer in another. 2. Complete each order with required information. 3. Inspect order, activation and number assignment.	Correct number and action are recorded and activated according to approved porting and service rules; no unrelated number is changed.	_____	_____
CK-17 P1 — Failed number transfer (R9; F21)	1. Inject a port rejection for a sandbox number. 2. Submit the order and inspect customer status and recovery instructions. 3. Inspect old/new service state.	Failure is clearly reported; premature service loss or false completion does not occur; recovery follows approved porting rules.	_____	_____
CK-18 P1 — Order history and tracking (R9; F22)	1. Create a purchase, a plan change and a cancellation using separate fixtures. 2. Open order history for the authorized account. 3. Compare item details and statuses with order and provisioning records.	Each order appears against the correct account with accurate selections and current state; unrelated accounts cannot view it.	_____	_____
CK-19 P1 — Change/cancel unfulfilled order (R9; F23)	1. Create an eligible unfulfilled order with reserved inventory and sandbox payment. 2. Change or cancel within	Allowed change/cancellation is processed once; payment, stock and promotional	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
	the approved window. 3. Inspect order, payment, inventory and promotions.	effects are adjusted correctly.		
CK-20 P1 — Activation and entitlement (R9; F24)	1. Complete an eligible device and service purchase with SIM/eSIM. 2. Process fulfilment using the test integration. 3. Compare device, SIM, account/line and provisioned entitlement to the order.	Correct device and SIM/eSIM are associated with the selected account and plan; activated entitlements match the accepted order.	_____	_____
CK-21 P1 — English/French experience (R9; F25)	1. Execute a purchase and a plan change in each language offered or required. 2. Compare displayed prices, terms, dates and consent with approved translations. 3. Inspect the resulting written confirmation in the selected language.	Content, amounts and meaning match approved translations and the customer's language choice; confirmation is consistent with approved language rules.	_____	_____

8. Fringe cases, concurrency and recovery

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
FR-01 P0 — Cancel one component of mixed bundle (R1, R3, R9; E01)	1. Use B and capture all services, discounts and prices. 2. Select Internet cancellation and capture resulting bundle and wireless prices before consent. 3. Complete and reconcile all remaining services and next bill.	Correct consequences are disclosed and applied; only selected service ends, remaining services stay active and all changed prices match approved rules.	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
FR-02 P0 — Financed phone and linked watch (R3, R9; E02)	1. Use W with finance balance, promotional credit and linked watch. 2. Cancel the eligible phone line; record disclosed balance, credit and watch consequences. 3. Reconcile both lines, finance ledger and bill.	All applicable consequences match approved rules; no unrelated line is incorrectly cancelled and no balance/fee is duplicated.	_____	_____
FR-03 P0 — Promotion near expiry and legacy terms (R3, R9; E03)	1. Set controlled clock immediately before L's promotion expires. 2. Begin downgrade and capture price, expiry and restoration disclosure. 3. Cross expiry before submission and reconcile the outcome.	Correct effective-time offer and non-restoration disclosure are shown; if terms materially change, renewed consent is required; billing follows approved schedule.	_____	_____
FR-04 P0 — Role revoked during checkout (R2, R7; E05, E16)	1. Authorized S user opens a permitted change and reviews terms. 2. Revoke their permission in another session before submission. 3. Submit and inspect service/order/consent records.	Authorization is rechecked at submission; revoked user cannot commit the change, and no unauthorized service or billing update occurs.	_____	_____
FR-05 P0 — Duplicate request and retry (R9; E08)	1. Submit an action while simulating a response timeout. 2. Retry or double-click using the same intended transaction identifier. 3. Inspect order count, service state and billing.	One intended action and at most one applicable charge occur; customer can obtain authoritative status rather than unknowingly duplicating the request.	_____	_____
FR-06 P0 — Provisioning timeout	1. Inject a timeout or partial fulfilment after order acceptance.	Pending/failure is truthful; no unsupported completion claim is	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
or partial success (R4, R9; E09)	2. Inspect status and written communications before recovery. 3. Restore dependency and reconcile actual service and billing.	made; recovery reconciles without duplicated actions or charges.		
FR-07 P0 — Billing/provisioning mismatch (R9; E10)	1. Inject billing success with provisioning failure; repeat with provisioning success and billing failure. 2. Inspect reconciliation alerts, customer status and exception queue. 3. Execute approved recovery and inspect final service and bill.	Mismatch is detected and remediated, improper billing is prevented/corrected and full completion is not claimed before verified reconciliation.	_____	_____
FR-08 P0 — Notification duplicate retry (R5, R9; E11)	1. Inject an acknowledgement timeout after a test confirmation is delivered. 2. Allow the approved retry mechanism to run. 3. Inspect delivery attempts, actual messages and transaction state.	Delivery is traceable, duplicate handling follows approved rules, no unrelated destination is used and no duplicate service action results.	_____	_____
FR-09 P1 — Out of stock during checkout (R9; E14)	1. Add an available D device to cart. 2. Deplete its test stock or expire the reservation before submission. 3. Submit checkout and inspect payment, order and customer message.	Unavailability is clearly communicated; an unfulfillable item is not charged as fulfilled, and revised selections/prices are confirmed where needed.	_____	_____
FR-10 P1 — Installation slot disappears (R9; E14)	1. Select an available test installation slot. 2. Remove the slot using controlled scheduling data before submission. 3. Attempt checkout and	Customer is offered an available alternative or informed of the failure; no unavailable appointment is silently confirmed.	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
	inspect order/payment state.			
FR-11 P1 — Billing boundary and daylight saving (R9; E15)	1. Set controlled clock just before and after a billing cutover and DST transition in applicable time zones. 2. Perform the same eligible change in separate runs. 3. Compare effective date, proration and invoice with the independent oracle.	Time zone, effective date and calculated amounts remain correct at each boundary; no duplicated or skipped billing period occurs.	_____	_____
FR-12 P1 — Mobile interruption and resume (R9; E16)	1. On a supported mobile browser/app, start a cart or change and interrupt connectivity before submission. 2. Restore connection and resume on the same or another authorized device. 3. Inspect current terms, consent and order state.	No phantom order or charge occurs; only authorized state is restored, current status is shown and fresh consent is required if material terms changed.	_____	_____
FR-13 P0 — Identity or catalogue outage (R9; N05)	1. Inject identity outage, then catalogue outage in separate non-production runs. 2. Attempt authentication or plan selection respectively. 3. Restore each dependency and retry.	Customer sees an accurate error; no unauthorized action or stale unapproved offer is committed; service recovers according to approved objectives.	_____	_____
FR-14 P0 — Order service unavailable (R9; N05)	1. Reach consent for an eligible action. 2. Inject an order-service outage before submission. 3. Attempt submission,	Submission does not falsely report success; recovery yields at most one intended action and an observable outcome.	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
	restore the service and inspect/retry safely.			

9. Accessibility, privacy, security, performance and evidence

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
NF-01 P0 — Keyboard operation (R7; N01)	1. Use keyboard only on the designated sign-in, modification, consent and cancellation paths. 2. Exercise all controls, error messages and dialogs. 3. Record focus order, visibility and completion against the approved accessibility standard.	Critical journey is operable with visible, logical focus and no keyboard trap; applicable approved criteria are satisfied.	_____	_____
NF-02 P0 — Screen reader (R7; N01)	1. Use an approved screen reader/browser combination on plan selection, consent, cancellation and status screens. 2. Trigger validation errors and asynchronous updates. 3. Verify names, roles, instructions and announcements against approved criteria.	Controls and changes are understandable and operable; required disclosure, consent and errors are announced appropriately.	_____	_____
NF-03 P1 — Zoom, reflow and contrast (R7; N01)	1. Run critical journeys at the zoom, viewport and contrast conditions required by the approved standard. 2. Inspect text, controls, disclosure and errors. 3. Complete a change	Content and controls remain perceivable and operable under applicable approved criteria; no critical information is clipped or inaccessible.	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
	using an approved accessible fixture.			
NF-04 P1 — Uncoached usability (R1, R7; N02)	1. Recruit representative individual, small-business and accommodation-requiring participants. 2. Ask each to find and complete an eligible change and cancellation without coaching. 3. Record task completion, missteps, obstacles and elapsed time against approved targets.	Material barriers are documented and investigated; results satisfy approved provider targets without treating a numerical target as a regulatory safe harbour.	_____	_____
NF-05 P0 — Cross-account and session protection (R7; N03)	1. Sign in as account A and attempt to access account B's service/order using UI and authorized security-test methods. 2. Expire the session and attempt submission. 3. Inspect logs and service records.	No cross-account data or unauthorized action is exposed; expired sessions cannot commit changes; approved security events are recorded.	_____	_____
NF-06 P1 — Request and log protection (R7; N03)	1. In an authorized test environment exercise invalid input and CSRF protections on sensitive actions. 2. Inspect error responses and application logs. 3. Verify approved masking and access controls on captured evidence.	Invalid/unauthorized requests are rejected; sensitive data is not unnecessarily disclosed in responses or logs.	_____	_____
NF-07 P1 — Peak load and concurrency (R9; N04)	1. Use approved synthetic load profile representing promotion expiry or billing cutover. 2. Run concurrent browse, change and	Approved performance and recovery thresholds are met; no silent transaction loss, duplicate action or billing occurs. Thresholds are	_____	_____

Rule the case is testing	Test setup steps	Expected result	Actual result (tester)	Pass/fail (tester)
	cancellation transactions in a safe environment. 3. Measure response, error, queue, effective-time and notification outcomes against approved limits.	provider-defined, not policy deadlines.		
NF-08 P0 — End-to-end evidence retrieval (R8; N06)	1. Complete an eligible plan action using a unique correlation ID. 2. Retrieve disclosure/version, actor consent, order, actual effective state, billing, received message and delivery records. 3. Confirm approved access and retention controls.	Evidence is correlated, accurate, retrievable by authorized staff and protected under approved retention/privacy policy; no retention period is invented from 2026-78.	_____	_____

10. Regression selection and strategy coverage

Run **all applicable P0 cases** on each release candidate and after fixes that affect their controls. Execute the packs below when their area changes; before the compliance release, execute all applicable cases and the full approved parameter inventory. If impact is unknown, expand coverage. Re-run a failed case after correction and its affected pack. Capture whether intentional changes differ from the previously approved baseline.

Strategy pack	Cases in this plan
G01 identity and self-service	SS-01–SS-13, CO-05, CN-01, EC-01–EC-02, NF-05
G02 catalogue and eligibility	SS-01–SS-04, SS-12, EC-03–EC-10, CO-08
G03 terms and consent	CO-01–CO-10, FR-03
G04 order, provisioning and cancellation	SS-05–SS-06, EF-01–EF-03, FR-05–FR-07, FR-13–FR-14
G05 confirmation	CN-01–CN-06, FR-08, NF-08
G06 fees and billing	FE-01–FE-04, CK-08, FR-07
G07 cart, checkout and fulfilment	CK-01–CK-21, FR-09–FR-10, FR-12
G08 promotions, bundles and finance	CO-04, CK-03–CK-08, FR-01–FR-03, FR-11
G09 devices and activation	EC-08–EC-09, CK-07, CK-10, CK-20, FR-02, FR-09

Strategy pack	Cases in this plan
G10 accessibility, localization and security	SS-07, CK-21, NF-01–NF-06

Coverage crosswalk for the input strategy: **C01–C26** are addressed in sections 3–5; **F01–F25** in sections 6–7; **E01–E16** in sections 3–5 and 8; **N01–N06** in sections 3 and 8–9. Source IDs on each row identify the specific trace. R1–R9 are the strategy's requirement/control identifiers; only R1–R7 represent the regulatory baseline and related existing protections, while R8–R9 are provider controls.

11. Entry, exit and deliverables

Entry: A1–A6 have owners and approved decisions for the selected scope; independent expected results and legal fee rules are available; fixtures and controlled integrations are validated; accounts and destinations are safe and resettable; evidence access and defect workflow are ready. If a dependency is unavailable, affected tests are blocked and the gap is reported.

Proposed release exit: 100% of applicable product-family × action × individual/small-business rows executed on the chosen mechanism; 100% of applicable P0 executions passed; all R1–R7 mapped to approved tests and evidence; no open critical/high defects affecting compliance, unauthorized changes, material billing, privacy or a critical accessible journey; required written confirmations received and reconciled; non-immediate effects investigated and justified; prohibited access fees absent in tested order/bill records. Applicable regression packs must pass, or remaining non-P0 exposure must be documented and approved. These are QA targets, not numerical requirements stated by the CRTC. A waiver does not establish legal compliance.

Test completion report: provide coverage by product/action/segment/role/mechanism, case and iteration results, blocked/N/A reasons and owners, defect list and retests, legal interpretations, accessibility/privacy/security outcomes, request-to-effective and notification evidence, billing reconciliations, residual risks, and named QA, product, operations and regulatory/legal decisions. Retain records according to approved privacy and retention policy.