block name 1

1. The field of complex numbers

introduction

block name 3

The field of complex numbers

Let:

$$\begin{array}{cccc}
+ : \mathbb{R}^2 \times \mathbb{R}^2 & \longrightarrow & \mathbb{R}^2 \\
((a,b),(c,d)) & \longmapsto & (a+c,b+d) \\
\cdot : \mathbb{R}^2 \times \mathbb{R}^2 & \longrightarrow & \mathbb{R}^2 \\
\cdot & ((a,b),(c,d)) & \longmapsto & (ac-bd,ad+bd)
\end{array}$$

We name the field of complex numbers to:

$$\cdot (\mathbb{R}^2, +, \cdot)$$

We denote:

$$\cdot (\mathbb{R}^2, +, \cdot) : \mathbb{C}$$

$$\cdot (0,1) \in \mathbb{C} : i$$

$$(a,b) \in \mathbb{C} : a+bi$$

$$\cdot \pi_1(\mathbb{C}) : Re$$

$$\cdot \pi_2(\mathbb{C}) : Im$$

Conjugation

We name complex conjugation to:

$$f: \mathbb{C} \longrightarrow \mathbb{C}$$
$$(a,b) \longmapsto (a,-b)$$

We denote:

$$\cdot f((a,b)) : \overline{(a,b)}$$

Norm

We name complex norm to:

$$f: \mathbb{C} \longrightarrow \mathbb{R}$$
$$(a,b) \longmapsto a^2 + b^2$$

We denote:

$$f((a,b)):|(a,b)|$$

Polar form

We name polar form to:

$$\begin{array}{cccc} \cdot & f : \mathbb{C} & \longrightarrow & \mathbb{R}^+ \times [0, 2\pi) \\ \cdot & (a, b) & \longmapsto & (\sqrt{|(a, b)|}, \arctan(\frac{b}{a})) \end{array}$$

We denote:

$$\cdot f((a,b))$$
: polar form of (a,b)

Unit sphere projection

We name unit sphere projection to:

$$\begin{array}{cccc} \cdot & f : \mathbb{C} & \longrightarrow & S^1 \\ & z & \longmapsto & \frac{z}{|z|} \end{array}$$

We denote:

$$\cdot f(z) : \pi(z)$$

block name 5

Root of unity

Let:

$$\cdot z \in \mathbb{C}$$

Then, z is a root of unity if:

$$\cdot \exists n \in \mathbb{N} \mid z^n = 1$$

We denote:

$$\cdot \{z \in \mathbb{C} \mid z \text{ root of unity }\} : S^1$$

\mathbf{Disk}

Let:

$$p \in \mathbb{C}$$

$$r \in \mathbb{R}^+ \setminus \{0\}$$

We name $\,$ Disk centered in p and radius r $\,$ to:

$$\cdot \{ z \in \mathbb{C} \mid |z - p| < r \}$$

We denote:

$$\cdot \left\{ z \in \mathbb{C} \mid |z-p| < r \right\} \; : \; D^1$$