

# Oracle Installation and Usage

Raymond E. Marcil  
<raymond.marcil@alaska.gov>

August 17, 2020

VERSION: 0.0.1  
build: 22

## **Abstract**

Oracle database install, users, grants, privileges, updates and maintenance.

Alaska Department of Transportation & Public Facilities  
Statewide Design & Engineering Services  
820 East 15th Avenue  
Anchorage, Alaska 99501

# Contents

<b>Contents</b>	<b>2</b>
<b>List of Definitions and Abbreviations</b>	<b>3</b>
<b>Introduction</b>	<b>5</b>
<b>Installation</b>	<b>6</b>
<b>Credentials</b>	<b>7</b>
<b>Instance</b>	<b>8</b>
List . . . . .	8
Create . . . . .	8
Delete . . . . .	8
<b>Database</b>	<b>9</b>
Create . . . . .	9
<b>Container Database</b>	<b>10</b>
Create . . . . .	10
<b>Pluggable Database</b>	<b>11</b>
Create . . . . .	11
<b>Recover and Restore</b>	<b>12</b>
<b>Examples</b>	<b>13</b>
Escaping < and > Symbols . . . . .	13
Enumerate . . . . .	13
Comments . . . . .	13
<b>Questions</b>	<b>14</b>
Instances . . . . .	14
Databases . . . . .	14
DBCA . . . . .	14
<b>Appendix</b>	<b>15</b>
Books . . . . .	15
Scripts . . . . .	15
Hyperlinks . . . . .	15

# List of Definitions and Abbreviations

- **Container database** - “Container Database (CDB) : On the surface this seems very similar to a conventional Oracle database, as it contains most of the working parts you will be already familiar with (controlfiles, datafiles, undo, tempfiles, redo logs etc.). It also houses the data dictionary for those objects that are owned by the root container and those that are visible to all PDBs.”<sup>1</sup>
- **Database** - “A database is a set of physical files on disk created by the CREATE DATABASE statement. The instance manages its associated data and serves the users of the database.”<sup>2</sup>
- **DBCA** - Database Configuration Assistant. The DBCA can be used to:<sup>3</sup>
  - Creating a Database with DBCA
  - Configuring Database Options with DBCA
  - Deleting a Database with DBCA
  - Managing Templates with DBCA
  - Configuring Automatic Storage Management with DBCA
- **Instance** - “A database instance is a set of memory structures that manage database files.”<sup>4</sup>
- **Multitenant** - “The multitenant option introduced in Oracle Database 12c allows a single container database (CDB) to host multiple separate pluggable databases (PDB).”<sup>5</sup>
- **Oracle Universal Installer (OUI)** - “The Oracle Universal Installer (OUI) allows you to create a container database (CDB) during the software installation. The “Typical Install Configuration” screen has a checkbox to indicate the database is a container database. You can optionally create a single pluggable database (PDB) in this screen also.”<sup>6</sup>
- **Pluggable database** - “Pluggable Database (PDB) : Since the CDB contains most of the working parts for the database, the PDB only needs to contain information

---

<sup>1</sup>Multitenant : Overview of Container Databases (CDB) and Pluggable Databases (PDB)  
<https://oracle-base.com/articles/12c/multitenant-overview-container-database-cdb-12cr1#create-pdb>

<sup>2</sup>Introduction to the Oracle Database Instance, Oracle Database Instance, Database Concepts, Oracle Database, Release 12.2, <https://docs.oracle.com/en/database/oracle/oracle-database/12.2/cncpt/oracle-database-instance.html>

<sup>3</sup>Using DBCA to Create and Configure a Database, Oracle® Database 2 Day DBA,

<sup>4</sup>Ibid.

<sup>5</sup>Multitenant : Create and Configure a Pluggable Database (PDB) in Oracle Database 12c Release 1 (12.1)

<https://oracle-base.com/articles/12c/multitenant-create-and-configure-pluggable-database-12cr1>

<sup>6</sup>Oracle Universal Installer (OUI)  
<https://oracle-base.com/articles/12c/multitenant-create-and-configure-container-database-12cr1#oui>

specific to itself. It does not need to worry about controlfiles, redo logs and undo etc. Instead it is just made up of datafiles and tempfiles to handle it's own objects. This includes it's own data dictionary, containing information about only those objects that are specific to the PDB. From Oracle 12.2 onward a PDB can, and should, have a local undo tablespace.”<sup>7</sup>

---

<sup>7</sup>Multitenant : Overview of Container Databases (CDB) and Pluggable Databases (PDB)  
<https://oracle-base.com/articles/12c/multitenant-overview-container-database-cdb-12cr1#create-pdb>

# Introduction

”There are 3 steps to begin using AWStats:<sup>8</sup>

- I. Setup: Installation and configuration
- II. Process logs: Building/updating statistics database
- III. Run Reports: Building and reading reports

---

<sup>8</sup>AWStats Installation, Configuration and Reporting  
<https://awstats.sourceforge.io>

## Installation

AWStats v7.3 and v7.7 are installed on the `intdev`<sup>9</sup> server from package.

The installed versions include:

- AWStats v7.3-1
- AWStats v7.7-1.1.el6

---

<sup>9</sup>`intdev - dnr.wintdev.dnr.state.ak.us` (204.89.222.43)

## Credentials

On Windows 10 have Oracle 12c installed at:  
C:\oracle\product\12.2.0\

# Instance

“A database instance is a set of memory structures that manage database files.

A database is a set of physical files on disk created by the CREATE DATABASE statement. The instance manages its associated data and serves the users of the database.

Every running Oracle database is associated with at least one Oracle database instance. Because an instance exists in memory and a database exists on disk, an instance can exist without a database and a database can exist without an instance.”<sup>10</sup>

## List

## Create

## Delete

---

<sup>10</sup>Introduction to the Oracle Database Instance, Oracle Database Instance, Database Concepts, Oracle Database, Release 12.2,<https://docs.oracle.com/en/database/oracle/oracle-database/12.2/cncpt/oracle-database-instance.html>



## Database

Oracle 12.2.0 running under Windows 10 (64-bit) saves databases as datafiles under  
C:\oracle\oradata\cdb1\pdb1\PDB1\DATAFILE <sup>11</sup>

## Create

---

<sup>11</sup>From inspection of Windows 10 filesystem on Monday August 3, 2020.

## Container Database

[FIXME: Need content here...]

Create

# Pluggable Database

[FIXME: Need content here...]

Create

## Recover and Restore

[FIXME: Need content...]

## Examples

Series of useful L<sup>A</sup>T<sub>E</sub>X markup. Need to break out to separate examples.tex file.

## Escaping < and > Symbols

To get  $\langle$  or  $\rangle$  just wrap the symbols in  $\$$  for math mode.

## Enumerate

1. DNR - Alaska State Department of Natural Resources
  - HI - Historical Index, not maintained since 1982
  - LE - Land Estate, maintained by SGU
  - ME - Mineral Estate, maintained by SGU
2. Alaska State Surveys
  - ASBLT - As-Built Survey
  - ASCS - Cadastral Survey

## Comments

**COMMENTS** Comment — *Sean Weems, Spring 2003*

We should get the **COMMENTS** column searchable via the landrecords application before we do much anything else – shouldn't be too hard.

*Errata: Plats spanning multiple sections*

A few anomalies can be observed in the **AKPLATS** table. Specifically plats exist that span multiple sections. Since the table only has a single column, **SCODE**, that accepts a single section code, SGU (Status Graphics Unit) has handled this problem by entering multiple rows in the table, each with a different section that point to the same plat or file. Multiple section plats are indicated by setting the **TCODE** column to the value 37, and making an appropriate notation like *Section 24-25-26-27* in the **REMARKS** column.

[FIXME: Perhaps the **SCODE** column should accept an array of sections?]

## Questions

NOTE: All answers for latest oracle 12.1 or 12.2 unless otherwise specified.

### Instances

- Create new instance?
- List available instances?

### Databases

- Create new databases?
- List available databases?

### DBCA

- What is the DBCA?
- DBCA vs. command line?

# Appendix

## Books

Oracle 12c For Dummies  
by Chris Ruel, Michael Wessler

## Scripts

[FIXME: Need scripts here.]

## Hyperlinks

2 Day DBA

Oracle Database Release 12.2

<https://docs.oracle.com/en/database/oracle/oracle-database/12.2/admqs/introduction.html#GUID-78050887-822B-4091-8DBA-A8EC43602350>

How to Use the Database Configuration Assistant (DBCA)

to Create Databases in Oracle 12c

by Chris Ruel, Michael Wessler

<https://www.dummies.com/programming/databases/how-to-use-the-database-configuration-assistant-dbc>

Introduction to the Oracle Database Instance,

Oracle Database Instance, Database Concepts,

Oracle Database, Release 12.2

<https://docs.oracle.com/en/database/oracle/oracle-database/12.2/cncpt/oracle-database-instance.html>

Multitenant : Create and Configure a Pluggable Database (PDB)

in Oracle Database 12c Release 1 (12.1)

<https://oracle-base.com/articles/12c/multitenant-create-and-configure-pluggable-database-12cr1>

Multitenant : Overview of Container Databases (CDB) and Pluggable Databases (PDB)

Oracle 12c Release 1 (12.1)

<https://oracle-base.com/articles/12c/multitenant-overview-container-database-cdb-12cr1>

Oracle Database Instance

Oracle Database Release 12.2

<https://docs.oracle.com/en/database/oracle/oracle-database/12.2/cncpt/oracle-database-instance.html#GUID-67247052-CE3F-44D2-BA3E-7067DEF4B6D5>

Oracle Universal Installer (OUI)  
Oracle Database 12c Release 1 (12.1)  
<https://oracle-base.com/articles/12c/multitenant-create-and-configure-container-database-12cr1#oui>

Using DBCA to Create and Configure a Database  
in Oracle Database 12c Release 1 (12.1)  
Oracle Database 2 Day DBA  
10g Release 2 (10.2)  
Part Number B14196-02  
<https://docs.oracle.com/cd/B16254-01/doc/server.102/b14196/install003.htm>

Viewing Information About CDBs and PDBs with SQL\*Plus  
Database Administrator's Guide  
Oracle Database Online Documentation 12c  
Release 1 (12.1) / Database Administration  
[https://docs.oracle.com/database/121/ADMIN/cdb\\_mon.htm#ADMIN13719](https://docs.oracle.com/database/121/ADMIN/cdb_mon.htm#ADMIN13719)