Subversion to Git Conversion

Raymond E. Marcil <marcilr@gmail.com>

February 4, 2013

Abstract

This document contains the details of Subversion to Git revision control system conversion.

Contents

Contents	2
List of Figures	3
List of Tables	3
List of Definitions and Abbreviations	4
Introduction	5
Questions	5
Examples	6
Escaping $<$ and $>$ Symbols	6
Enumerate	6
Comments	6
Footnotes	7
Hyperlinks	7
Table Examples	7
Verbatim	9
Version Number	11
Endnotes	12
Appendix	12

List of Figures

1	File and Directory Structure	0
\mathbf{List}	of Tables	
1	EASEMENTS_17B Table	7
2	USS XML index elements	8
3	Demo	8
4	Daemons	8
5	XREF MTR OMO Table	8

List of Definitions and Abbreviations

• MOA - Municipality of Anchorage

Introduction

Introduction to the \LaTeX Template with Examples.

Questions

• Break table column over two rows?

Examples

Series of useful LATEX markup. Need to break out to separate examples.tex file.

Escaping < and > Symbols

To get \$<\$ or \$>\$ just wrap the symbols in \$ for math mode.

Enumerate

- 1. DNR Alaska State Department of Natural Resources
 - HI Historical Index, not maintained since 1982
 - LE Land Estate, maintained by SGU
 - ME Mineral Estate, maintaind by SGU
- 2. Alaska State Surveys
 - ASBLT As-Built Survey
 - ASCS Cadastral Survey

Comments

COMMENTS Comment — Sean Weems, Spring 2003

We should get the COMMENTS column searchable via the landrecords application before we do much anything else – shouldn't be too hard.

Errata: Plats spanning multiple sections

A few anomalies can be observed in the AKPLATS table. Specifically plats exist that span multiple sections. Since the table only has a single column, SCODE, that accepts a single section code, SGU (Status Graphics Unit) has handled this problem by entering multiple rows in the table, each with a different section that point to the same plat or file. Multiple section plats are indicated by setting the TCODE column to the value 37, and making an appropriate notation like Section 24-25-26-27 in the REMARKS column.

[FIXME: Perhaps the SCODE column should accept an array of sections?]

Footnotes

See my footnote¹ generated with:

```
\footnote{\href{http://www.google.com/search?q=latex+footnotes}} {Search google for footnotes.}}
```

GoogleGuide — Linking to Search Results.²

Hyperlinks

Use $\left\{\right\}$ to generate hyperlinks:

\href{http://www.google.com}{Google}}

Yields: Google

Table Examples

Column Name	Type	Description
EQS	VARCHAR2(1)	!NULL map shows village selections
ITM_COL	VARCHAR2(1)	USGS ITM column: 1-6
ITM_ROW	VARCHAR2(1)	USGS ITM row: A-E
QMQ_ABBR_DNR	VARCHAR2(3)	Three character DNR abbreviation for the
		QMQ
RASTER_FILENAME	VARCHAR2(50)	Physical path to file
RASTER_PATHNAME	VARCHAR2(50)	URL path to PDF of map
SCODE	VARCHAR2(2)	Supplement map code: 1,2,3,
COMMENTS	VARCHAR2(256)	Plat comments

Table 1: EASEMENTS_17B Table

¹Search google for footnotes.

 $^{^2 {\}rm Google Guide}$ — Linking to Search Results.

XML element	Descripton		
FNUM	US Survey file number		
MERIDIAN	BLM meridian code		
	12 = Copper River		
13 = Fairbanks			
	28 = Seward		
	44 = Kateel		
	45 = Umiat		
TOWNSHIP	Five character Township code		
RANGE	Five character Range code		
PAGE	Survey page number 1,2,3,		
FILENAME	Relative path to file in directry		

Table 2: USS XML index elements

col 1	col 2	col 3	col 4	
item 1	item 2	item 3	item 4	
item 1	item 2	item 3	item 4	

Table 3: Demo

Virtual Machine	Apache	ELM	LM	Elluminate Server
dcs-elive-prod01		X	X	X
uaa-elive-dev01	X	X	X	
uaa-elive-server01				X
uaa-elive-prod01		X	X	X
uaf-elive-prod01		X	X	X
uas-elive-prod01		X	X	X

Table 4: Daemons

Column Name	Type	Description	
MTR	VARCHAR2(9)	Meridian, Township, Range, example: C026S054E	
QMQ	VARCHAR2(3)	Quarter Million Quadrangle code,	
		example: DIL (Dillingham quadrangle)	

Table 5: XREF_MTR_QMQ Table

Verbatim

"The verbatim environment is a paragraph-making environment that gets LATEX to print exactly what you type in. It turns LATEX into a typewriter with carriage returns and blanks having the same effect that they would on a typewriter."

\begin{verbatim}
 text
\end{verbatim\}

Figure formatting with verbatim

The following figure leverages verbatim for proper formatting:

```
gis/raster/
  dnr/
    map_library/
    plats/
      SP/YYYYMMDD/*.pdf
                                       # indexed
      HI/YYYYMMDD/*.pdf
                                       # Indexed
      ASLS/YYYYMMDD/*.pdf
                                       # Indexed
    recorded-plats/
      YYYYMMDD/*.pdf
  blm/
    easements_17b/YYYYMMDD/*.pdf
                                       # indexed
    mtp/YYYYMMDD/*.pdf
                                       # non-indexed
    usrs/YYYYMMDD/*.pdf
                                       # indexed
    usrs-notes/YYYYMMDD/*.pdf
                                       # indexed
    uss/YYYYMMDD/*.pdf
                                       # indexed
    uss-notes/YYYYMMDD/*.pdf
                                       # indexed
    usms/YYYYMMDD/*.pdf
                                       # indexed
    usms-notes/YYYYMMDD/*.pdf
                                       # indexed
  usgs/
    drg/
      collared/
        250K/
        63K/
        25K/
        24/
      decollared/
      tools/
      missing\_data/
    dem/
    doq/
    topo/
```

Figure 1: File and Directory Structure

Version Number

It is often desirable to add a version number to a document for tracking or revision control. CVS or Subversion users can use the rcs or svnInfo packages for inline version information.

[FIXME: Need to complete details here]

Endnotes

1. LaTeX verbatim http://www.kfunigraz.ac.at/ binder/texhelp/ltx-79.html

Appendix

A Guide to LATEX

http://www.astro.rug.nl/ kuijken/latex.html

 \LaTeX - From Wikibooks, the open-content textbooks collection http://en.wikibooks.org/wiki/LaTeX

LATEX Notes

 $http://luke.breuer.com/time/item/LaTeX_Notes/180.aspx$