

	Environmental Analysis Teaching and Research Laboratory	Date: 6/16/2025	SOP No. 20-16 v0.1
	Standard Operating Procedure	Title: Nitrification Potential	
	Approved By: Los Huertos	Revised: July 2, 2025	

1. Scope and Application

1.1 aaa

1.2 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

2. Health and Safety

2.1 Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

3. Personnel & Training Responsibilities

3.1 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus.

Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Students using this SOP should be trained for the following SOPsa:

- SOP1
- SOP2

4. Required Materials

4.1 Distilled water

4.2 Calcium Chloride

4.3 Nitrate test strips

4.4 Falcon tubes(volumetrically marked centrifuge tubes?)

4.5 Soil Probe (Auger?)

4.6 Bucket

5. Estimated Time

5.1 This will take XX minutes...

6. Procedure

6.1 Preparation: Add 6 g (1tspn) CaCl_2 to 1 gal distilled water (makes 125 tests).

6.2 Fill volumetric container w/ 30 ml solution

6.3 Add soil into container until solution reaches 40 ml

6.4 cap and shake until all soil is well mixed

6.5 allow sample to sit and soil particles to settle (around 10 mins, no more than 1hr)

6.6 Dip test strip in clearer solution near top for one second

6.7 compare strip to standard color chart at 30 and 60 seconds

6.8 Interpretation of N testing quick strips

6.9 Calculate correction factor using soil textures (average values) See Texture Analysis SOP.

Table 1: Soil Texture Correction Factor

Texture	Moist Soil	Dry Soil
Sand	2.3	2.6
Loam	2.0	2.5
Clay	1.7	2.2

6.10 Corrected value = test strip value of N (ppm) / correction factor

6.11 record nitrate ppm and correction factor in field notebook

7. References

- 7.1** APHA, AWWA. WEF. (2012) Standard Methods for examination of water and wastewater. 22nd American Public Health Association (Eds.). Washington. 1360 pp. (2014).