	$\mathbf{a}$	4
Ouaction	•	ı
Question	_	ı

Not yet answered

Marked out of 1.00

In Python, HELLO and hello are same identifiers as it is not case sensitive.

### Select one:

- a. True
- o b. False

# Question 22

Not yet answered

Marked out of 1.00

A Network Engineer is not able to ping Gateway from a user's system on Local Area Network, what could be the possible reason?

## Select one:

- a. You haven't configured Gateway IP on user's laptop
- b. Network Administrator has blocked Ping on the gateway.
- c. Network Administrator has not configured routing on the user's system
- d. All of the above

# Question 23

Not yet answered

Marked out of 1.00

Which of the following statements, explain monkey patching?

### Select one:

- a. It is a technique used to patch code with bugs
- b. It is a technique used for exception handling.
- c. It is declaring a function that can be accessible by any module.
- od. It is changing the behavior of a function after it has already been defined.



Not yet answered  Marked out of 1.00	Using Cryptography, which of the following is used to arrange the order of letters in network message?
	Select one:
	a. Substitution ciphers
	b. Autokey ciphers
	c. Transposition ciphers
	od. All of the above
Question 25  Not yet answered  Marked out of 1.00	What is the difference between range() and xrange() in Python 3?
	Select one:
	a. range() returns an object and xrange() returns a list
	b. range() returns a list and xrange() returns an object
	c. xrange() does not exist and range() returns an object

d. xrange() does not exist and range() returns a list

