

Scenario C: Fairness Case.

Input

Quantum = 2

Process	Arrival Time	Burst Time
P1	0	8
P2	0	8
P3	0	8

Analysis

- **Which algorithm gave lower average waiting time?**
SRTF gave the lowest average waiting time, same as SJF.
- **Which algorithm gave lower average response time?**
Round Robin provided more consistent response times.
- **Did Round Robin appear fairer across all processes?**
Yes, Round Robin clearly ensured fairness.
- **Did SJF complete short jobs more efficiently?**
Not applicable since all jobs are equal.
- **How did the chosen quantum affect Round Robin behavior?**
The quantum ensured equal CPU sharing across all processes.
- **Which algorithm would you recommend for the tested workload, and why?**
Round Robin is recommended because fairness is the primary requirement.
-

Conclusion

- No algorithm had a strong advantage in efficiency.
- Round Robin was the most balanced.
- SJF and SRTF did not provide benefits.
- The quantum enforced fairness.

CPU Scheduling Simulator

CPU Scheduling Simulator

InputGantt ChartsMetricsComparison

Process Input Configuration

No. of Processes: 3Time Quantum: 2Generate Table

Process ID	Arrival Time	Burst Time
P1	0	8
P2	0	8
P3	0	8

Clear DataRun Simulation



