

Scenario B: Short-Job Heavy

Input

Quantum = 2

Process	AT	BT
P1	0	1
P2	1	2
P3	2	1
P4	3	2
P5	4	1

Analysis

- **Which algorithm gave lower average waiting time?**
SJF significantly reduced average waiting time by prioritizing short jobs.
- **Which algorithm gave lower average response time?**
SJF had the lowest response time for most processes, especially short ones.
- **Did Round Robin appear fairer across all processes?**
Yes, but fairness reduced efficiency in this case.
- **Did SJF complete short jobs more efficiently?**
Yes, SJF completed almost all short jobs immediately.
- **How did the chosen quantum affect Round Robin behaviour?**
Round Robin forced short jobs to wait for their turn, delaying their completion.
- **Which algorithm would you recommend for the tested workload, and why?**
SJF is clearly preferred because it handles short-job-heavy workloads optimally.

Conclusion

- SJF outperformed Round Robin in all performance metrics.
- Round Robin remained fair but inefficient.
- SJF was highly efficient for short processes.
- The quantum negatively impacted Round Robin by delaying short job completion.

CPU Scheduling Simulator

CPU Scheduling Simulator

InputGantt ChartsMetricsComparison

Process Input Configuration

No. of Processes: 5Time Quantum: 2Generate Table

Process ID	Arrival Time	Burst Time
P1	0	1
P2	1	2
P3	2	1
P4	3	2
P5	4	1

Clear DataRun Simulation



