

```
meta [In esecuzione] - Oracle VM VirtualBox
File  Macchina  Visualizza  Inserimento  Dispositivi  Aiuto


TX packets:101 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:23573 (23.0 KB)  TX bytes:23573 (23.0 KB)

msfadmin@metasploitable:~$ ifconfig
eth0  Link encap:Ethernet  HWaddr 08:00:27:da:3b:4b
      inet addr:192.168.50.101  Bcast:192.168.50.255  Mask:255.255.255.0
      inet6 addr: fe80::a00:27ff:feda:3b4b/64  Scope:Link
      UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
      RX packets:72 errors:0 dropped:0 overruns:0 frame:0
      TX packets:49 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:1000
      RX bytes:6936 (6.7 KB)  TX bytes:6739 (6.5 KB)
      Base address:0xd020  Memory:f0200000-f0220000

lo    Link encap:Local Loopback
      inet addr:127.0.0.1  Mask:255.0.0.0
      inet6 addr: ::1/128  Scope:Host
      UP LOOPBACK RUNNING  MTU:16436  Metric:1
      RX packets:130 errors:0 dropped:0 overruns:0 frame:0
      TX packets:130 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:0
      RX bytes:37973 (37.0 KB)  TX bytes:37973 (37.0 KB)

msfadmin@metasploitable:~$ _
```

CTRL (DESTRA)



The image shows a screenshot of a Kali Linux virtual machine window. The title bar reads "kali-linux-2024-W04-virtualbox-amd64 [In esecu...". The menu bar includes "File", "Macchina", "Visualizza", "Inserimento", "Dispositivi", and "Aiuto". The toolbar contains various icons for file operations and system settings. The terminal window, titled "kali@kali: ~", displays the output of the "ifconfig" command. It shows details for the "eth0" interface (IP: 192.168.50.100, netmask: 255.255.255.0) and the "lo" loopback interface (IP: 127.0.0.1, netmask: 255.0.0.0). The terminal text is as follows:

```
(kali@kali)-[~]  
$ ifconfig  
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500  
    inet 192.168.50.100 netmask 255.255.255.0 broadcast 192.168.50.255  
    inet6 fe80::ea63:164c:67f5:fd3e prefixlen 64 scopeid 0  
x20<link>  
    ether 08:00:27:72:28:14 txqueuelen 1000 (Ethernet)  
    RX packets 112 bytes 12739 (12.4 KiB)  
    RX errors 0 dropped 0 overruns 0 frame 0  
    TX packets 26 bytes 4795 (4.6 KiB)  
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions  
    0  
  
lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536  
    inet 127.0.0.1 netmask 255.0.0.0  
    inet6 ::1 prefixlen 128 scopeid 0x10<host>  
    loop txqueuelen 1000 (Local Loopback)  
    RX packets 4 bytes 240 (240.0 B)
```

The bottom of the window features a taskbar with icons for a web browser, file manager, terminal, and other applications, along with a "CTRL (DESTRA)" label.