# MAYHOPE

MAYHOPE MACHINERY


地址：广东省江门市新会区会城街道大滘村大滘工业园麦豪机械

Address: mayhope machinery, Dajiao Industrial Zone, Dajiao Village, Huicheng Town, Xinhui District, Jiangmen City, Guangdong Province, China. 529100

Whatsapp

WeChat 微信

邮箱 Email:mayhope@mayhope.com

电话 Mob:86 13422761653





江门市新会区麦豪机械设备有限公司

JIANGMEN CITY XINHUI DISTRICT MAYHOPE MACHINERY CO.,LTD.

# ABOUT MAYHOPE
# 麦豪简介

江门市新会区麦豪机械设备有限公司麦豪位于中国广东，是一家专注于商用制冷设备及食品机械研发与生产的专业企业。我们拥有先进的制造技术与资深团队，核心产品涵盖硬冰淇淋机、Gelato意式冰淇淋机、软冰机、冰棒机、冰砖机、炒冰机、雪融机等。麦豪致力于为全球客户提供高品质的产品、完善的解决方案与高效的技术支持。我们热忱期待与国内外客户携手合作，共创双赢未来。

Jiangmen Xinhui Mayhope Machinery Co., Ltd., located in Guangdong, China, is a professional enterprise specializing in the R&D and production of commercial refrigeration equipment and food machinery. Powered by advanced manufacturing technology and a seasoned team, our core product line includes hard ice cream machines, Gelato machines, soft serve machines, popsicle machines, ice block machines,roll ice cream machine and slush machines.Mayhope is committed to delivering premium products, tailored solutions, and efficient technical support to clients worldwide. We sincerely look forward to establishing win-win partnerships with both domestic and international customers for a shared bright future.

# PATENT QUALIFICATION
# 专利资质

麦豪产品均已荣获国际权威的欧盟CE及北美ETL认证，品质安全可靠。

Mayhope products are fully certified with international standards including CE and ETL, guaranteeing top-tier safety and reliability.


intertek

AUTHORIZATION TO MARK


ISO9001 CERTIFICATE

Certificate No: 21418Q0457R0S

This is to certify that

Jiangmen City Xinhui District Mayhope Machinery CO.,Ltd.


CERTIFICATE OF CONFORMITY

# CONTENTS

## 目录 > > >


| | | |
|---|---|---|
| 硬冰淇淋机 | Hard ice cream machine | P1 |
| 软冰淇淋机 | Soft ice cream machine | P5 |
| 冰棒机 | Popsicle machine | P8 |
| 雪融机 | Ice slush machine | P9 |
| 冷饮机 | Cold drink machine | P10 |
| 冰砖机 | Ice block machine | P11 |
| 炒冰机 | Roll ice cream machine | P12 |
| 冰淇淋售卖车 | Ice cream vending cart | P13 |
| 冰棒模具 | Popsicle mold | P14 |
| 巴氏杀菌机 | Pasteurizer | P15 |
| 更多产品 | More products | P16 |

# 台式硬冰淇淋机

## Tabletop hard ice cream machine



快速制冷；体积小；一键制冷，操作简单；自动出料；品牌压缩机；低能耗

Efficient Freezing；Tiny Size；One-touch freezing,Easy operation；Auto dispense；branded compressor；low energy consumption



MA-T28SA / MA-T38SA



MA-T18SA / MA-T22SA



MA-T18S / MA-T22S



MA-T18SSA / MA-T22SSA
MA-T28SSA / MA-T38SSA

产品参数

| 型号 Model | MA-T18S/18SA/18SSA | MA-T22S/22SA/22SSA | MA-T28SA/28SSA | MA-T38SA/38SSA |
|---|---|---|---|---|
| 料缸容量 Tank Capacity | 6L | 8L | 10L | 12L |
| 电压 Voltage | 220V/110V | 220V/110V | 220V/110V | 220V/110V |
| 压缩机 Compressor | 1.25HP | 1.5HP | 1.5HP | 2HP |
| 功率 Power | 2150W | 2700W | 2900W | 3850W |
| 生产力 Output | 18-24L/H | 24-32L/H | 30-40L/H | 36-48L/H |
| 料缸门 Tank door | 亚克力/不锈钢 Acrylic/Stainless steel | 亚克力/不锈钢 Acrylic/Stainless steel | 亚克力/不锈钢 Acrylic/Stainless steel | 亚克力/不锈钢 Acrylic/Stainless steel |
| 冷却方式 Cooling way | 风冷 Air Cooling | 风冷 Air Cooling | 风冷 Air Cooling | 风冷 Air Cooling |
| 尺寸 Dimension | 720*540*820mm | 720*540*820mm | 720*590*810mm | 720*590*810mm |

# 立式硬冰淇淋机

## Vertical hard ice cream machine



快速制冷；大容量制冷缸，单次产量更高；一键制冷，操作简单；自动出料；品牌压缩机
可视透明出料门，免开门查看硬度和余量；

Efficient Freezing ; Larger cylinder ; One-touch Freezing ; Auto dispense ; Branded compressor;
Transparent viewing door,check texture & stock without losing cold air;







MA-28S / MA-38S / MA-48S / MA-58S/ MA-68S



MA-28SA / MA-38SA / MA-48SA / MA-58SA / MA-68SA

产品参数

| 型号 Model | MA-28S/28SA | MA-38S/38SA | MA-48S/48SA | MA-58S/58SA | MA-68S/68SA |
|---|---|---|---|---|---|
| 料缸容量 Tank Capacity | 10L | 12L | 15L | 20L | 25L |
| 电压 Voltage | 220V/110V | 220V/110V | 220V/380V | 220V/380V | 220V/380V |
| 压缩机 Compressor | 1.5Hp | 2Hp | 3Hp | 3.5Hp | 4Hp |
| 功率 Power | 2000W | 2200W | 3500W | 4500W | 5000W |
| 生产力 Output | 30-40L/H | 36-48L/H | 45-60L/H | 60-80L/H | 75-100L/H |
| 料缸门 Tank door | 亚克力 Acrylic | 亚克力 Acrylic | 亚克力 Acrylic | 亚克力 Acrylic | 亚克力 Acrylic |
| 冷却方式 Cooling way | 风冷 Air Cooling / 水冷 Water Cooling | 风冷 Air Cooling / 水冷 Water Cooling | 风冷 Air Cooling / 水冷 Water Cooling | 风冷 Air Cooling / 水冷 Water Cooling | 风冷 Air Cooling / 水冷 Water Cooling |
| 尺寸 Dimension | 810*520*1320mm | 810*520*1320mm | 810*520*1320mm | 860*570*1330mm | 860*570*1330mm |

# 立式硬冰淇淋机

## Vertical hard ice cream machine



快速制冷；大容量制冷缸，单次产量更高；一键制冷，操作简单；自动出料；品牌压缩机
不锈钢门，防坚固，一擦即净；

Efficient Freezing ; Larger cylinder ; One-touch Freezing ; Auto dispense ; Branded compressor;
Stainless steel hinge door, durable, rustproof, easy to clean;



MA-28SS / MA-38SS / MA-48SS / MA-58SS / MA-68SS





MA-28SSA / MA-38SSA / MA-48SSA / MA-58SSA / MA-68SSA

产品参数

| 型号 Model | MA-28SS/28SSA | MA-38SS/38SSA | MA-48SS/48SSA | MA-58SS/58SSA | MA-68SS/68SSA |
|---|---|---|---|---|---|
| 料缸容量 Tank Capacity | 10L | 12L | 15L | 20L | 25L |
| 电压 Voltage | 220V/110V | 220V/110V | 220V/380V | 220V/380V | 220V/380V |
| 压缩机 Compressor | 1.5Hp | 2Hp | 3Hp | 3.5Hp | 4Hp |
| 功率 Power | 2000W | 2200W | 3500W | 4500W | 5000W |
| 生产力 Output | 30-40L/H | 36-48L/H | 45-60L/H | 60-80L/H | 75-100L/H |
| 料缸门 Tank door | 不锈钢 Stainless steel | 不锈钢 Stainless steel | 不锈钢 Stainless steel | 不锈钢 Stainless steel | 不锈钢 Stainless steel |
| 冷却方式 Cooling way | 风冷 Air Cooling / 水冷 Water Cooling | 风冷 Air Cooling / 水冷 Water Cooling | 风冷 Air Cooling / 水冷 Water Cooling | 风冷 Air Cooling / 水冷 Water Cooling | 风冷 Air Cooling / 水冷 Water Cooling |
| 尺寸 Dimension | 810*520*1320mm | 810*520*1320mm | 810*520*1320mm | 860*570*1330mm | 860*570*1330mm |

# 垂直式Gelato冰淇淋机

## Vertical gelato ice cream machine




制冷稳定，304不锈钢制冷缸，品牌压缩机，低噪音，伺服电机/精准搅拌，大扭矩，低故障率

Stable Refrigeration ; Food grade Freezing cylinder ; Branded compressor ; Low Noise ; Servo Motor / precise stirring , High Torque , Low Failure ;



MG-38S / MG-38SA



MA-20SSA



MA-40SSA



MA-10SSA



MA-55SA

产品参数

| 型号 Model | MG-38S/MG-38SA | MA-10SSA | MA-20SSA | MA-40SSA | MA-55SA |
|---|---|---|---|---|---|
| 料缸容量 Tank Capacity | 12L | 6L | 6L*2 | 6L*4 | 12L |
| 电压 Voltage | 220V/110V | 220V/110V | 220V/110V | 220V/110V | 220V/110V |
| 压缩机 Compressor | 2Hp | 1.5Hp | 1.5Hp | 1.5Hp | 3Hp |
| 功率 Power | 2700W | 1900W | 4200W | 8400W | 3850W |
| 生产力 Output | 48L/H | 20-24/H | 40-48/H | 85-96/H | 60L/H |
| 冷却方式 Cooling way | 风冷 Air Cooling / 水冷 Water Cooling | 风冷 Air Cooling / 水冷 Water Cooling | 风冷 Air Cooling / 水冷 Water Cooling | 风冷 Air Cooling / 水冷 Water Cooling | 风冷 Air Cooling / 水冷 Water Cooling |
| 尺寸 Dimension | 580*800*1060mm | 552*533*577mm | 880*650*1050mm | 1443*647*1050mm | 1100*600*875mm |

# 台式软冰淇淋机

## Tabletop soft ice cream machine



品牌压缩机，高效制冷，不锈钢材料，高膨化率，自动化霜

Brarded Compressor ; Efficient Freezing ; Full Stainless Steel Material ;
High Expansion ; Auto Defrost ;



MA-S10T



MA-ST25



MA-25T



MA-35TA

产品参数

| 型号 Model | MA-S10T | MA-ST25 | MA-25T | MA-35TA |
|---|---|---|---|---|
| 料缸容量 Hopper Size | 4L | 6L | 6L*2 | 6L*2 |
| 电压 Voltage | 220V/110V | 220V/110V | 220V/110V | 220V/110V |
| 压缩机 Compressor | 0.75Hp | 1.5Hp | 1.5Hp | 1.75Hp |
| 功率 Power | 1100W | 2000W | 2000W | 2800W |
| 生产力 Output | 10-12L/H | 22-25L/H | 25-28L/H | 25-35L/H |
| 搅拌器 Beater | 塑料 Plastic | 不锈钢 Stainless steel | 塑料 Plastic | 不锈钢 Stainless steel |
| 尺寸 Dimension | 240*700*770mm | 720*430*845mm | 750*560*990mm | 765*535*860mm |

# 软冰淇淋机

## soft ice cream machine



品牌压缩机，高效制冷，不锈钢材料，高膨化率，自动化霜

Branded Compressor ; Efficient Freezing ; Full Stainless Steel Material ;
High Expansion ; Auto Defrost ;



MA-T30



MA-T5



MA-T7



MA-F5

产品参数

| 型号 Model | MA-T30 | MA-T5 | MA-T7 | MA-F5 |
|---|---|---|---|---|
| 料缸容量 Tank Capacity | 6L*2 | 6L*3 | 6L*4 | 6L*3 |
| 电压 Voltage | 220V/110V | 220V/110V | 220V/110V | 220V/110V |
| 压缩机 Compressor | 双系统 1.5Hp*2 | 2Hp | 双系统 1.5Hp*2 | 2Hp |
| 功率 Power | 3800W | 2800W | 4300W | 3200W |
| 生产力 Output | 10-12L/H | 22-25L/H | 50-60L/H | 35L/H |
| 搅拌器 Beater | 不锈钢 Stainless steel | 不锈钢 Stainless steel | 塑料 Plastic | 不锈钢 Stainless steel |
| 尺寸 Dimension | 580*800*1060mm | 663*756*964mm | 825*905*925mm | 770*850*1300mm |

# 立式软冰淇淋机

## Vertical soft ice cream machine



品牌压缩机，高效制冷，不锈钢材料，高膨化率，自动化霜

Brarded Compressor ; Efficient Freezing ; Full Stainless Steel Material ;
High Expansion ; Auto Defrost ;



MA-30F



MA-35F



MA-50F



MA-F7

产品参数

| 型号 Model | MA-30F | MA-35F | MA-50F | MA-F7 |
|---|---|---|---|---|
| 料缸容量 Tank Capacity | 6L*2 | 6L*2 | 6L*2 | 6L*4 |
| 电压 Voltage | 220V/110V | 220V/110V | 220V/110V | 220V/380V |
| 压缩机 Compressor | 1.5Hp | 2Hp | 1.75Hp*2 | 1.75Hp*2 |
| 功率 Power | 2000W | 2500W | 4000W | 4000W |
| 生产力 Output | 20-25L/H | 25-35L/H | 45-55L/H | 45-55L/H |
| 搅拌器 Beater | 塑料 Plastic | 不锈钢 Stainless steel | 不锈钢 Stainless steel | 塑料 Plastic |
| 尺寸 Dimension | 750*830*1350mm | 870*730*1410mm | 770*850*1300mm | 825*735*1395mm |

# 冰棒机

## Popsicle machine



高效制冷　加厚铜管蒸发系统　品牌压缩机　304盐水池　强力电机

Efficient Freezing; Thickened Copper Evaporator; Branded Compressor; SUS 304 Brine Tank; Powerful Motor,Stable Long-Time Operation



MP-01



MP-02



MP-04



MP-06



MP-08

产品参数

| 型号 Model | MPZ-01 | MPZ-02 | MPZ-04 | MPZ-06 | MPZ-08 |
|---|---|---|---|---|---|
| 模具数量 QTY of Molds | 1 | 2 | 4 | 6 | 8 |
| 电压 Voltage | 220V/110V | 220V/380V | 220V/380V | 220V/380V | 220V/380V |
| 压缩机 Compressor | 1.5Hp | 1.75Hp | 2Hp | 3Hp | 2*2Hp |
| 功率 Power | 1200W | 2000W | 2500W | 3200W | 4000W |
| 生产力 Output | 40支一批 40 pcs/batch | 80支一批 80 pcs/batch | 160支一批 160 pcs/batch | 240支一批 240 pcs/batch | 320支一批 320 pcs/batch |
| 盐水池 Material of Brine | SUS 304 | SUS 304 | SUS 304 | SUS 304 | SUS 304 |
| 冷却方式 Cooling way | 风冷 Air Cooling | 风冷 Air Cooling | 风冷 Air Cooling | 风冷 Air Cooling | 风冷 Air Cooling |
| 尺寸 Dimension | 590*560*1250mm | 720*700*1410mm | 700*1210*1450mm | 695* 1630*1480mm | 700*2120*1480mm |

# 雪融机
## Slush machine



高效制冷系统　低噪音运行　食品级接触　材质节能省电　出料均匀细腻　商用大容量　清洗方便

High-efficiency refrigeration system; low-noise operation; food-grade contact materials; energy-saving; uniform and fine output; large commercial capacity; easy to clean.



MA-SL12X1



MA-SL12X2



MA-SL12X3



MA-SL15X1



MA-SL15X2



MA-SL15X3

产品参数

| 型号 Model | MA-SL12X1 | MA-SL12X2 | MA-SL12X3 | MA-SL15X1 | MA-SL15X2 | MA-SL15X3 |
|---|---|---|---|---|---|---|
| 料缸容量 Tank Capacity | 12L*1 | 12L*2 | 12L*3 | 15L*1 | 15L*2 | 15L*3 |
| 电压 Voltage | 220V/110V | 220V/110V | 220V/110V | 220V/110V | 220V/110V | 220V/110V |
| 功率 Power | 450W | 550W | 650W | 500W | 600W | 800W |
| 温度 Temp. | -1~-9°C | -1~-9°C | -1~-9°C | -2~-3°C | -2~-3°C | -2~-3°C |
| 重量 Weight | 30kg | 42kg | 57kg | 40kg | 45kg | 63kg |
| 尺寸 Dimension | 230*570*770mm | 400*570*770mm | 620*570*770mm | 288*550*740mm | 425*550*740mm | 603*550*740mm |

# 冷饮机

## Cold drink machine

高效制冷系统　低噪音运行　食品级接触　材质节能省电　出料均匀细腻　商用大容量　清洗方便

High-efficiency refrigeration system; low-noise operation; food-grade contact materials; energy-saving; uniform and fine output; large commercial capacity; easy to clean.



LYJ12LX2



LYJ12LX3



LYJ12LX4



LYJ16LX2



LYJ18LX1



LYJ18LX2



LYJ18LX3

产品参数

| 型号 Model | LYJ12LX2 | LYJ12LX3 | LYJ12LX4 | LYJ16LX2 | LYJ18LX1 | LYJ18LX2 | LYJ18LX3 |
|---|---|---|---|---|---|---|---|
| 容量 Capacity | 24L | 36L | 48L | 32L | 18L | 36L | 54L |
| 电压 Voltage | 220V/110V | 220V/110V | 220V/110V | 220V/110V | 220V/110V | 220V/110V | 220V/110V |
| 功率 Power | 300W | 350W | 500W | 280W | 200W | 300W | 350W |
| 温度 Temp. | 5-10°C | 5-10°C | 5-10°C | 5-10°C | 5-10°C | 5-10°C | 5-10°C |
| 尺寸 Dimension | 370*430*670mm | 545*430*670mm | 745*430*670mm | 440*410*680mm | 345*445*700mm | 460*445*700mm | 710*445*700mm |
| 净重 N.W. | 22KG | 30KG | 36KG | 22KG | 20KG | 28KG | 39KG |

# 冰砖机
## Ice brick machine



高效制冷　加厚铜管蒸发系统　品牌压缩机　304盐水池　强力电机

Efficient Freezing; Thickened Copper Evaporator; Branded Compressor; SUS 304 Brine Tank; Powerful Motor,Stable Long-Time Operation





ICE BLOCKS FREEZING TANK
冰块冷冻水箱



ICE BLOCK MOLD
冰块模具



ICE BLOCKS BEING FREEZED
制冷中的冰砖



FINISHED ICE BLOCK
成品冰块

产品参数

| 型号 Model | 产量 Output | 电压 Voltage | 功率 Power | 冰块数量 Qty of ices | 冰块尺寸 Ice size |
|---|---|---|---|---|---|
| MB-005T | 500kg/24H | 220/380V | 3.5KW | 18 | 200*80*460mm（5KG） |
| | | | | 9 | 220*80*650mm（10KG） |
| MB-01T | 1000kg/24H | | 5.5KW | 36 | 200*80*460mm（5KG） |
| | | | | 18 | 220*80*650mm（10KG） |
| MB-02T | 2000kg/24H | 380V | 8KW | 70 | 200*80*460mm（5KG） |
| | | | | 35 | 220*80*650mm（10KG） |
| MB-03T | 3000kg/24H | | 11KW | 100 | 200*80*460mm（5KG） |
| | | | | 50 | 220*80*650mm（10KG） |
| MB-04T | 4000kg/24H | | 13.2KW | 120 | 200*80*460mm（5KG） |
| | | | | 60 | 220*80*650mm（10KG） |
| MB-05T | 5000kg/24H | | 16KW | 176 | 200*80*460mm（5KG） |
| | | | | 88 | 220*80*650mm（10KG） |

# 炒冰机
## Roll ice cream machine



大面积炒盘　均匀制冷　高效压缩机　自动除霜　节能低耗　商用连续工作　操作简单

Large-area ice cream pan; Uniform cooling; High-efficiency compressor;
Auto Defrost;  Energy-saving and low-consumption; Commercial continuous operation; Simple operation



MA-350



MA-353



MA-500



MA-500S



MA-506S



MA-600



MA-106



MA-106S



MA-210



MA-210S

产品参数

| 型号 Model | 电压 Voltage | 功率 Power | 温度 Temp. | 炒冰盘尺寸 Pan size |
|---|---|---|---|---|
| MA-350 | 220V/110V | 750W | -31°C | 350*500mm |
| MA-353 | | 900W | -31°C | 350*350mm |
| MA-500 | | 1100W | -31°C | D500mm |
| MA-500S | | 1100W | -31°C | 500*500mm |
| MA-506S | | 1100W | -31°C | 500*500mm |
| MA-600 | | 1400W | -31°C | 500*600mm |
| MA-106 | | 1300W | -31°C | D500mm |
| MA-106S | | 1300W | -31°C | 500*500mm |
| MA-210 | | 2400W | -31°C | D500mm*2 |
| MA-210S | | 2400W | -31°C | 500*500mm*2 |

# 冰淇淋售卖车
## Ice cream vending cart

节能低耗　不锈钢材质　商用持续工作　高效制冷　大容量　可室外工作　经营场地不受限　移动小车造型吸睛，街头自带流量

Energy-saving and low-consumption；Stainless Steel Material；Suitable for continuous commercial operation;
High-efficiency cooling; Large capacity; Out door use available; Eye-catching mobile cart with built-in street expasure



MA-T75
(Superior insulation)



**customize service**







MA-T108 / MA-T158



MA-BB108 / MA-BB158/
MA-BS108 / MA-BS158
(Efficient freezing)

产品参数


| 型号 Model | 容 量 Capacity | 电源来源 Power supply | 电源选项 Power options | 续航时间 Battery life | 材 质 Material |
|---|---|---|---|---|---|
| MA-T75 | 75L | | | | 不锈钢 Stainless steel |
| MA-T108 | 108L | 移动电源 Power bank | 60W/100W | 4-6H / 10-13H | |
| MA-T158 | 158L | 移动电源 Power bank | 60W/100W | 4-6H / 10-13H | |
| MA-BB108/BB158 | 108L/158L | 移动电源 Power bank | 60W | 4-6H | |
| MA-BB108/BB158 | 108L/158L | 移动电源 Power bank | 100W | 10-13H | |
| MA-BS108/BS158 | 108L/158L | 太阳能 Solar energy | 80W/200W | 太阳能蓄电 Solar storage | |

# 冰棒模具

## Popsicle mold/Snowflake machine

食品级304不锈钢　安全健康材质　导冷速度快　多种形状，可供选择　机械手臂精准焊接控焊　　不易开裂

Food-grade 304 stainless steel ； Safe and healthy material； Fast cooling speed； Various shapes avaiable; Robot-weladed; Crack resistance



# 巴氏杀菌机
## Pasteurizer

高效节能　智能控温　不锈钢机身

Efficient and energy-saving; Intelligent Temperature Control; Stainless steel body



MP-06




MP-10L-1000L



MP-10LR-1000LR

| 型号 Model | 尺寸 Dimension | 电压 Voltage | 功率 Power |
|---|---|---|---|
| MP-06 | 660*740*1150mm | 220V / 380V | Heating 6000w, Compressor cooling 1100w |
| MP-10L | 400*400*500mm | 220V | 4KW |
| MP-30L | 550*550*1100mm | 220V / 380V | 6KW |
| MP-50L | 600*600*1200mm | 220V / 380V | 6KW |
| MP-75L | 650*650*1200mm | 220V / 380V | 6KW |
| MP-100L | 700*700*1250mm | 220V / 380V | 6KW |
| MP-150L | 750*750*1300mm | 220V / 380V | 9KW |
| MP-200L | 800*800*1350mm | 380V | 24KW |
| MP-300L | 950*950*1400mm | 380V | 24KW |
| MP-500L | 1000*1000*1550mm | 380V | 36KW |
| MP-1000L | 1230*1230*1750mm | 380V | 48KW |
| MP-30LR | 1210*970*1130mm | 220V / 380V | 6KW |
| MP-50LR | 1260*970*1130mm | 220V / 380V | 6KW |
| MP-75LR | 1300*970*1150mm | 220V / 380V | 6KW |
| MP-100LR | 1350*970*1180mm | 220V / 380V | 6KW |
| MP-150LR | 1410*980*1420mm | 220V / 380V | 9KW |
| MP-200LR | / | 380V | 24KW |
| MP-300LR | / | 380V | 24KW |
| MP-500LR | / | 380V | 36KW |
| MP-1000LR | / | 380V | 48KW |

# 更多产品
## More products

商用厨房设备，一应俱全

Commercial kitchen equipment, all-inclusive.






















MAYHOPE MACHINERY

**PROFESSIONAL MANUFACTURER OF ICE CREAM MACHINES**






address:mayhope machinery, Dajiao Industrial Zone, Dajiao Village, Huicheng Town, Xinhui District, Jiangmen City, Guangdong Province, China. 529100

Email:mayhope@mayhoope.com

Phone:+86 13422761653