

江门市新会区华裕机械设备有限公司

JIANGMEN CITY XINHUI DISTRICT WELLYU MACHINERY CO.,LTD

Add:mayhope machinery, Dajiao Industrial Zone, Dajiao Village, Huicheng Town, Xinhui District, Jiangmen City, Guangdong Province, China. 529100

电话 Tel:86 13422761653

Whatsapp:86 13422761653

邮箱 Email：mayhope@mayhope.com

Whatsapp

WeChat

2026

商用西厨设备

WELLYU MACHINERY 华裕 HUA YU



江门市新会区华裕机械设备有限公司

JIANGMEN CITY XINHUI DISTRICT WELLYU MACHINERY CO.,LTD

LUXURY VERTICAL FURNACE
豪华落地式组合炉系列





MA-TQG-4E
四头燃气煲仔饭连气扒炉带电焗炉

Gas 4-burner range with gas griddle with electric oven

Model	Dimensions（mm）	Gas Consumption	Power Supply(KW)	NW(KG)
MA-TQG-4E	1200x900x(850+60)	R1 3/4’	6.5x4+5.9+4.8	208

VERTICAL LUXURY FURNACE
豪华组合炉系列



MA-TQ-4
燃气四头煲仔炉连气焗炉

Gas 4-burner range with electric oven



MA-TQ-6
燃气六头煲仔炉连气焗炉

Gas 6-burner range with electric oven

Model	Dimensions（mm）	Gas Consumption	Power Supply(KW)	NW(KG)
MA-TQ-4	800x900x(850+60)	R1 3/4’	6.5x4+5.8	165
MA-TQ-6	1200x900x(850+60)	R1 3/4’	6.5x6+5.8	208



MA-TQ-4E
燃气四头煲仔炉连电焗炉

Gas 4-burner range with electric oven



MA-TQ-6E
燃气六头煲仔炉连电焗炉

Gas 6-burner range with electric oven

Model	Dimensions（mm）	Gas Consumption	Power Supply(KW)	NW(KG)
MA-TQ-4E	800x900x(850+60)	R1 3/4’	6.5x4+4.8	165
MA-TQ-4E	1200x900x(850+60)	R1 3/4’	6.5x6+4.8	208

VERTICAL LUXURY FURNACE
豪华组合炉系列



MA-TC-1
燃气单缸炸炉连柜座
Gas 1-tank fryer with cabinet



MA-TC-2
燃气双缸炸炉连柜座
Gas 2-tank fryer with cabinet

Model	Dimensions（mm）	Gas Consumption	Power Supply(KW)	NW(KG)
MA-TC-1	400x900x(850+60)	R1 3/4’	15.5	
MA-TC-2	800x900x(850+60)	R1 3/4’	PNG31/LNG31	103



MA-TG
燃气1/3坑扒炉连柜座
Gas griddle （2/3 flat，1/3 grooved） with cabinet



MA-TH
燃气火山石烧烤炉连柜座
Gas grill with cabinet

Model	Dimensions（mm）	Power Supply(KW)
MA-TG	800x900x(850+60)	6.5x4+4.8
MA-TH	800x900x(850+60)	6.5x6+4.8

VERTICAL LUXURY FURNACE
豪华组合炉系列



MA-RO
燃气夹层汤锅
Gas indirect jacketed boiling pan



MA-RS
燃气可倾斜式炒锅
Gas tilting braising pan

Model	Dimensions（mm）	Power Supply(KW)	LNG2000-2500pa(m³/h)	LNG2800-3700pa(m³/h)	Pressure(Kpa)	Capacity(L)
MA-RO	800x900x(850+60)	24.5	2.6	1.78	≤50	150
MA-RS	800x900x(850+60)	20.5	2.2	1.74	21	80



MA-TM-16
燃气煮面炉连柜座
Gas pasta cooker with cabinet base



MA-TB
燃气保温汤池连柜座
Gas insulated soup pool with cabinet base

Model	Dimensions（mm）	Power Supply(KW)	LNG2000-2500pa(m³/h)	LPG2800-3700pa(m2h)
MA-TM-16	800x900x(850+60)	22	-	-
MA-TB	800x900x(850+60)	5.8	0.54	0.42

VERTICAL LUXURY FURNACE
豪华组合炉系列



MA-TU-4
电四头圆形煮食炉连柜座
Electric 4-hot-plate cooker with cabinet



MA-TU-4E
电四头圆形煮食炉连电焗炉
Electric 4-hot-plate cooker with electric oven

Model	Dimensions（mm）	Power Supply(KW)	Voltage(V)
MA-TU-4	800x900x(850+60)	9.2	380
MA-TU-4E	800x900x(850+60)	9.2+4.8	380



MA-TT-4
电四头方板煮食炉连柜座
Electric 4 hot-plate cooker with cabinet



MA-TT-4E
电四头方板煮食炉连电焗炉
Electric 4 hot-plate cooker with oven(square)

Model	Dimensions（mm）	Power Supply(KW)	Voltage(V)
MA-TT-4	800x900x(850+60)	16	380
MA-TT-4E	800x900x(850+60)	16+4.8	380

VERTICAL LUXURY FURNACE
豪华组合炉系列



MA-TC-1E
电单缸炸炉连柜座
Electric 1-tank fryer with cabinet



MA-RS
燃气可倾斜式炒锅
Electric 2-tank fryer with cabinet

Model	Dimensions（mm）	Power Supply(KW)	Voltage(V)
MA-TC-1E	400x900x(850+60)	12	380
MA-TC-2E	800x900x(850+60)	24	380



MA-TGE
电1/3坑扒炉连柜座
Electric griddle (2/3 flat, 1/3 grooved) with cabinet



MA-THE
电火山石烧烤炉连柜座
Electric lava rock grill with cabinet

Model	Dimensions（mm）	Power Supply(KW)	Voltage(V)
MA-TGE	800x900x(850+60)	12	380
MA-THE	800x900x(850+60)	12	380



MA-TOU

电夹层汤锅

Electric jacketed boiling pan



MA-ES

气可电可倾斜式炒锅

Electric tilting braising pan

Model	Dimensions（mm）	Capacity(L)	Power Supply(KW)	Voltage(V)
MA-TOE	400x900x(850+60)	150	18	380
MA-ES	800x900x(850+60)	80	12	380



MA-TM-16E

电煮面炉连柜座

Electric 4 hot-plate cooker with cabinet



MA-TBE

电保温汤池连柜座

Electric bain marie with cabinet

Model	Dimensions（mm）	Power Supply(KW)	Voltage(V)
MA-TM-16E	800x900x(850+60)	18	380
MA-TBE	800x900x(850+60)	6	380



MA-TQS-4

燃气四头煲仔炉连柜座

Gas 4-burner range with cabinet



MA-TQS-2

燃气两头煲仔炉连柜座

Gas 2-burner range with cabinet

Model	Dimensions（mm）	Gas consumption	Power Supply(KW)	NW(KG)
MA-TQS-4	800x900x(850+60)	R1 3/4’	6.5x4	165
MA-TQS-2	400x900x(850+60)	R1 3/4’	6.5x2	65



MA--TQS-6

燃气四头煲仔炉连柜座

Gas 6-burner range with cabinet



MA-RTB

燃气法式铁板连柜座

Gas solid top with cabinet

Model	Dimensions（mm）	Gas consumption	LNG2000-2500pa(m³/h)	LPG2800-3700pa(m³/h)	Power Supply(KW)	NW(KG)
MA-TQS-6	1200x900x(850+60)	R1 3/4’	-	-	6.5x6	208
MA-RTB	400x900x(850+60)	-	1.05	0.82	10	-



MAT-TQ-4

燃气四头煲仔炉连气焗炉

Gas 4-burner range with gas oven



MAT-TQ-6

燃气六头煲仔炉连气焗炉

Gas 6-burner range with gas oven

Model	Dimensions（mm）	Gas Consumption	Power Supply(KW)	NW(KG)
MAT-TQ-4	400x700x(850+60)	R1 3/4’	6.5x4+5.8	165
MAT-TQ-6	1050x700x(850+60)	R1 3/4’	6.5x6+5.8	208



MAT-TC-1

燃气单缸炸炉连柜座

Gas1-tank fryer withcabinet



MAT-TC-2

燃气双缸炸炉连柜座

Gas 2-tank fryer with cabinet

Model	Dimensions（mm）	Capacity(L)	Gas Consumption	Power Supply(KW)	NW(KG)
MAT-TC-1	350x700x(850+60)	(20L + 2)x 2	R1 3/4’	15.5	-
MAT-TC-2	700x700x(850+60)	(20L + 2)x 2	R1 3/4’	PNG31/LNG31	85



MAT-TG

燃气1/3坑扒炉连柜座

Gas griddle (2/3 flat, 1/3 grooved) with cabinet



MAT-TH

燃气火山石烧烤炉连柜座

Gas grill with cabinet

Model	Dimensions（mm）	Power Supply(KW)
MAT-TG	700x700x(850+60)	11.8
MAT-TH	700x700x(850+60)	14.4



MAT-TQG-4E

燃气四头煲仔炉连气扒炉连电焗炉

Gas 4-burner range with gas griddle with electric oven



MAT-TQS-6

燃气六头煲仔炉连柜座

Gas 6-burner range with cabinet

Model	Dimensions（mm）	Gas Consumption	Power Supply(KW)	NW(KG)
MA-TQG-4E	1050x700x(850+60)	R1 3/4’	6.5x4+5.9+4.8	208
MAT-TQS-6	1050x700x(850+60)	R1 3/4’	6.5x6	208

VERTICAL LUXURY FURNACE
豪华组合炉系列



MAT-TM-12
电四头圆形煮食炉连柜座
Gas pasta cooker with cabinet base



MAT-TB
燃气保温汤池连柜座
Gas insulated soup pool with cabinet base

Model	Dimensions（mm）	Power Supply(KW)	LNG2000-2500pa(m³/h)	LNG2000-2500pa(m³/h)
MAT-TM-12	700x700x(850+60)	22	-	-
MAT-TB	700x700x(850+60)	5.8	0.54	0.42



MAT-TU-4
四头电煮食炉连柜座(圆形)
Electric 4-hot-plate cooker with cabinet



MAT-TU-4E
电四头圆形煮食炉连电焗炉
Electric 4-hot-plate cooker with electric oven

Model	Dimensions（mm）	Power Supply(KW)	Voltage(V)
MAT-TU-4	700x700x(850+60)	8	380
MAT-TU-4E	700x700x(850+60)	8+4.8	380

VERTICAL LUXURY FURNACE
豪华组合炉系列



MAT-TQ-4E
燃气四头煲仔炉连电焗炉
Gas 4-burner range with electric oven



MAT-TQS-4
燃气两头煲仔炉连柜座
Gas 4-burner range with cabinet

Model	Dimensions（mm）	Gas Consumption	Power Supply(KW)	NW(KG)
MAT-TQ-4E	700x700x(850+60)	R1 3/4’	6.5x4+4.8	165
MAT-TQS-4	700x700x(850+60)	R1 3/4’	6.5x4	165



MAT-TG-R
燃气1/3坑扒炉连气焗炉
Gas griddle (2/3 flat, 1/3 pit grooved) with gas oven



MAT-TGE-E
电1/3坑扒炉连电焗炉
Electric griddle (2/3 flat, 1/3 pit grooved) with electric oven

Model	Dimensions（mm）	Voltage(V)	Power Supply(KW)	NW(KG)
MAT-TG-R	700x700x(850+60)	-	11.8+5.8	-
MAT-TGE-E	700x700x(850+60)	380+220	9+4.8	-

VERTICAL LUXURY FURNACE
豪华组合炉系列



MAT-TC-1E
电单缸炸炉连柜座
Electric 1-tank fryer with cabinet



MAT-TC-2E
电双缸炸炉连柜座
Electric 2-tank fryer with cabinet

Model	Dimensions（mm）	Power Supply(KW)	Voltage(V)
MAT-TC-1E	350x700x(850+60)	12	380
MAT-TC-2E	700x700x(850+60)	24	380



MAT-TGE
电1/3坑扒炉连柜座
Electric griddle (2/3 flat, 1/3 grooved) with cabinet



MAT-THE
电火山石烧烤炉连柜座
Electric lava rock grill with cabinet

Model	Dimensions（mm）	Power Supply(KW)	Voltage(V)
MAT-TGE	700x700x(850+60)	9	380
MAT-THE	700x700x(850+60)	9	380

VERTICAL LUXURY FURNACE
豪华组合炉系列



MAT-TGE-1
电全平扒炉连柜座
Electric griddle with cabinet



MAT-THE-1
电火山石烧烤炉连柜座
Electric lava rock grill with cabinet

Model	Dimensions（mm）	Power Supply(KW)	Voltage(V)
MAT-TGE-1	350x700x(850+60)	4.5	220
MAT-THE-1	350x700x(850+60)	4.5	220



MAT-TM-12E
电煮面炉连柜座
Electric pasta cooker with cabinet



MAT-TBE
电保温汤池连柜座
Electric bain marie with cabinet

Model	Dimensions（mm）	Power Supply(KW)	Voltage(V)
MAT-TM-12E	700x700x(850+60)	12	380
MAT-TBE	700x700x(850+60)	5	380

MAYHOPE WESTERN KITCHEN
组合炉系列




600&400 SERIES

所有产品的整体外壳为全不锈钢制造，台面采用 304/1.5mm厚一体拉伸成型，保证了台面足够的强度，无缝焊接，简约雅致，圆滑平整，外型美观，耐脏易清洁。6寸的不锈钢可调脚，稳定可靠又可随意调节设备角度。

The overall shell of all products is made of all stainless steel, and the table top is made of 304/1.5mm-thick one-piece stretch molding, which ensures the table top has sufficient strength, seamless welding, elegant barrel, smooth and flat, beautiful appearance, dirt resistance and easy cleaning. The 6-inch stainlesss feel adjustable foot is stable and reliable, and the angle of the equipment can be adjusted at will.






COMBINATION FURNACE
组合炉系列



MA-4G
Counter Top 4-Burner Gas Range
台式四头燃气煲仔炉



MA-8x2G
Counter Top 2-Tank 2-Basket Gas Fryer
台式双缸双筛燃气炸炉



MA-4GT
Counter Top Gas Bain Marie
台式燃气保温汤池

Model	Dimension	Hp	Valve Type	Burners	N/W
MA-4G	600x680x485mm	92MJ	Low-pressure Valve	4	44Kg
MA-8x2G	600x612x485mm	40.4MJ	Low-pressure Valve	2	29Kg
MA-4GT	700x612x485mm	27.7MJ	Low-pressure Valve	1	29Kg









MA-6G
Counter Top Gas Pasta Cooker
台式燃气煮面炉



MA-60G
Counter Top Gas Griddle
台式燃气扒炉



MA-HG
Counter Top Gas Griddle
台式燃气火山石炉

Model	Dimension	Hp	Valve Type	Burners	N/W
MA-6G	600x612x485mm	26MJ	Low-pressure Valve	1	25Kg
MA-60G	600x612x485mm	28.8MJ	Low-pressure Valve	2	46Kg
MA-HG	600x612x485mm	57.6MJ	Low-pressure Valve	2	49Kg

COMBINATION FURNACE
组合炉系列



MA-4E
Counter Top 4-Burner Electric Cooker
台式四头电磁炉



MA-60E
Counter Top Electric Griddle (All Flat)
台式电扒炉



MA-8x2
Counter Top 2-Tank 2-Basket Electric Fryer
台式双缸双筛电炸炉

Model	Dimension	Volts	Hp	N/W	Capacity
MA-4E	600x600x380mm	220-240V/50-60Hz	8KW	20Kg	-
MA-60E	600x600x380mm	220-240V/50-60Hz	5KW	43Kg	-
MA-8x2	600x600x460mm	220-240V/50-60Hz	3.25+3.25KW	25Kg	8L+8L





MA-HE
Counter Top Electric Lava Rock Grill
台式电火山石炉



MA-4ET
Counter Top Electric Bain Marie
台式电保温汤池炉



MA-6E
Counter Top Electric Pasta Cooker
台式电煮面炉

Model	Dimension	Volts	Power	Weight
MA-HE	650x600x380mm	220-240V/50-60Hz	4.8KW	43Kg
MA-4ET	700x600x380mm	220-240V/50-60Hz	1.5KW	24Kg
MA-6E	600x600x380mm	220-240V	6KW	22.6Kg

Fryer







MA-81

1-Tank 1-Basket Electric Fryer

Dimensions(mm): 290x440x310
Power supply(KW): 2.5
Voltage: 220V/50-60hz
NW(KG): 9.2
Capacity(L): 6



MA-82

2-Tank 2-Basket Electric Fryer

Dimensions(mm): 580x440x310
Power supply(KW): 2.5+2.5
Voltage: 220V/50-60hz
NW(KG): 7.2
Capacity(L): 6+6



MA-81A

1-Tank 1-Basket Electric Fryer (with temperature limiter)

Dimensions(mm): 290x440x310
Power supply(KW): 2.5
Voltage: 220V/50-60hz
NW(KG): 9.2
Capacity(L): 6



MA-82A

2-Tank 2-Basket Electric Fryer (with temperature limiter)

Dimensions(mm): 580x440x310
Power supply(KW): 2.5+2.5
Voltage: 220V/50-60hz
NW(KG): 7.2
Capacity(L): 6+6






MA-18

单缸单筛电炸炉

1-Tank 2-Basket Electric Fryer

Dimensions(mm): 340x635x300
Power supply(KW):3.2
Voltage: 220V/50-60hz
NW(KG): 6.43
Capacity(L):6+6



MA-83

三缸三筛电炸炉

3-Tank 3-Basket Electric Fryer

Dimensions(mm): 538x450x300
Power supply(KW):2.5+2.5+2.5
Voltage: 220V/50-60hz
Capacity(L):6+6+6



MA-84

双缸双筛电炸炉

2-Tank 4-Basket Electric Fryer

Dimensions(mm): 678x635x300
Power supply(KW):3.2+3.2
NW(KG):12.3
Voltage: 220V/50-60hz
Capacity(L):6+6+6



MA-4L

单缸单筛电炸炉

1-Tank 1-Basket Electric Fryer

Dimensions(mm): 220x400x300
Power supply(KW):2
Voltage: 220V
NW(KG): 4.5



MA-4L-2

双缸双筛电炸炉

2-Tank 2-Basket Electric Fryer

Dimensions(mm): 450x400x300
Power supply(KW):2+2
Voltage: 220V
NW(KG): 10



MA-6L

单缸单筛电炸炉

1-Tank 1-Basket Electric Fryer

Dimensions(mm): 270x430x300
Power supply(KW):2.5
Voltage: 220V
NW(KG): 4.6







MA-6L-2

双缸双筛电炸炉

2-Tank 2-Basket Electric Fryer

Dimensions(mm): 550x430x300
Power supply(KW):2.5+2.5
Voltage: 220V
NW(KG): 8.65



MA-8L

单缸单筛电炸炉

1-Tank 1-Basket Electric Fryer

Dimensions(mm): 270x430x350
Power supply(KW):3.25
Voltage: 220V/50-60hz
NW(KG): 5.3



MA-8L-2

双缸双筛电炸炉

2-Tank 2-Basket Electric Fryer

Dimensions(mm): 550x430x350
Power supply(KW):3.25+3.25
Voltage: 220V/50-60hz
NW(KG): 9.8





MA-11L

单缸单筛电炸炉
1-Tank 1-Basket Electric Fryer
Dimensions(mm): 330x470x350
Power supply(KW):3.5
Voltage: 220V/50-60hz
NW(KG): 6.4



MA-11L-2

双缸双筛电炸炉
2-Tank 2-Basket Electric Fryer
Dimensions(mm): 670x470x350
Power supply(KW):3.5+3.5
Voltage: 220V/50-60hz
NW(KG): 12



MA-12L

单缸单筛电炸炉
1-Tank 1-Basket Electric Fryer
Dimensions(mm): 290x520x420
Power supply(KW):3.25
Voltage: 220V/50-60hz
NW(KG): 9.8



MA-12L-2

双缸双筛电炸炉
2-Tank 2-Basket Electric Fryer
Dimensions(mm): 580x520x420
Power supply(KW):3.25+3.25
Voltage: 220V/50-60hz
NW(KG): 17.6





MA-901

单缸单筛电炸炉
1-Tank 1-Basket Electric Fryer
Dimensions(mm): 300x570x450
Power supply(KW):2.8
Voltage: 220V/50-60hz
Capacity(L): 8
NW(KG): 10



MA-902

双缸双筛电炸炉
2-Tank 2-Basket Electric Fryer
Dimensions(mm): 600x570x450
Power supply(KW):2.8+2.8
Voltage: 220V/50-60hz
Capacity(L): 16
NW(KG): 18



MA-903

单缸单筛电炸炉
1-Tank 1-Basket Electric Fryer
Dimensions(mm): 330x600x440
Power supply(KW):4.5
Voltage: 220V/50-60hz
Capacity(L): 12.5
NW(KG): 13



MA-904

双缸双筛电炸炉
2-Tank 2-Basket Electric Fryer
Dimensions(mm): 660x600x440
Power supply(KW):4.5+4.5
Voltage: 220V/50-60hz
Capacity(L): 25
NW(KG): 23.2



MA-101V

单缸单筛电炸炉
1-Tank 1-Basket Electric Fryer
Dimensions(mm): 290x530x340
Temperature:50-200℃
Power(KW):3 Voltage(V):220
Capacity(L):10



MA-102V

双缸双筛电炸炉
2-Tank 2-Basket Electric Fryer
Dimensions(mm): 580x530x340
Temperature:50-200℃
Power(KW):3+3 Voltage(V):220
Capacity(L):10+10



MA-131V

单缸单筛电炸炉
1-Tank 1-Basket Electric Fryer
Dimensions(mm): 320x530x350
Temperature:50-200℃
Power(KW):5 Voltage(V):220
Capacity(L):13



MA-132V

双缸双筛电炸炉
2-Tank 2-Basket Electric Fryer
Dimensions(mm): 635x530x350
Temperature:50-200℃
Power(KW):5+5 Voltage(V):220
Capacity(L):13+13



MA-161V

单缸单筛电炸炉
1-Tank 1-Basket Electric Fryer
Dimensions(mm): 345x560x360
Temperature:50-200℃
Power(KW):5 Voltage(V):220
Capacity(L):16



MA-162V

双缸双筛电炸炉
2-Tank 2-Basket Electric Fryer
Dimensions(mm): 695x560x360
Temperature:50-200℃
Power(KW):5+5 Voltage(V):220
Capacity(L):16+16







MA-71

单缸单筛燃气炸炉
1-Tank 1-Basket Gas Fryer
Dimensions(mm): 290x530x440
Power supply(KW):18tu/hr
Capacity(L): 6
NW(KG): 6.6



MA-72

双缸双筛燃气炸炉
2-Tank 2-Basket Gas Fryer
Dimensions(mm): 570x530x440
Power supply(KW):36tu/hr
Capacity(L): 6+6
NW(KG): 10.3



MA-73

单缸双筛燃气炸炉
1-Tank 2-Basket Gas Fryer
Dimensions(mm): 570x530x440
Power supply(KW):36tu/hr
Capacity(L): 12
NW(KG): 10.3



MA0-72

双缸双筛燃气炸炉连关东煮
Gas oden cooking with fryer
Dimensions(mm):570x530x440
Power supply(KW):2.8p
Voltage(V):LPG
NW(KG):10.3



MA-71A

单缸单筛燃气恒温炸炉
Single Cylinder Sieve Gas Blast Furnace
Dimensions(mm):350x630x610
Power supply(KW):18000BTU/hr
Capacity(L):14
NW(KG):10.8



MA-72A

双缸双筛燃气恒温炸炉
Double Cylinder Double Sieve Gas Blast Furnace
Dimensions(mm):350x630x610
Power supply(KW):36000BTU/hr
Capacity(L):14+14
NW(KG):18.4







MA-779

单缸单筛燃气炸炉

1-Tank 1-Basket Gas Fryer

Dimensions(mm): 340x615x630
Oil Pocket(mm): 353x258x245
Heat Output: 5KW/h
Capacity(L): 18 NW(KG): 23

MA-780

双缸双筛燃气炸炉

2-Tank 2-Basket Gas Fryer

Dimensions(mm): 680x615x630
Oil Pocket(mm): 353x258x245x2
Heat Output: 10KW/h
Capacity(L): 18+18 NW(KG): 39





MA-26

单缸双筛电炸炉

1-Tank 2-Basket Electric Fryer

Dimensions(mm): 420x800x1080
Power supply(KW): 10
Voltage(V): 3N-380
Capacity(L): 30 NW(KG): 38

MA-26-2

双缸双筛电炸炉

2-Tank 2-Basket Electric Fryer

Dimensions(mm): 800x800x1080
Power supply(KW): 10+10
Voltage(V): 3N-380
Capacity(L): 30+30 NW(KG): 58



MAD-1000

全自动甜甜圈机

Donut Machine(Automatic)

Dimensions(mm): 1000x500x650
Pocket size(mm): 800x53x97
Temperature: 0-300℃
Power(KW): 2.5
Voltage(V): 220
Output: 720pcs/h



MA-818

电扒炉 **Electric Griddle**

Dimensions(mm): 550x400x220
Power supply(KW):3
Voltage(V): 220-240V/50-60hz
NW(KG): 25



MA-818A

电扒炉 **Electric Griddle**

Dimensions(mm): 500x400x220
Temperature:50-300℃
Power supply(KW):3
Voltage(V): 220-240V/50-60hz
NW(KG): 18



MA-818B

电扒炉 **Electric Griddle**

Dimensions(mm): 360x390x220
Temperature:50-300℃
Power supply(KW):1.5
Voltage(V): 220-240V/50-60hz
NW(KG): 11



MA-820

电扒炉 **Electric Griddle**

Dimensions(mm): 730x480x230
Power supply(KW):4.4
Voltage(V): 220-240V/50-60hz
NW(KG): 27



MA-822

电扒炉 **Electric Griddle**

Dimensions(mm): 730x470x240
Power supply(KW):4.4
Voltage(V): 220-240V/50-60hz
NW(KG): 32



MA-820A

电扒炉 **Electric Griddle**

Dimensions(mm): 760x430x170
Power supply(KW):4.4
Voltage(V): 220-240V/50-60hz
NW(KG): 28



MA-818C

电扒炉（谱瓷款）
Electric Griddle
Dimensions(mm):360x380x230
Power supply(KW):1.5
Voltage(V): 220-240V/50-60hz
NW(KG): 12



MA-810

电扒炉（谱瓷款）
Electric Griddle
Dimensions(mm):595x495x230
Power supply(KW):3
Voltage(V): 220-240V/50-60hz
NW(KG): 19



MA-920

电扒炉 **Electric Griddle**
Dimensions(mm):760x600x350
Power supply(KW):3+3
Voltage(V): 220-240V/50-60hz
NW(KG): 65



MA-922

电扒炉 **Electric Griddle**
Dimensions(mm):760x600x350
Power supply(KW):3+3
Voltage(V): 220-240V/50-60hz
NW(KG): 65



MA-36

电扒炉 **Electric Griddle**
Dimensions(mm):910x630x380
Power supply(KW):12
Voltage(V): 380
NW(KG): 60



MA-48

电扒炉 **Electric Griddle**
Dimensions(mm):1200x630x380
Power supply(KW):12
Voltage(V): 380
NW(KG): 80



MA-718

燃气扒炉 **Gas Griddle**
Dimensions(mm):550x450x330
Power: 36.7Tu/hr
NW(KG):18



MA-720

燃气扒炉 **Gas Griddle**
Dimensions(mm):730x530x330
Power: 37.8Tu/hr
NW(KG):26



MA-721

燃气扒炉 **Gas Griddle**
Dimensions(mm):550x480x420
NW(KG):11



MA-722

燃气扒炉 **Gas Griddle**
Dimensions(mm):730x530x330
NW(KG):11



MA-710

燃气扒炉连炸炉 **Gas Griddle & Fryer**
Dimensions(mm):850x500x410
NW(KG):40



MA-723

燃气扒炉 **Gas Griddle**
Dimensions(mm):785x550x560
NW(KG): 21



MA-1P

Food Display Warmer

Dimensions(mm): 350x420x520
Power supply(KW): 0.8
Voltage(V): 220-240V/50-60Hz
NW(KG): 14



MA-2P-1

Food Display Warmer

Dimensions(mm): 380x460x600
Power supply(KW): 0.5
Voltage(V): 220-240V/50-60Hz
NW(KG): 14



MA-2P

Food Display Warmer

Dimensions(mm): 660x460x600
Power supply(KW): 0.8
Voltage(V): 220-240V/50-60Hz
NW(KG): 20



MA-3P

Food Display Warmer

Dimensions(mm): 950x460x600
Power supply(KW): 1.2
Voltage(V): 220-240V/50-60Hz
NW(KG): 28



MA-60-1

Food Display Warmer

Dimensions(mm): 660x480x640
Power supply(KW): 1.5
Voltage(V): 220-240V/50-60Hz
NW(KG): 28



MA-60-2

Food Display Warmer

Dimensions(mm): 900x480x640
Power supply(KW): 1.8
Voltage(V): 220-240V/50-60Hz
NW(KG): 36



MA-60-3

Food Display Warmer

Dimensions(mm): 1200x480x640
Power supply(KW): 2.0
Voltage(V): 220-240V/50-60Hz
NW(KG): 48



MA-861

保温柜

Food Display Warmer

Dimensions(mm):350x455x580
Power supply(KW):1.2
Voltage(V):220-240V/50-60Hz
NW(KG):21



MA-862

保温柜

Food Display Warmer

Dimensions(mm):650x455x580
Power supply(KW):1.3
Voltage(V):220-240V/50-60Hz
NW(KG):33



MA-863

保温柜

Food Display Warmer

Dimensions(mm):900x455x580
Power supply(KW):1.6
Voltage(V):220-240V/50-60Hz
NW(KG):41



MA-500H

蒸包柜

Food Display Warmer

Dimensions(mm):380x400x745
Power supply(KW):0.9
Voltage(V):220-240V/50-60Hz
NW(KG):24



MA-600H

蒸包柜

Food Display Warmer

Dimensions(mm):457x518x785
Power supply(KW):1.2
Voltage(V):220-240V/50-60Hz
NW(KG):36



MA-580

蒸包柜

Food Display Warmer

Dimensions(mm):640x360x530
Temperature:30-85℃
Power supply(KW):1
Voltage(V):220
NW(KG):31



MAWC-1

单头暖碟车

1-Head Electric Plate Warmer Cart

Dimensions(mm):450x570x900

Power supply(KW):0.4

Voltage(V):220-240V/50-60hz



MAWC-2

双头暖碟车

2-Head Electric Plate Warmer Cart

Dimensions(mm):450x950x900

Power supply(KW):0.8

Voltage(V):220-240V/50-60hz



MA-11-5F

保温餐车

Food Warmer Cart

Dimensions(mm):790x970x1350

Inner size(mm):540x680x940

Power supply(KW):2.62

Voltage(V):220

Layer distance(mm):160

Layer Number :5-layer



MA-11-21

保温餐车

Food Warmer Cart

Dimensions(mm):756x975x1793

Inner size(mm):540x680x1380

Power supply(KW):2.62

Voltage(V):220

Layer distance(mm):115

Layer Number :11-layer



MA-11-22

保温餐车

Food Warmer Cart

Dimensions(mm):1540x957x1793

Inner size(mm):1350x680x1380

Power supply(KW):2.62

Voltage(V):220

Layer distance(mm):115

Layer Number :11-layer



MA-2 x 2

保温柜

Food Display Warmer

Dimensions(mm):700x640x730

Power supply(KW):0.7

Voltage(V):220-240V/50-60hz

NW(KG):33



MA-2 x 3

保温柜

Food Display Warmer

Dimensions(mm):1100x640x730

Power supply(KW):1.4

Voltage(V):220-240V/50-60hz

NW(KG):45



MA-6P-B

保温柜

Food Display Warmer

Dimensions(mm):1200x760x860

Power supply(KW):2

Voltage(V):220-240V

NW(KG):95



MA-6

保温柜

Food Display Warmer

Dimensions(mm):1200x760x860

Power supply(KW):2

Voltage(V):220-240V

NW(KG):95





MAB-1V

保温汤池
Electric Bain Marie
Dimensions(mm):205x430x270
Power supply(KW):1.5
Voltage(V):220-240V/50-60Hz
NW(KG):5



MAB-2V

保温汤池
Electric Bain Marie
Dimensions(mm):570x430x270
Power supply(KW):1.5
Voltage(V):220-240V/50-60Hz
NW(KG):7.84



MAB-3V

保温汤池
Electric Bain Marie
Dimensions(mm):570x430x270
Power supply(KW):1.5
Voltage(V):220-240V/50-60Hz
Temperature: 20-85°C
NW(KG):8.26



MAB-4V

保温汤池
Electric Bain Marie
Dimensions(mm):700x640x270
Power supply(KW):1.5
Voltage(V):220-240V/50-60Hz
Temperature: 20-85°C
NW(KG):12.68



MAB-6V

保温汤池
Electric Bain Marie
Dimensions(mm):700x640x270
Power supply(KW):1.5
Voltage(V):220-240V/50-60Hz
NW(KG):13.05



MAB-M2

保温汤池
Desktop Bain Marie
Dimensions(mm):355x600x360
Power supply(KW):1.2
Voltage(V):220-240V/50-60Hz
NW(KG):12







MA-3

保温汤池
Electric Bain Marie
Dimensions(mm):1000x400x210
Temperature:30-85°C
Power supply(KW):1.5
Voltage(V):220-240V/50-60Hz



MA-4

保温汤池
Electric Bain Marie
Dimensions(mm):1265x400x210
Temperature:30-85°C
Power supply(KW):1.5
Voltage(V):220-240V/50-60Hz



MA-5

保温汤池
Electric bain marie
Dimensions(mm):1530x400x210
Temperature:30-85°C
Power supply(KW):1.5
Voltage(V):220-240V/50-60Hz



酱汁保温机
Sauce Warmer

Model	Dimensions	Volts	Power	Bottle Size
MA-SW01	150x220x315mm	220-240V/50-60Hz	160W	225x70mm
MA-SW02	270x220x315mm	220-240V/50-60Hz	320W	225x70mm
MA-SW03	400x220x315mm	220-240V/50-60Hz	480W	225x70mm
MA-SW04	530x220x315mm	220-240V/50-60Hz	720W	225x70mm



MA-620
薯条保温台
Chips Warmer
Dimensions(mm): 342x605x550
Volts: 220-240V/50-60Hz
Power: 1KW
Weight: 7Kg



MA-8
台式薯条工作台
Desktop French Fries Display Warmer
Dimensions(mm): 800x700x650
Power supply(KW): 0.6
Voltage(V): 220-240V/50-60Hz
NW(KG): 30



MA-833
立式薯条工作台
Pedestal Fries Display Warmer
Dimensions(mm): 1000x700x1540
Volts: 220-240V/50-60Hz
Power: 1KW
Weight: 59Kg



MA-212
汉堡机
Hamburger Machine
Dimensions(mm): 410x700x350
Power supply(KW): 3
Voltage(V): 220-240V/50-60Hz
NW(KG): 18.39



MA-900
腌制机
Meat Salting Machine
Dimensions(mm): 730x400x800
Power supply(KW): 0.38
Voltage(V): 220-240V/50-60Hz
NW(KG): 59



MA-809
真空腌制机
Vacuum Meat Salting Machine
Dimensions(mm): 935x660x914
Power supply(KW): 0.3
Voltage(V): 220-240V/50-60Hz
NW(KG): 75



MA-800
裹粉台
Breading Table
Dimension(mm): 800x700x1200
NW(KG): 28



MA-1000
裹粉台
Breading Table
Dimension(mm): 1000x700x1200
NW(KG): 30





底板扒炉（全坑）
Electric Contact Grill

MA-811
Dimensions(mm):305x310x240
Power supply(KW):1.8
Voltage(V):220-240
NW(KG):11.6

MA-811E
Dimensions(mm):430x340x210
Power supply(KW):2.2
Voltage(V):220-240
NW(KG):16.9



底板扒炉（全坑）
Electric Contact Grill

MA-813
Dimensions(mm):565x370x190
Power supply(KW):1.8+1.8
Voltage(V):220-240
NW(KG):21.8

MA-813E
Dimensions(mm):830x370x190
Power supply(KW):4.4
Voltage(V):220-240
NW(KG):21.8



压板扒炉（上坑下平）
Electric Contact Grill (Down Flat)

MA-811A
Dimensions(mm):305x310x240
Power supply(KW):1.8
Voltage(V):220-240
NW(KG):15

MA-811EA
Dimensions(mm):430x340x210
Power supply(KW):2.2
Voltage(V):220-240
NW(KG):20



压板扒炉（上坑下平）
Electric Contact Grill (Down Flat)

MA-813A
Dimensions(mm):565x370x190
Power supply(KW):1.8+1.8
Voltage(V):220-240
NW(KG):21.8

MA-813EA
Dimensions(mm):830x370x190
Power supply(KW):4.4
Voltage(V):220-240
NW(KG):21.8



压板扒炉（全平）
Electric Contact Grill (Full Flat)

MA-811B
Dimensions(mm):305x310x240
Power supply(KW):1.8
Voltage(V):220-240
NW(KG):15

MA-811EB
Dimensions(mm):430x340x210
Power supply(KW):2.2
Voltage(V):220-240
NW(KG):20



压板扒炉（全平）
Electric Contact Grill (Full Flat)

MA-813B
Dimensions(mm):565x370x190
Power supply(KW):1.8+1.8
Voltage(V):220-240
NW(KG):21.8

MA-813EB
Dimensions(mm):830x370x190
Power supply(KW):4.4
Voltage(V):220-240
NW(KG):21.8



MAW-1

一片方形华夫炉

1-Plate waffle baker

Dimensions(mm):410x305x240
Power supply(KW):1.6
Voltage(V):220-240
NW(KG):9.99



MAW-2

两方形华夫炉

2-Plate waffle baker

Dimensions(mm):410x305x240
Power supply(KW):1.6
Voltage(V):220-240
NW(KG):9.72



MAW-4

四片方形华夫炉

4-Plate waffle baker

Dimensions(mm):410x305x240
Power supply(KW):1.6
Voltage(V):220-240
NW(KG):8.07



MAW-6

六片方形华夫炉

6-Plate waffle baker

Dimensions(mm):630x380x245
Power supply(KW):3.2
Voltage(V):220-240
NW(KG):18



MAW-8

八片方形华夫炉

8-Plate waffle baker

Dimensions(mm):630x380x245
Power supply(KW):3.2
Voltage(V):220-240
NW(KG):18



MAW-6B

六格方形华夫炉

Waffle Machine

Dimensions(mm):380x300x260
Power supply(KW):1.5
Voltage(V):220-240
NW(KG):10



MA-209A

雪糕皮机

1-Plate cone machine

Dimensions(mm):290x355x245
Power supply(KW):1.6
Voltage(V):220-240
NW(KG):9.32



MA-209C

雪糕皮机

1-Plate cone machine

Dimensions(mm):290x355x245
Power supply(KW):1.6
Voltage(V):220-240
NW(KG):9.02



MA-208D

树形华夫炉

Pine pancake machine

Dimensions(mm):410x305x240
Power supply(KW):1.75
Voltage(V):220-240
NW(KG):9.63



MA-4D

甜甜圈机

Donut Machine

Dimensions(mm):260x400x200
Power supply(KW):1.1
Temperature: 50-300℃
Voltage(V):220-240/50-60hz
NW(KG):7



MA-6D

甜甜圈机

Donut Machine

Dimensions(mm):390x340x245
Power supply(KW):1.6
Voltage(V):220-240/50-60hz
NW(KG):9.11



MA-9T

甜甜圈机

Donut Machine

Dimensions(mm):460x355x260
Power supply(KW):1.6
Voltage(V):220-240/50-60hz
NW(KG):13.4



MA-12D

甜甜圈机

Donut Machine

Dimensions(mm):360x330x245
Power supply(KW):1.6
Voltage(V):220-240/50-60hz
NW(KG):9.11



MA-TM6

韩式小鱼饼炉

Korean Mini Taiyaki Waffle Machine

Dimensions(mm):390x340x245
Power supply(KW):1.6
Voltage(V):220-240/50-60hz
NW(KG):9.11



MA-ET28

蛋挞皮机

Egg Tart Skin Machine

Dimensions(mm):335x300x250
Power supply(KW):1.5
Voltage(V):220-240
NW(KG):10



MA-WM10

华夫炉

Waffle Machine

Dimensions(mm):390x360x250
Power supply(KW):1.55
Voltage(V):220-240
NW(KG):10



MA-DM5

五格梅花甜华夫炉

Donut Machine

Dimensions(mm):335x230x250
Power supply(KW):1.5
Voltage(V):220-240
NW(KG):10



MA-2204

太阳花型华夫炉

Sunflower Waffle Machine

Dimensions(mm):400x300x240
Power supply(KW):1.8
Voltage(V):220-240/50 -60hz
NW(KG):11



MA-HD5

五条热狗机

5 Sticks Dot Dog Machine

Dimensions(mm):335x230x250
Power supply(KW):1.6
Voltage(V):220-240
NW(KG):7.85



MA-WM5

五条香酥机

5 Sticks Waffle Stick Machine

Dimensions(mm):335x230x250
Power supply(KW):1.6
Voltage(V):220-240
NW(KG):9.5



MA-WM6

六条香酥机

6 Sticks Dot Dog Machine

Dimensions(mm):335x230x250
Power supply(KW):1.6
Voltage(V):220-240
NW(KG):8.58



MA-CWM5

五条玉米棒松饼机

5 Corn Waffle Machine

Dimensions(mm):360x330x245
Power supply(KW):1.6
Voltage(V):220-240
NW(KG):7.7



MA-520

8根油条香酥机

8 Fried Bread Stick

Dimensions(mm):300x400x290
Power supply(KW):1.6
Voltage(V):220-240/50-60hz
NW(KG):11.6



MA-510

蝴蝶形华夫炉

4 Butterfly Waffle Machine

Dimensions(mm):300x430x240
Power supply(KW):1.6
Voltage(V):220-240/50-60hz
NW(KG):11



MA-BW05

香蕉形华夫炉

Banana Shape Waffle Machine

Dimensions(mm):392x375x265
Power supply(KW):2
Voltage(V):220-240/50-60hz
NW(KG):10



MATM-12

12条鱼形华夫炉

Mini Taiyaki Waffle Machine

Dimensions(mm):392x375x265
Power supply(KW):2
Voltage(V):220-240/50-60hz
NW(KG):10



MATM-24

24条鱼形华夫炉

Mini Taiyaki Waffle Machine

Dimensions(mm):440x440x230
Power supply(KW):1.6
Voltage(V):220-240/50-60hz
NW(KG):8.5



MA-FM12

12格笑脸华夫炉

Smiling Face Waffle Machine

Dimensions(mm):392x375x265
Power supply(KW):2
Voltage(V):220-240/50-60hz
NW(KG):10



MATM-4

2条鲷鱼形华夫炉

Taiyaki Machine

Dimensions(mm):360x350x205
Power supply(KW):1.6
Voltage(V):220-240/50-60hz
NW(KG):10



MATM-2

单条鲷鱼形华夫炉

Taiyaki Machine

Dimensions(mm):360x350x205
Power supply(KW):1.6
Voltage(V):220-240/50-60hz
NW(KG):10



MATM-6

3条鲷鱼烧华夫炉

Taiyaki Machine

Dimensions(mm):440x390x260
Power supply(KW):2
Voltage(V):220-240/50-60hz



MAG-FM12

12格笑脸燃气华夫炉

Smiling Face Gas Waffle Machine

Dimensions(mm):392x375x265
Power supply(KW):2
NW(KG):10



MATM-6G

燃气鲷鱼烧华夫炉

Gas Taiyaki Machine

Dimensions(mm):440x390x260
Gas Pressure(Pa):2800



MATM-24G

燃气鲷鱼烧华夫炉

Gas Taiyaki Machine

Dimensions(mm):440x390x260
Gas Pressure(Pa):2800



MA-2233G

十六孔气红豆饼机

Gas Obanyaki Maker

Dimensions(mm):490x420x200
Gas Pressure(Pa):2800



MA-WM21

21孔核桃酥机

21 Holes Walnut Crispy Machine

Dimensions(mm):450x360x300

Power supply(KW):1.5

NW(KG):10



MAW-4A

四片华夫炉

Waffle Machine

Dimensions(mm):260x400x200

Power supply(KW):1.1

NW(KG):7



MA-113

三明治华夫炉

Sandwich Machine

Dimensions(mm):390x360x220

Power supply(KW):1.55

NW(KG):10



MA-113A

三明治华夫炉

Sandwich Machine

Dimensions(mm):390x360x220

Power supply(KW):1.55

NW(KG):10



MA-2240

25孔松饼机

25 Holes Muffin Machine

Dimensions(mm):320x300x240

Power(KW):0.9

Voltage(V):220-240/50-60hz

NW(KG):7



MA-2240A

25孔心形松饼机

25 Holes Heart Muffin Machine

Dimensions(mm):310x320x180

Power(KW):0.9

Voltage(V):220-240/50-60hz

NW(KG):7



MA-H9

9孔松饼机

9 Holes Muffin Machine

Dimensions(mm):310x320x180

Power(KW):0.9

Voltage(V):220-240/50-60hz

NW(KG):7



MA-H25

25孔松饼机

25 Holes Muffin Machine

Dimensions(mm):310x320x180

Power(KW):0.9

Voltage(V):220-240/50-60hz

NW(KG):7



MA-H50

50孔松饼机

50 Holes Muffin Machine

Dimensions(mm):530x320x190

Power(KW):1.6

Voltage(V):220-240/50-60hz

NW(KG):9.4



MA-H50-2

50孔松饼机

50 Holes Muffin Machine

Dimensions(mm):530x320x190

Power(KW):1.6

Voltage(V):220-240/50-60hz

NW(KG):9.4



MA-WM1

单头华夫炉

1-Plate Electric Waffle Machine

Dimensions(mm):320x250x178
Power supply(KW):1.2
Voltage(V):220-240
NW(KG):5.6
GW(KG):6.48
Temperature:50-250℃



MA-WM2

双头华夫炉

2-Plate Electric Waffle Machine

Dimensions(mm):500x320x178
Power supply(KW):1.2+1.2
Voltage(V):220-240
NW(KG):10.66
GW(KG):11.8
Temperature:50-250℃



MA-WM3

单头华夫炉

1-Plate Electric Waffle Machine

Dimensions(mm):320x250x178
Power supply(KW):1
Voltage(V):220-240
NW(KG):6.04
GW(KG):6.9
Temperature:50-250℃



MA-WM4

双头华夫炉

2-Plate Electric Waffle Machine

Dimensions(mm):500x320x178
Power supply(KW):1+1
Voltage(V):220-240
NW(KG):11.5
GW(KG):12.6
Temperature:50-250℃



MA-C1

单头雪糕皮机

1-Plate Electric Cone Machine

Dimensions(mm):320x250x178
Power supply(KW):1
Voltage(V):220-240
NW(KG):.6.04



MA-C2

双头雪糕皮机

2-Plate Electric Cone Machine

Dimensions(mm):500x320x178
Power supply(KW):1+1
Voltage(V):220-240
NW(KG):11.5



MA-C3

单头雪糕皮机

1-Plate Electric Cone Machine

Dimensions(mm):320x250x178
Power supply(KW):1
Voltage(V):220-240
NW(KG):6.04



MA-C4

双头雪糕皮机

2-Plate Electric Cone Machine

Dimensions(mm):500x320x178
Power supply(KW):1+1
Voltage(V):220-240
NW(KG):11.63



MA-HW5

单头五心型华夫炉

1-Plate 5-Heart Electric Waffle Machine

Dimensions(mm):320x250x178
Power supply(KW):1.2
Voltage(V):220-240
NW(KG):5.6
GR(KG):6.37
Temperature:50-250℃



MA-HW10

双头五心型华夫炉

2-Plate 5-Heart Electric Waffle Machine

Dimensions(mm):500x320x178
Power supply(KW):1+1
Voltage(V):220-240
NW(KG):10.76



MA-HW4

单头四心型华夫炉

1-Plate 4-Heart Electric Waffle Machine

Dimensions(mm):320x250x178
Power supply(KW):1.2
Voltage(V):220-240
NW(KG):5.33
GR(KG):6.21



MA-HW8

双头四心型华夫炉

2-Plate 4-Heart Electric Waffle Machine

Dimensions(mm):500x320x178
Power supply(KW):1+1
Voltage(V):220-240
NW(KG):9.95



MA-WM-1A

单头木柄华夫炉

1-Plate Electric Waffle Machine

Dimensions(mm):385x220x270
Power supply(KW):1.4
Voltage(V):220-240
NW(KG):5.41 GW(KG):6.16
Temperature:50-250℃



MA-WM-2A

双头木柄华夫炉

2-Plate Electric Waffle Machine

Dimensions(mm):440x385x270
Power supply(KW):1.4+1.4
Voltage(V):220-240
NW(KG):10.2 GW(KG):12
Temperature:50-250℃



MA-WM-1G

单头燃气华夫炉

1-Plate Gas Waffle Machine

Dimensions(mm):370x220x210
Air source:LPG
Air pressure:2800p
NW(KG):3.38 GW(KG):4.23



MA-WM-2G

双头燃气华夫炉

2-Plate Gas Waffle Machine

Dimensions(mm):438x360x208
Air source:LPG
Air pressure:2800p
NW(KG):6.69 GW(KG):8.23



MA-HW-1E

单头心形蛋仔机

1-Plate Electric Waffle Machine

Dimensions(mm):385x220x270
Power supply(KW):1.4
Voltage(V):220-240
NW(KG):5.41 GW(KG):6.16
Temperature:50-250℃



MA-HW-2E

双头心形蛋仔机

2-Plate Electric Waffle Machine

Dimensions(mm):440x385x270
Power supply(KW):1.4+1.4
Voltage(V):220-240
NW(KG):10.2 GW(KG):12
Temperature:50-250℃



MA-HW-1G

单头燃气心形华夫炉

1-Plate Gas Waffle Machine

Dimensions(mm):370x220x210
Air source:LPG
Air pressure:2800p
NW(KG):3.38 GW(KG):4.23



MA-HW-2G

双头燃气心形华夫炉

2-Plate Gas Waffle Machine

Dimensions(mm):438x360x208
Air source:LPG
Air pressure:2800p
NW(KG):6.69 GW(KG):8.23



MA-EW-1

单头港式鸡蛋仔机

1-Plate Hongkong Egg Electric Waffle Machine

Dimensions(mm):385x220x270
Power supply(KW):1.4
Voltage(V):220-240
NW(KG):4.96 GW(KG):6
Temperature: 50-250℃



MA-EW-2

双头港式鸡蛋仔机

2-Plate Hongkong Egg Electric Waffle Machine

Dimensions(mm):440x385x270
Power supply(KW):1.4+1.4
Voltage(V):220-240
NW(KG):9.48 GW(KG):11.09
Temperature: 50-250℃



MA-EW-1G

单头燃气鸡蛋仔机

1-Plate Hongkong Egg Gas Waffle Machine

Dimensions(mm):370x220x210
Air source:LPG
Air pressure:2800p
NW(KG):3.38 GW(KG):4.23



MA-EW-2G

双头燃气鸡蛋仔机

2-Plate Hongkong Egg Gas Waffle Machine

Dimensions(mm):438x360x208
Air source:LPG
Air pressure:2800p
NW(KG):6.69 GW(KG):8.23



MA-DEW-1

单头数显款鸡蛋仔机
1-Plate Digital Hongkong Egg Electric Waffle Machine
Dimensions(mm):270x360x220
Power(KW):1.4
Voltage(V):220
NW(KG):5.6 GW(KG):6.4
Temperature:50-250℃



MA-DEW-2

双头数显款鸡蛋仔机
2-Plate Digital Hongkong Egg Electric Waffle Machine
Dimensions(mm):500x360x220
Power supply(KW):1.4+1.4
Voltage(V):220-240
NW(KG):9.48 GW(KG):11.09
Temperature:50-250℃



MA-RW-1

单头旋转华夫炉
1-Plate Waffle Machine (Rotation Type)
Dimensions(mm):540x250x320
Power supply(KW):1.3
Voltage(V):220-240
NW(KG):8.37 GW(KG):9.5
Temperature:50-250℃



MA-RW-2

双头旋转华夫炉
2-Plate Waffle Machine (Rotation Type)
Dimensions(mm):540x500x350
Power supply(KW):1.3
Voltage(V):220-240
NW(KG):14.7 GW(KG):16.77
Temperature:50-250℃



MA-DRW-1

单头旋转数显华夫炉
1-Plate Digital Waffle Machine (Rotation Type)
Dimensions(mm):250x540x320
Power supply(KW):1.3
Voltage(V):220-240
NW(KG):8.7 GW(KG):9.92
Temperature:50-250℃



MA-DRW-2

双头旋转数显华夫炉
2-Plate Digital Waffle Machine (Rotation Type)
Dimensions(mm):500x540x320
Power supply(KW):2.6
Voltage(V):220-240
NW(KG):14.7 GW(KG):16.7
Temperature:50-250℃



MA-SRW-1

单头旋转方形华夫炉
1-Plate Square Waffle Machine (Rotation Type)
Dimensions(mm):380x295x250
Power supply(KW):1.3
Voltage(V):220-240
NW(KG):9 GW(KG):10
Temperature:50-250℃



MA-SRW-2

双头旋转方形华夫炉
2-Plate Square Waffle Machine (Rotation Type)
Dimensions(mm):380x590x250
Power supply(KW):2.6
Voltage(V):220-240
NW(KG):15.5 GW(KG):17.5
Temperature:50-250℃





MA-2205B

单头水滴型旋转华夫炉

Droplet Shaped Rotary Waffle Machine

Dimensions(mm):250x450x300
Power supply(KW):1.3
Voltage(V):220-240
Temperature:50-250℃

MA-2210B

双头水滴型旋转型华夫炉

Droplet Shaped Rotary Waffle Machine

Dimensions(mm):500x450x300
Power supply(KW):1.3+1.3
Voltage(V):220-240
Temperature:50-250℃







MA-RW-3

UFO冰淇淋汉堡机

1-Plate Square Waffle Machine (Rotation Type)

Dimensions(mm):380x250x300
Power supply(KW):1.3
Voltage(V):220-240
NW(KG):11
Temperature:50-250℃





MAG-WM4

四条香酥燃气华夫炉

4 Sticks Gas Waffle Machine

Dimensions(mm):420x220x210
Air source:LPG
Air pressure:2800p
NW(KG):6

MA-WM-1B

单头木柄华夫炉

1-Plate Electric Waffle Machine

Dimensions(mm):385x220x270
Power supply(KW):1.4
Voltage(V):220-240
NW(KG):5.41 GW(KG):6.16
Temperature:50-250℃



MA-FG-1E

单头电鱼丸炉

1-Head Electric Fishball Grill

Dimensions(mm):265x460x190
Power supply(KW):2
Voltage(V):220-240
NW(KG):6.2



MA-FG-1G

单头燃气鱼丸炉

1-Head Gas Fishball Grill

Dimensions(mm):265x460x190
Power supply(KW):3.2
Voltage(V):220-240
NW(KG):6.92



MA-FG-2E

双头电鱼丸炉

2-Head Electric Fishball Grill

Dimensions(mm):490x460x190
Power supply(KW):3.2
Voltage(V):220-240
NW(KG):6.7



MA-FG-2G

双头燃气鱼丸炉

2-Head Gas Fishball Grill

Dimensions(mm):535x425x210
Power supply(KW):4
Voltage(V):220-240
NW(KG):12.16



MA-FG-3E

三头电鱼丸炉

3-Head Electric Fishball Grill

Dimensions(mm):630x485x190
Power supply(KW):3.5
Voltage(V):220-240
NW(KG):9.3



MA-FG-3G

三头燃气鱼丸炉

3-Head Gas Fishball Grill

Dimensions(mm):625x535x210
Power supply(KW):8
Voltage(V):220-240
NW(KG):16.3



MA-35

35孔电鸟蛋机

35 Holes Electric Egg Sausage Machine

Dimensions(mm):340x340x140

Power supply(KW):1.5



MAGS-35

35孔燃气鸟蛋机

35 Holes Gas Egg Sausage Machine

Dimensions(mm):340x340x140

LPG/LNG:LPG2800pa



MA-9E

9孔电红豆饼机

9 Holes Electric Muffin Machine

Dimensions(mm):320x320x180

Power supply(KW):0.85



MA-9G

9孔燃气红豆饼机

9 Holes Gas Muffin Machine

Dimensions(mm):320x320x180

Power supply(KW):0.85



MA-1E

单头电班铁炉

1-Plate Electric Crepe Machine

Dimensions(mm):480x540x230

Power supply(KW):3

Voltage(V):220-240

NW(KG):13.9



MA-2E

双头电班铁炉

2-Plate Electric Crepe Machine

Dimensions(mm):900x540x230

Power supply(KW):6

Voltage(V):220-240

NW(KG):27.2



MA-1G

单头燃气班铁炉

1-Plate Gas Crepe Machine

Dimensions(mm):480x540x230

LPG/LNG:LPG2800pa

Power supply(KW):4

NW(KG):12.5



MA-2G

双头燃气班铁炉

2-Plate Gas Crepe Machine

Dimensions(mm):900x540x230

LPG/LNG:LPG2800pa

Power supply(KW):8

NW(KG):25.53



MAC-1E

单头电班铁炉

1-Plate Electric Crepe Machine

Dimensions(mm):400x400x190

Power supply(KW):2.2

Voltage(V):220-240

NW(KG):9.7

MAC-1G

单头燃气班铁炉

1-Plate Gas Crepe Machine

Dimensions(mm):400x400x190

Power supply(KW):2.2

NW(KG):9.7



MA-4T

台式四头电煮面炉

Counter Top Electric Pasta Cooker

Dimensions(mm):415x600x265

Power supply(KW):4

Voltage(V): 220-240V/50-60Hz

NW(KG): 13



MA-6T

台式六头电煮面炉

Counter Top Electric Pasta Cooker

Dimensions(mm):590x580x265

Power supply(KW):6

Voltage(V): 220-240V/50-60Hz

NW(KG): 17



MA-4H

立式四头电煮面炉

Electric Pasta Cooker

Dimensions(mm):430x690x910

Power supply(KW):4

Voltage(V): 220 NW(KG): 17



MA-6H

立式六头电煮面炉

Electric Pasta Cooker

Dimensions(mm):600x690x910

Power supply(KW):6

Voltage(V): 220 NW(KG): 22



MA-9H

立式九头电煮面炉

Electric Pasta Cooker

Dimensions(mm):600x850x910

Power supply(KW):9

Voltage(V): 220 NW(KG): 31.6





MA-4H

立式四头燃气煮面炉

Gas Pasta Cooker

Dimensions(mm):430x700x910

Power supply(KW):6

NW(KG):19.5





MA-6H

立式六头燃气煮面炉

Gas Pasta Cooker

Dimensions(mm):600x700x910

Power supply(KW):9

NW(KG): 31.5

MA-9H

立式九头燃气煮面炉

Gas Pasta Cooker

Dimensions(mm):600x850x910

Power supply(KW):12

NW(KG): 45





MAP-81

81款煮面炉
Electric Pasta Cooking
Dimensions(mm):285x450x300
Temperature:50-200℃
Power supply(KW):2.5
Voltage(V):220-240V/50-60hz
NW(KG):3.4



MAO-82A

82款煮面炉
Electric Pasta Cooking
Dimensions(mm): 580x450x300
Temperature:50-200℃
Power supply(KW):2.5+2.5
Voltage(V):220-240V/50-60hz
NW(KG): 8.6



MAP-82A

82款炸炉连煮面炉
Electric Fryer with Pasta Cooking
Dimensions(mm): 580x450x300
Temperature:50-200℃
Power supply(KW):2.5+2.5
Voltage(V):220-240V/50-60hz
NW(KG): 8.6



MAO-9S

单头关东煮 **Oden Cooking**
Dimensions(mm):380x320x310
Power supply(KW):1.5
Voltage(V):220-240V/50-60hz
NW(KG):4.97



MAO-18S

双头关东煮 **Oden Cooking**
Dimensions(mm):590x380x310
Power supply(KW):1.5+1.5
Voltage(V):220-240V/50-60hz
NW(KG):8.57



MAO-82

82款关东煮连炸炉
Electric Oden with Fryer
Dimensions(mm): 580x450x300
Temperature:50-200℃
Power supply(KW):2.5+2.5
Voltage(V):220-240V/50-60hz
NW(KG): 8.6



MA-936

面火炉
Hanging Salamander
Dimensions(mm): 600x295x270
Power supply(KW):2
Voltage(V):220-240V/50-60hz
NW(KG): 10.5



面火炉
Hanging Salamander

MA-937

Dimensions(mm): 785x435x470
Power supply(KW):4
Voltage(V):220-240V/50-60hz
NW(KG): 23.5

MA-938

Dimensions(mm): 600x295x380
Power supply(KW):2.2
Voltage(V):220-240V/50-60hz
NW(KG): 15.5



MAE-450

电升降式面火炉
Electric Lift Salamander
Dimensions(mm): 450x480x530
Power supply(KW):2.8
Voltage(V):220-240V/50-60hz
NW(KG): 36



MAE-600

电升降式面火炉
Electric Lift Salamander
Dimensions(mm): 600x480x530
Power supply(KW):4
Voltage(V):220-240V/50-60hz
NW(KG): 45

MAE-800

电升降式面火炉
Electric Lift Salamander
Dimensions(mm): 800x480x530
Power supply(KW):5.2
Voltage(V):220-240V/50-60hz
NW(KG): 55





MAG-14

燃气面火炉
Gas Salamander
Dimensions(mm): 620x440x610
Power supply(KW):24tu/hr
NW(KG): 31.6



MAG-16

燃气面火炉
Gas Salamander
Dimensions(mm): 880x440x610
Power supply(KW):24tu/hr
NW(KG): 47.2



MAG-18

燃气面火炉
Gas Salamander
Dimensions(mm): 1070x440x610
Power supply(KW):42tu/hr
NW(KG): 63.5



MAG-20

燃气面火炉
Gas Salamander
Dimensions(mm): 1280x440x610
Power supply(KW):42tu/hr
NW(KG): 75.0



MAFD-6

6层干果机 **Food Dryer**
Dimensions(mm):360x300x355
Voltage(V):110-220V/50-60hz
Power supply(KW):0.4
Temperature:35-90°C
NW(KG): 6.5
Rack size(mm):280x200



MAFD-8

8层干果机 **Food Dryer**
Dimensions(mm):360x300x355
Voltage(V):110-220V/50-60hz
Power supply(KW):0.4
Temperature:35-90°C
NW(KG): 6.8
Rack size(mm):285x200



MAFD-10

10层干果机 **Food Dryer**
Dimensions(mm):462x402x441
Voltage(V):110-220V/50-60hz
Power supply(KW):1
Temperature:35-90°C
NW(KG): 11
Rack size(mm):390x283



MAFD-12

12层干果机 **Food Dryer**
Dimensions(mm):462x402x447
Voltage(V):110-220V/50-60hz
Power supply(KW):1
Temperature:35-90°C
NW(KG): 11.5
Rack size(mm):390x283



MAFD-16

16层干果机 **Food Dryer**
Dimensions(mm):520x510x670
Voltage(V):110-220V/50-60hz
Power supply(KW): 1.5
Temperature:35-90°C
NW(KG): 21.4
Rack size(mm):492x365



MAFD-20

20层干果机 **Food Dryer**
Dimensions(mm):420x525x710
Voltage(V):110-220V/50-60hz
Power supply(KW):1.5
Temperature:35-90°C
NW(KG): 22
Rack size(mm):400x380



MAFD-20A

20层旋转转干果机 **Food Dryer**
Dimensions(mm):445x593x910
Voltage(V):220V/50hz
Power supply(KW):2
Temperature:30-90°C
NW(KG): 27.5
Rack diameter size(mm):375
Fan:2



MA-2488

电爆谷机
Electric Popcorn Machine
Dimensions(mm):505x350x680
Power supply(KW):1.2
Voltage(V):220-240V/50-60hz
NW(KG):20



MAP-6A

电爆谷机
Electric Popcorn Machine
Dimensions(mm):500x360x670
Power supply(KW):1.5
Voltage(V):220-240V/50-60hz
NW(KG):14.5



MAP-6B

电爆谷机
Electric Popcorn Machine
Dimensions(mm):550x410x750
Power supply(KW):1.5
Voltage(V):220-240V/50-60hz
NW(KG):15.5



MAP-WS11

电爆谷机连保温柜
Popcorn Machine
& Warm Showcase
Dimensions(mm):900x420x740
Power supply(KW):1.7
Voltage(V):220
NW(KG):31



MAP-7C

电爆谷机带推车
Electric Popcorn
Machine with Cart
Dimensions(mm):740x320x1470
Power supply(KW):1.4
Voltage(V):220
NW(KG):29



MAPC-6

爆谷机推车
Popcorn Machine Cart
Dimension(mm):940x500x825





MA-7G

燃气爆谷机(电机款)
Gas Popcorn Machine(Engine)
Dimensions(mm):380x360x400
Voltage(V):220
NW(KG):10





MA-8G

燃气爆谷机(机器款)
Gas Popcorn Machine(Manual)
Dimensions(mm):380x360x400
Voltage(V):220
NW(KG):10



MA-CF-1E

电棉花糖机
Electric Candy Floss Machine
Dimension:520x520x490mm
Volts:220-240V/50-60Hz
Power:0.93 KW
NW(KG):8.41





MA-CF-04E

电棉花糖机
Electric Candy Floss Machine
Dimension:730x730x490mm
Volts:220-240V/50-60Hz
Power:0.93 KW
NW(KG):8.41



MA-CF-2G

燃气棉花糖机
Gas Candy Floss Machine
Dimension:520x520x490mm
Power:1 KW/Hour+0.08KW



MA-CF-04G

燃气棉花糖机
Gas Candy Floss Machine
Dimension:730x730x490mm
Volts:220-240V/50-60Hz
Power:0.93 KW
NW(KG):8.41





MA-CF-3E

电棉花糖机

Electric Candy Floss Machine

Dimension:520x520x390mm

Volts:220-240V/50-60Hz

Power:0.93 KW



MA-CF-1EC

电棉花糖机带推车

Electric Candy Floss Machine with Cart

Dimension:945x520x895mm

Volts:220-240V/50-60Hz

Power:0.9 KW





MA-CF-2GC

燃气棉花糖机带推车

Gas Candy Floss Machine with Cart

Dimension:945x520x895mm

Power:1 KW/Hour + 0.3 KW



MA-E2

电中东烧烤炉

Electric Shawarma

Dimensions(mm):535x610x950

Power supply(KW):9

Voltage(V):220

NW(KG):31



MA-G2

燃气中东烧烤炉

Gas Shawarma (2 Burners)

Dimensions(mm):540x650x750

Power supply(KW):9/h

NW(KG):16



MA-G3

燃气中东烧烤炉

Gas Shawarma (3 Burners)

Dimensions(mm):530x630x920

Power supply(KW):9.9/h

NW(KG):31



MA-G4

燃气中东烧烤炉

Gas Shawarma (4 Burners)

Dimensions(mm):530x630x1050

Power supply(KW):14.8/h

NW(KG):34



MA-G5

燃气中东烧烤炉

Gas Shawarma (5 Burners)

Dimensions(mm):530x630x1680

Power supply(KW):19.7/h

NW(KG):40



MA-G22

燃气中东烧烤炉

Gas Shawarma (1 Burners)

Dimensions(mm):290x240x450

Power supply(KW):3/h

NW(KG):5.5



MA-G25

燃气中东烧烤炉

Gas Shawarma (2 Burners)

Dimensions(mm):290x240x450

Power supply(KW):3/h

NW(KG):6.5





MA-E800

立式单头电中东烧烤炉

Vertical Electric 1 Head Shawarma

Dimensions(mm):650x600x1750
Power supply(KW):8
Voltage(V):220-240
NW(KG):60



MA-ME800

立式三头电中东烧烤炉

Vertical Electric 2 Head Shawarma

Dimensions(mm):1400x600x1750
Power supply(KW):6
Voltage(V):220-240
NW(KG):110



Model: KS-100E



Model: KS-100C





烤肉切片刀
Kebab Slicer

KS-100E
Dimensions(mm):280x240x190
Power supply(KW):80
Voltage(V):110/220
Two Blade Changeable

KS-100C(Battery)
Dimensions(mm):280x110x200
Cutting width:0-8mm
Battery:DC 16.8A 2000A

MA-G800

立式单头燃气中东烧烤炉

Vertical Gas 1 Head Shawarma

Dimensions(mm):650x600x1770
Power supply(KW):12
Voltage(V):110/220
NW(KG):65 Burner:4

MA-MG800

立式三头燃气中东烧烤炉

Vertical Gas 2 Head Shawarma

Dimensions(mm):1400x600x1770
Power supply(KW):12+12
Voltage(V):110/220
NW(KG):115 Burner:8





Model:MA-266 / MAG-366



Model:MA-268 / MAG-368

卧式电/气旋转烤鸡炉

Electric/Gas Chicken Rotisserie

Model:	Dimensions(mm):	Volt:	Power:	NW:	Capacity:
MA-266	810x630x610	220-240V/50~60Hz	4.5KW	65Kg	4 basket for 8~12 chickens
MAG-366	810x630x610	220-240V/50~60Hz	8.2KW	63Kg	4 basket for 8~12 chickens
MA-268	1010x630x880	220-240V/50~60Hz	6KW	81Kg	4 basket for 12~16 chickens
MAG-368	1010x630x880	220-240V/50~60Hz	8.2KW	74Kg	4 basket for 12~16 chickens



Model:MA-306 / MAG-306



Model:MA-201 / MAG-202

立式电/气旋转烤鸡炉

Electric/Gas Chicken Rotisserie

Model:	Dimensions(mm):	Volt:	Power:	NW:	Capacity:
MA-206	550x740x1600	220-240V/50~60Hz	6.7KW	106Kg	4 basket for 12~24 chickens
MAG-306	550x740x1600	220-240V/50~60Hz	9.2KW	91Kg	4 basket for 12~24 chickens
MA-201	1000x900x1060	3N~380V	9.3KW	134Kg	4 basket for 30 chickens
MAG-202	1000x900x2020	3N~380V	18.6KW	270Kg	4 basket for 60 chickens









MAEJ-3P

电烤鸡炉

Electric Rotisserie Oven (3-Rod)

Dimensions(mm):1180x490x710
Power supply(KW):6
Voltage(V):380
Temperature:50-300℃
NW(KG):50

MAEJ-6P

电烤鸡炉

Electric Rotisserie Oven (6-Rod)

Dimensions(mm):1180x490x1350
Power supply(KW):12.3
Voltage(V):380
Temperature:50-300℃
NW(KG):70

MAEJ-9P

电烤鸡炉

Electric Rotisserie Oven (9-Rod)

Dimensions(mm):1180x490x1880
Power supply(KW):18.4
Voltage(V):380
Temperature:50-300℃
NW(KG):105









MAGJ-3P

燃气烤鸡炉

Gas Rotisserie Oven (3-Rod)

Dimensions(mm):1180x490x710
Power(KW):12/Hour + 0.2
Voltage(V):220/50hz
For 12-15 Chicken

MAGJ-6P

燃气烤鸡炉

Gas Rotisserie Oven (6-Rod)

Dimensions(mm):1180x490x1350
Power(KW):24/Hour + 0.3
Voltage(V):220/50hz
For 24-30 Chicken

MAGJ-9P

燃气烤鸡炉

Gas Rotisserie Oven (9-Rod)

Dimensions(mm):1180x490x1880
Power(KW):36/Hour + 0.4
Voltage(V):220/50hz
For 36-45Chicken









电披萨炉

Electric Pizza Oven

Model:	MA1-1	MA1-2
Dimension:	910x790x430mm	910x790x750mm
Voltage:	3N~380V	3N~380V
Power:	4.2KW	8.4KW
N/W:	48Kg	96Kg





燃气披萨炉

Gas Pizza Oven

Model:	MAG-1-1	MAG-1-2
Dimension:	910x790x430mm	910x790x750mm
Voltage:	3N~380V	3N~380V
Gas:	LPG	LPG
Power:	4.2KW	8.4KW
N/W:	48Kg	96Kg





电披萨炉

Electric Pizza Oven

Model:	MA-1ST	MA-2ST
Dimension:	580x520x300mm	580x520x435mm
Voltage:	220~240V/50~60Hz	220~240V/50~60Hz
Power:	2KW	3KW
N/W:	18Kg	30Kg





电/燃气披萨炉

Electric/Gas Pizza Oven

Model:	MAE-P340	MAG-P340
Dimension:	425x520x410mm	425x520x410mm
Voltage:	220~240V	-
Gas:	-	LPG
Power:	2KW	3.6KW
N/W:	8Kg	8Kg



Model: MA-12E

Electric Conveyor Pizza Oven

链式电披萨炉

Electric Conveyor Pizza Oven

Model:	MA-12E
Dimension:	1100x570x360mm
Volts:	220V-240V/50-60Hz
Power:	6.7KW
Work Station Dimension:	350x1000mm
N/W:	60Kg



Model: MA-18E

Electric Conveyor Pizza Oven

链式电披萨炉

Electric Conveyor Pizza Oven

Model:	MA-18E
Dimension:	1580x750x360mm
Volts:	380V
Power:	10.3KW
Work Station Dimension:	500x1450mm
N/W:	96Kg



Model: MA-32E

Electric Conveyor Pizza Oven

链式电披萨炉

Electric Conveyor Pizza Oven

Model:	MA-32E
Dimension:	2500x1060x450mm
Volts:	380V
Power:	25.5KW
Work Station Dimension:	850x1800mm
N/W:	140Kg



Model: MA-12G

Gas Conveyor Pizza Oven

链式气披萨炉

Gas Conveyor Pizza Oven

Model:	MA-12G
Dimension:	1100x570x430mm
Volts:	-
Power:	12KW/Hour + 0.1KW
Work Station Dimension:	350x1000mm
N/W:	60Kg



Model: MA-18G/32G

Gas Conveyor Pizza Oven

链式气披萨炉

Gas Conveyor Pizza Oven

Model:	MA-18G	MA-32G
Dimension:	1580x750x430mm	2200x1060x430mm
Volts:	-	-
Power:	15KW/Hour + 0.1KW	30KW/Hour + 0.2KW
Work Station Dimension:	500x1450mm	850x1800mm
N/W:	96Kg	140Kg

Convection Oven





MAO-4A

热风循环炉

Electric Convection Oven

Dimensions(mm):595x600x580

Power supply(KW):2.6

Voltage(V):220-240

NW(KG):39



MAO-8A

热风循环炉

Electric Convection Oven

Dimensions(mm):835x770x580

Power supply(KW):5.8

Voltage(V):220-240

NW(KG):52



MAO-07

热风循环炉

Electric Convection Oven

Dimensions(mm):680x650x620

Power supply(KW):3.15

Voltage(V):220-240

NW(KG):45



MAO-08

热风循环炉

Electric Convection Oven

Dimensions(mm):880x800x600

Power supply(KW):6.8

Voltage(V):220-240

NW(KG):65













Electric Oven

Microcomputer control panel, furnace, furnace bottom being dual independent temperature control, operate freely.Advanced microcomputer pulse ignition and flame monitoring system, high DianHuoLv, accidental stall or gas in the stall, automatic alarm, safe &convenient.

Choose efficient baking heat pipes, heating up fast, long working life, high combustion efficiency, low gas consumption, economic and practical.

★ Rack can be added seperately;
★ Stone can be added seperately for pizza baking.

Model:	Machine Size(mm):	Packing Size(mm):	Volts:	Power:	N/W:	Capacity:
MA-E001	880x580x350	930x650x420	220-240V/50Hz	3.2KW	40Kg	1-deck 1-tray
MA-E002	1220x815x580	1270x890x590	220-240V/50Hz	6.6KW	83Kg	1-deck 2-tray
MA-E003	1650x815x580	1670x890x590	220-240V/380V	8KW	120Kg	1-deck 3-tray
MA-E004	880x580x770	930x650x790	220-240V/50Hz	6.4KW	60Kg	2-deck 2-tray
MA-E005	1220x815x1260	1270x890x1290	220-240V/380V	13.2KW	140Kg	2-deck 4-tray
MA-E006	1650x815x1260	1670x890x1290	3N-380V/50Hz	16KW	250Kg	2-deck 6-tray
MA-E007	1220x815x1530	1270x890x1550	3N-380V/50Hz	25KW	202Kg	3-deck 6-tray
MA-E008	1650x815x1530	1670x890x1550	3N-380V/50Hz	19.5KW	268Kg	3-deck 9-tray
MA-E009	1650x1055x1890	-	3N-380V/50Hz	-	-	4-deck 16-tray





MA-GO416



MA-GO11



MA-GO24





Gas Oven

Microcomputer control panel, furnace, furnace bottom being dual independent temperature control, operate freely.Advanced microcomputer pulse ignition and flame monitoring system, high DianHuoYu, accidental stall or gas in the stall, automatic alarm, safe &convenient.

Choose efficient baking heat pipes, heating up fast, long working life, high combustion efficiency, low gas consumption, economic and practical.

★ Rack can be added seperately;
★ Stone can be added seperately for pizza baking.

Model:	Machine Size(mm):	Packing Size(mm):	Volts:	Power:	N/W:	Capacity:
MA-GO11	810x890x650	850x950x680	220-240V/50Hz	0.05KW	48Kg	1-deck 1-tray
MA-GO12	1330x890x650	1380x950x680	220-240V/50Hz	0.05KW	109Kg	1-deck 2-tray
MA-GO13	1760x890x650	1800x950x680	220-240V/50Hz	0.05KW	150Kg	1-deck 3-tray
MA-GO24	1330x890x1430	1380x950x1750	220-240V/50Hz	0.1 KW	196Kg	2-deck 4-tray
MA-GO26	1760x890x1430	1800x950x1750	220-240V/50Hz	0.1KW	310Kg	2-deck 6-tray
MA-GO36	1330x890x1660	1380x950x1750	220-240V/50Hz	0.15KW	267Kg	3-deck 6-tray
MA-GO39	1760x890x1660	1800x950x1750	220-240V/50Hz	0.15KW	330Kg	3-deck 9-tray
MA-GO416	1780x1190x2210	-	220-240V/50Hz	0.3KW	0.15KW	4-deck 16-tray



MA-4ATS

四片多士炉

4-Slice Toaster

Dimensions(mm):370x210x225
Power supply(KW):2.3
Voltage(V):220-240V/50-60hz
NW(KG):4



MA-6ATS

六片多士炉

6-Slice Toaster

Dimensions(mm):460x210x225
Power supply(KW):3.24
Voltage(V):220-240V/50-60hz
NW(KG):5



MA-TT-150

链式披萨炉

Electric Conveyor Toaster

Dimensions(mm):290x420x380
Power supply(KW):1.34
Voltage(V):220-240V/50-60hz
NW(KG):14

MA-TT-300

链式披萨炉

Electric Conveyor Toaster

Dimensions(mm):370x420x380
Power supply(KW):1.94
Voltage(V):220-240V/50-60hz
NW(KG):16

MA-TT-450

链式披萨炉

Electric Conveyor Toaster

Dimensions(mm):470x420x380
Power supply(KW):2.64
Voltage(V):220-240V/50-60hz
NW(KG):20.5



保温灯

Infrared Lamps

Model:	MA031	MA032
Diameter:	175mm	175mm
Adjustable Height:	0.6~1.8m	0.6~1.8m
Volts:	220V	220V
Power:	0.25KW	0.25KW



保温灯

Infrared Lamps

Model:	MA033	MA034
Diameter:	270mm	290mm
Adjustable Height:	0.6~1.8m	0.6~1.5m
Volts:	220V	220V
Power:	0.25KW	0.25KW



保温灯

Infrared Lamps

Model:	MA035	MA036
Diameter:	290mm	190mm
Adjustable Height:	0.6~1.5m	0.6~1.5m
Volts:	220V	220V
Power:	0.25KW	0.25KW



Model: MA-70

Electric Smokeless Barbecue Oven



Model: MA-70G

Gas Smokeless Barbecue Oven



Model: MA-110

Electric Smokeless Barbecue Oven



Model: MA-110G

Gas Smokeless Barbecue Oven

无烟电烧烤炉

Electric Smokeless Barbecue Oven

Model:	Dimensions(mm):	Volts:	Power:
MA-70	660x350x210	220-240V/50-60Hz	3KW
MA-70G	700x400x240	-	19410BTU/hr
MA-110	1100x370x210	220-240V/50-60Hz	6KW
MA-110G	1170x400x240	-	25880BTU/hr



Model: MA-Q2B

Gas Smokeless Barbecue Oven



Model: MA-Q4B

Gas Smokeless Barbecue Oven



Model: MA-Q6B

Gas Smokeless Barbecue Oven

无烟燃气烧烤炉

Gas Smokeless Barbecue Oven

Model:	Product Size(mm):	Baking Net(mm):	Carton Size(mm)	Net Weight:	Note:
MA-Q2B	550x310x185	385x340	625x380x255	5.4Kg	Steel Cover
MA-Q4B	540x545x185	570x380	615x610x255	9.5Kg	Steel Cover
MA-Q6B	770x550x185	800x380	835x460x255	12.2Kg	Steel Cover



MA-220A
Meat Slicer



MA-250A
Meat Slicer



MA-300A
Meat Slicer

切片机

Meat Slicer

Model:	Packing Size	Slice thickness:	Power:	Blade dia:	Weight:
MA-220A	575x465x415	0.2-15MM	230V50Hz/450W	220MM	14.4Kg
MA-250A	575x465x415	0.2-15MM	230V50Hz/850W	250MM	15.5Kg
MA-300A	615x525x510	0.2-16MM	230V50Hz/1100W	300MM	22.5Kg



MA-08A/12A/22A



MA-08S/12S/22S



MA-22G/32G

绞肉机

Meat Mincer(Iron head and plate,SS blade and body)

Model:	Packing Size	Capacity	Power:	Blade speed:	Weight:
MA-08A	300x200x290	60kg/h	230V50Hz/450W	170s/M	10Kg
MA-12A	410x270x445	120kg/h	230V50Hz/850W	170s/M	18Kg
MA-22A	430x290x405	150kg/h	230V50Hz/1100W	170s/M	23.5Kg

绞肉机

Meat Mincer(SS head and plate,SS blade and body)

Model:	Packing Size	Capacity	Power:	Blade speed:	Weight:
MA-08S	300x200x290	60kg/h	230V50Hz/450W	170s/M	10Kg
MA-12S	410x270x445	120kg/h	230V50Hz/850W	170s/M	18Kg
MA-22S	430x290x405	150kg/h	230V50Hz/1100W	170s/M	23.5Kg
MA-22G	490x340x330	250kg/h	230V50Hz/1100W	170s/M	27.5Kg
MA-32G	560x410x500	300kg/h	230V50Hz/2200W	170s/M	49Kg

Sausage Filler


TV-3L/TV-5L


TV-7L


TV-10L/TV-12L/TV-15L

灌肠机
Sausage Filler

Model:	Dimensions:	Bowl Volume:	N/W:
TV-3L	300x260x530	3L	11Kg
TV-5L	300x260x650	5L	12Kg
TV-7L	300x260x650	7L	13Kg
TV-8L	375x300x710	8L	19Kg
TV-10L	420x320x620	10L	20Kg
TV-12L	420x320x700	12L	21Kg
TV-15L	420x320x700	15L	22Kg


TG3L/TG5L


TG7L

卧式灌肠机
Horizontal Sausage Filler

Model:	Dimensions:	Packing Size(mm):	N/W:	G/W:
TG3L	210x160x450	430x310x300	9.5Kg	10.5Kg
TG5L	210x160x580	550x310x300	11Kg	12Kg
TG7L	210x160x710	680x310x300	12Kg	13Kg


TV10LE


TV15LE


TV20LE

电灌肠机
Electric Sausage Filler

Model:	Dimensions:	Packing Size(mm):	Volume:	G/W:
TV10LE	420x330x650	690x445x365	10L	27Kg
TV12LE	420x330x720	780x445x365	12L	28Kg
TV15LE	420x330x780	815x445x365	15L	29Kg
TV16LE	415x315x820	860x445x345	16L	35Kg

Food Mixer



- Competitive price with reliable quality
- Easy operation and convenience for repairing
- High efficiency, it's a good partner for the chefs
- S series is gear driving, F series is belt driving
- B series only with a cover on the basis of S or F series.
- Silver and white color optional
- Wheel and EI rocker handle optional


MA-B10S/B15S
Food Mixer


MA-B25F/B40F
Food Mixer


MA-B50F/B60F
Food Mixer


Model: MA-B10B/B15B
Food Mixer


Model: MA-B20B/B30B
Food Mixer


Model: MA-B50B/B60B
Food Mixer

搅拌机 **Food Mixer**

Model	Dimensions(mm)	Bowl Volume	Rated Voltage	Power	Max.Kneading Capacity	Mixing Speed	N/W
MA-B10S/B10B	450x366x606	10L	220-240V	0.72KW	5Kg	110/178/139r/min	56Kg
MA-B15S/B15B	474x372x676	15L	220-240V	0.50KW	6Kg	110/178/305r/min	65Kg
MA-B20S/B20B	520x420x760	20L	220-240V	1.0KW	7Kg	110/200/420r/min	82Kg
MA-B30S/B30B	545x440x882	30L	220-240V	1.1KW	10Kg	80/163/310 r/min	148Kg
MA-B25F	515x440x860	25L	220-240V	1.0KW	8Kg	110/200/422 r/min	84Kg
MA-B40F	620x630x1011	40L	220-240V	2.0KW	12Kg	80/160/310 r/min	150Kg
MA-B50F	690x622x1200	50L	3N~380V	1.8KW	15Kg	74/150/288 r/min	195Kg
MA-B60F	724x652x1300	60L	3N~380V	2.5KW	20Kg	74/150/288 r/min	230Kg

Note: S series is gear driving. F series is belt driving. B series added a cover on the basis of S or F series.



MA-10L



MA-20L / MA-30L / MA-40L / MA-50L / MA-60L



MA-80L

和面机 Spiral Mixer

Model	Dimension	Packing Size	Voltage	Power	Flour Capacity	Bowl	Mixing Speed	Bowl Speed	Weight
MA-10L	550x340x530mm	650x400x650mm	110/220/230/50-60Hz	0.75KW	4kg	10L	112/198r/min	12/20r/min	48Kg
MA-20L	730x390x900mm	810x510x1030mm	110/220/230/380V/50-60Hz	1.5KW	12.5kg	21L	112/198r/min	12/20r/min	90Kg
MA-30L	750x435x900mm	810x510x1030mm	110/220/230/380V/50-60Hz	1.5KW	16kg	35L	112/198r/min	12/20r/min	100Kg
MA-40L	840x480x1000mm	960x570x1130mm	110/220/230/380V/50-60Hz	3KW	20kg	40L	112/198r/min	12/20r/min	155Kg
MA-50L	840x480x1000mm	960x570x1130mm	110/220/230/380V/50-60Hz	3KW	25kg	54L	112/198r/min	12/20r/min	170Kg
MA-60L	840x480x1000mm	960x570x1130mm	110/220/230/380V/50-60Hz	3KW	32kg	64L	112/198r/min	12/20r/min	180Kg
MA-80L	1000x560x1380mm	1080x850x1570mm	220/230/380V/50-60Hz	2.95KW	36kg	80L	100/200r/min	12r/min	300Kg



MA-31
面包切片机 **Bread Slicer**
Dimensions(mm):760x560x700
Volts: 220-240V/50-60Hz
Power: 0.37KW
Thickness: 12mm,15mm
NW(KG):58

MA-31A
面包切片机 **Bread Slicer(SS)**
Dimensions(mm):760x560x700
Volts: 220-240V/50-60Hz
Power: 0.37KW
Thickness: 12mm,15mm
NW(KG):58



MA-FC-01
蔬果切片机（塑料款）
Vegetable/Fruit Cutter(ABS)
Dimensions(mm):420x270x380
Slice Size(mm):0.5-0.6
NW(KG):2.5

MA-FC-02
蔬果切片机（不锈钢款）
Vegetable/Fruit Cutter(SS)
Dimensions(mm):420x350x430
Slice Size(mm):0.5-0.6
NW(KG):6.1



Model: SCW-2 / 3 / 4
Cup Dispenser



Model: SWM-430 / SWM-550
Wraping Machine



Model: SSP-01
Tomato Potato Cutter

分杯机 Cup Dispenser

Model:	Dimensions(mm):
SCW-2	200x700x350
SCW-3	200x700x500
SCW-4	200x700x650

Model:	SWM-430	SWM-550
Dimension:	430x660x155mm	550x660x155mm
Volts:	220V/50Hz	220V/50Hz
Power:	0.75KW	0.21KW
N/W:	5Kg	7Kg

Model:	SSP-01
Dimension:	300x112x260
Volts:	450x150x180
N/W:	2.5Kg

Low cost and high profile,can be used forever,hand-shaking only by 1 people,easy to operate&clean
Raw:Stainless Steel(offer one blade extra)



Model: SC-03
Vegetable & Fruit Cutter



Model: SC-01
Chopper



Model: SC-02
Chipper



MA-100 / 130 / 150(Aluminum)
Hamburger Patty Press

Model:	HC-03
Dimension:	380x195x240

Model:	HC-01	HC-02
Dimension:	330x140x541	430x220x330
Remark:	7x7 Holes	
Power:	4.5Kg	5Kg

Model:	Dimensions(mm):	Patty Size(mm):
MA-100	290x210x275	100
MA-130	290x210x275	130
MA-150	290x210x275	150



MA-205
Commercial Juicers



MA-206
Commercial Juicers

Model:	Dimensions(mm):	Power	Voltage
MA-205	340x230x365	180W	220V/50Hz
MA-206	300x190x340	180W	220V/50Hz



MA-MS1

单头奶昔机

Milk Shaker (1-Head)

Dimensions(mm):230x250x570

Volts(V):220-240/50-60Hz

Power(KW):0.3



MA-MS2

双头奶昔机

Milk Shaker (2-Head)

Dimensions(mm):340x270x510

Volts(V):220-240/50-60Hz

Power(KW):0.6



MA-MS11

单头奶昔机

Milk Shaker (1-Head)

Dimensions(mm):190x160x530

Volts(V):220-240/50-60Hz

Power(KW):1.5



MA-MS22

双头奶昔机

Milk Shaker (2-Head)

Dimensions(mm):230x230x530

Volts(V):220-240/50-60Hz

Power(KW):1.5+1.5



MAS-1200/MAS-1500/MAS-1800

寿司柜

Sushi Display Cooler (1-Layer)



MAS-1200-2
MAS-1500-2
MAS-1800-2

寿司柜

Sushi Display Cooler (2-Layer)

寿司柜 **Sushi Display Cooler**

Model:	Dimensions(mm):	Voltage:	Power:	Temperature:
MAS-1200	1200x350x340	220-240V/50-60Hz	0.2KW	4~10℃
MAS-1500	1500x350x340	220-240V/50-60Hz	0.32KW	4~10℃
MAS-1800	1800x350x340	220-240V/50-60Hz	0.34KW	4~10℃
MAS-1200-2	1200x350x500	220-240V/50-60Hz	0.35KW	4~10℃
MAS-1500-2	1500x350x500	220-240V/50-60Hz	0.39KW	4~10℃





MACB-767
Commercial Blender



MACB-896
Commercial Blender



MACB-999
Commercial Blender



MACB-333
Commercial Blender



MACB-888
Commercial Blender

沙冰机

Commercial Blender

Model	Dimensions	Volts	Power	Rotation Speed	Weight	Capacity	Juicing Capacity
MACB-767	170x235x530mm	220-240V	1.6KW	23000-26000R/M	4Kg	2L	80cup/h
MACB-896	270x220x560mm	220V/50Hz	2.2KW	23000-26000R/M	-	2.5L	-
MACB-999	195x215x490mm	220-240V	1.8KW	26000-28000R/M	5.4Kg	2.7L	90cup/h
MACB-333	270x235x530mm	220-240V	1.8KW	26000-28000R/M	4.6Kg	2L	96cup/h
MACB-888	220x265x610mm	220V/50Hz	2.8KW	23000-26000R/M	-	3.9L	-



MACB-888S
Commercial Blender



MACB-878
Commercial Blender



MACB-1000
Commercial Blender



MACB-999z
Commercial Blender

沙冰机

Commercial Blender

Model	Dimensions	Volts	Power	Rotation Speed	Weight	Capacity	Juicing Capacity
MACB-888S	220x265x610mm	220V/50Hz	1.6KW	23000-26000R/M	-	3.9L	-
MACB-878	220x260x660mm	220V/50Hz	2.8KW	23000-26000R/M	-	6L	-
MACB-1000	220x220x490mm	220V/50Hz	1.8KW	28000R/M	-	1L	-
MACB-999z	200x220x500mm	220V/50Hz	1.8KW	12000-28000R/M	7.3Kg	2.7L	90cup/h

Ice Crusher





MA-B08
Slush Machine



MA-B108P
Slush Machine



MA-B108
Slush Machine



MA-6S
Ice Crusher(Aluminum)



MA-6P
Iec Crusher(Plastic)

碎冰机
Slush Machine

Model	Capacity	Power	Speed	Gross Weight	Packing Size
MA-B08	120Kg/H	180W	1400R/M	7Kg	430x230x290mm
MA-B108P	120Kg/H	180W	1400R/M	8Kg	400x300x380mm
MA-B108	120Kg/H	180W	1400R/M	8Kg	400x300x380mm
MA-6S	65Kg/H	150W	1450R/M	5.5Kg	425x200x305mm
MA-6P	65Kg/H	300W	1450R/M	5.5Kg	425x200x305mm



MA-B118
Slush Machine



MA-B118L
Slush Machine



MA-B128
Slush Machine



MA-B128L
Slush Machine

碎冰机
Slush Machine

Model	Capacity	Power	Speed	Gross Weight	Packing Size
MA-B118	200Kg/H	180W	1400R/M	9Kg	440x300x440mm
MA-B118L	200Kg/H	180W	1400R/M	8.5Kg	440x300x440mm
MA-B128	200Kg/H	200W	1400R/M	17Kg	480x420x580mm
MA-B128L	200Kg/H	200W	1400R/M	16Kg	400x490x620mm

Juice Dispenser/Slush Machine



MA-121/MA-181



MA-122/MA-182



MA-123/MA-183

冷饮机
Juice Dispenser

Model	Dimensions	Volts	Power	Capacity	N/W
MA-121	480x360x750mm	220V-240V/50Hz	0.18KW	12Lx1	24Kg
MA-181	480x360x750mm	220V-240V/50Hz	0.18KW	18Lx1	27Kg
MA-122	470x450x700mm	220V-240V/50Hz	0.28KW	12Lx2	28Kg
MA-182	510x470x750mm	220V-240V/50Hz	0.28KW	18Lx2	40Kg
MA-123	640x450x700mm	220V-240V/50Hz	0.32KW	12Lx3	36Kg
MA-183	750x470x750mm	220V-240V/50Hz	0.32KW	18Lx3	54Kg



MA-101



MA-102/MA-122



MA-103/MA-123

雪融机
Slush Machine

Model	Dimensions	Volts	Power	Capacity	Weight
MA-101	350x620x840mm	220V-240V/50Hz	0.3KW	10Lx1	40Kg
MA-102	470x620x840mm	220V-240V/50Hz	0.4KW	10Lx2	55Kg
MA-122	470x550x870mm	220V-240V/50Hz	0.5KW	12Lx2	68Kg
MA-103	620x670x840mm	220V-240V/50Hz	0.5KW	10Lx3	74Kg
MA-123	680x550x870mm	220V-240V/50Hz	0.6KW	12Lx3	78Kg



MA-151



MA-152



MA-153

雪融机
Slush Machine

Model	Dimensions	Volts	Power	Capacity	Weight
MA-151	350x620x840mm	220V-240V/50Hz	0.3KW	15Lx1	40Kg
MA-152	470x620x840mm	220V-240V/50Hz	0.4KW	15Lx2	55Kg
MA-153	620x670x840mm	220V-240V/50Hz	0.5KW	15Lx3	74Kg

Sink Table / Worktable Series



单盆洗涤台
Economical Single Sink Bench

Model:	SPEC(mm):	Bowl Size(mm):
MA0101	610x620x800+150	450x450x280
MA0102	680x670x800+150	500x500x280



两盆洗涤台
Economical Double Sink Bench

Model:	SPEC(mm):	Bowl Size(mm):
MA0103	1100x620x800+150	450x450x280
MA0104	1200x670x800+150	500x500x280



三盆洗涤台
Economical Triple Sink Bench

Model:	SPEC(mm):	Bowl Size(mm):
MA0105	1600x620x800+150	450x450x280
MA0106	1750x670x800+150	500x500x280



单盆洗涤台
Single Sink Bench

Model:	SPEC(mm):	Bowl Size(mm):
MA0119	630x670x800+150	450x450x280
MA0120	680x720x800+150	500x500x280



两盆洗涤台
Binary Wash Dish Even Things

Model:	SPEC(mm):	Bowl Size(mm):
MA0121	1100x650x950	-
MA0122	1200x750x950	-
MA0123	1500x750x950	-



三盆洗涤台
Triple Sink Bench

Model:	SPEC(mm):	Bowl Size(mm):
MA0124	1930x670x800+150	450x450x280
MA0125	2080x720x800+150	500x500x280



拆装式双层工作台
Assembly Round legs worktable

Model:	SPEC(mm)
MA1060	1000x600x800
MA1260	1200x600x800
MA1560	1500x600x800
MA1860	1800x600x800
MA1070	1000x700x800
MA1270	1200x700x800
MA1570	1500x700x800
MA1870	1800x700x800
MA1580	1500x800x800
MA1880	1800x800x800



拆装式靠背双层工作台
Assembly back-splash worktable

Model:	SPEC(mm)
MA1060	1000x600x800+90
MA1260	1200x600x800+90
MA1560	1500x600x800+90
MA1860	1800x600x800+90
MA1070	1000x700x800+90
MA1270	1200x700x800+90
MA1570	1500x700x800+90
MA1870	1800x700x800+90
MA1580	1500x800x800+90
MA1880	1800x800x800+90



拆装式双层工作台带下层冲孔板
Assembly double layers perforated worktable

Model:	SPEC(mm)
MA1060	1000x600x800
MA1260	1200x600x800
MA1560	1500x600x800
MA1860	1800x600x800
MA1070	1000x700x800
MA1270	1200x700x800
MA1570	1500x700x800
MA1870	1800x700x800
MA1580	1500x800x800
MA1880	1800x800x800

Dining Cart/Tray Trolley Series



拆装式双层餐车
Stainless Steel Two-layers Dining Cart (Square Tube)

Model	SPEC(mm)
X1004	950x500x950
X1005	850x450x900
X1006	750x400x835



拆装式三层餐车
Stainless Steel Three-layers Dining Cart (Square Tube)

Model	SPEC(mm)
X1001	950x500x950
X1002	850x450x900
X1003	750x400x835



拆装式四层餐车
Stainless Steel Four-layers Dining Cart (Square Tube)

Model	SPEC(mm)
X1007	950x500x1220



TR-6A/10A/6D
Stainless Steel Single-Line Tray Trolley



TR-6DT
Stainless Steel Single-Line Tray Trolley With Table



TR2-6A
Stainless Steel Double-Line Tray Trolley



TR2-15A / TR2-16A
Stainless Steel Double-Line Tray Trolley



TR-15D/16D/15A/16A
Stainless Steel Single-Line Tray Trolley

拆装式饼架车
Tray Trolley Series

Model:	Dimensions(mm):	Packing Size(mm):
TR-6A	380x550x1000	980x600x80
TR-10A	380x550x1300	1280x600x80
TR-6D	590x670x1000	980x710x80
TR-6DT	595x665x1150	910x730x90
TR2-6A	740x550x1000	900x600x120
TR-15D	590x670x1735	1650x710x80
TR-16D	590x670x1735	1650x710x80
TR-15A	380x550x1735	1650x590x80
TR-16A	380x550x1735	1650x590x80
TR2-15A	740x550x1735	1650x600x120
TR2-16A	740x550x1735	1650x600x120