

2348. Number of Zero-Filled Subarrays

Medium  Topics  Companies  Hint

Given an integer array `nums`, return *the number of **subarrays** filled with 0*.

A **subarray** is a contiguous non-empty sequence of elements within an array.

Example 1:

Input: `nums = [1,3,0,0,2,0,0,4]`
Output: 6
Explanation:
There are 4 occurrences of `[0]` as a subarray.
There are 2 occurrences of `[0,0]` as a subarray.
There is no occurrence of a subarray with a size more than 2 filled with 0. Therefore, we return 6.

Example 2:

Input: `nums = [0,0,0,2,0,0]`
Output: 9
Explanation:
There are 5 occurrences of `[0]` as a subarray.
There are 3 occurrences of `[0,0]` as a subarray.
There is 1 occurrence of `[0,0,0]` as a subarray.
There is no occurrence of a subarray with a size more than 3 filled with 0. Therefore, we return 9.

Example 3:

Input: `nums = [2,10,2019]`
Output: 0
Explanation: There is no subarray filled with 0. Therefore, we return 0.

Constraints:

- `1 <= nums.length <= 105`
- `-109 <= nums[i] <= 109`

Seen this question in a real interview before? 1/4

☒ Yes ☐ No

Accepted 119.6K Submissions 179.3K Acceptance Rate 66.7%

 Topics

 Companies

 Hint 1

 Hint 2

 Similar Questions

 Discussion (47)