

```
marcoraddatz-homebridge
date,stream,content
2017-04-14 19:02:28,stdout,    at Module.runMain (module.js:590:10)
2017-04-14 19:02:28,stdout,    at Function.Module._load (module.js:
424:3)
2017-04-14 19:02:28,stdout,    at tryModuleLoad (module.js:432:12)
2017-04-14 19:02:28,stdout,    at Module.load (module.js:473:32)
2017-04-14 19:02:28,stdout,    at Object.Module._extensions..js
(module.js:565:10)
2017-04-14 19:02:28,stdout,    at Module._compile (module.js:556:32)
2017-04-14 19:02:28,stdout,    at Object.<anonymous> (/usr/lib/
node_modules/homebridge/bin/homebridge:17:22)
2017-04-14 19:02:28,stdout,    at module.exports (/usr/lib/
node_modules/homebridge/lib/cli.js:26:16)
2017-04-14 19:02:28,stdout,    at new Server (/usr/lib/node_modules/
homebridge/lib/server.js:52:38)
2017-04-14 19:02:28,stdout,    at Server._loadConfig (/usr/lib/
node_modules/homebridge/lib/server.js:202:31)
2017-04-14 19:02:28,stdout,TypeError: Cannot read property 'username'
of undefined
2017-04-14 19:02:28,stdout,
2017-04-14 19:02:28,stdout,    ^
2017-04-14 19:02:28,stdout,    var username = config.bridge.username;
2017-04-14 19:02:28,stdout,/usr/lib/node_modules/homebridge/lib/
server.js:202
2017-04-14 19:02:28,stdout,"[37m[4/14/2017, 7:02:28 PM][39m ---
"
2017-04-14 19:02:28,stdout,"[37m[4/14/2017, 7:02:28 PM][39m
Registering platform 'homebridge-smarthings.SmartThings'
"
2017-04-14 19:02:28,stdout,"[37m[4/14/2017, 7:02:27 PM][39m Loaded
plugin: homebridge-smarthings
"
2017-04-14 19:02:21,stdout,*** WARNING *** For more information see
<http://0pointer.de/avahi-compat?
```



```
loadCurrentTree[K
[[90m.....[0m] - normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] - normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] - normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] - normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] - normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] - normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[7m [27m[90m.....[0m] \ cloneCurrentTree: [7msill[0m
[35mcloneCurrentTree[0m Finishing[K
[[7m [27m[90m.....[0m] \ loadRequestedDeps: [7msill[0m
[35minstall[0m loadAllDepsIntoIdealTree[K
[[7m [27m[90m.....[0m] \ loadRequestedDeps: [7msill[0m
[35minstall[0m loadAllDepsIntoIdealTree[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
```


[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/uuid/3.0.1/packa[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/uuid/3.0.1/packa[K
[[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/uuid/3.0.1/packa[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/humanize-ms/1.2.[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/form-data/1.0.0-[K
[[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/form-data/1.0.0-[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/form-data/1.0.0-[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/mime-types/2.1.1[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m

[35mafterAdd[0m /root/.npm/delayed-stream/1[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/delayed-stream/1[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/util-deprecat/1[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/socks-proxy-agen[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/socks-proxy-agen[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m

[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec isarray@0.0.1[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec isarray@0.0.1[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec isarray@0.0.1[K
[[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec isarray@0.0.1[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m

[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/wordwrap/1.0.0/p[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/q/1.5.0/package/[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m

[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/minimatch/3.0.3/[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/minimatch/3.0.3/[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec ast-types@0.9.6[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec ast-types@0.9.6[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/yargs/3.27.0/pac[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m

```
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/repeat-string/1.[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/repeat-string/1.[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/repeat-string/1.[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/repeat-string/1.[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/repeat-string/1.[K
[[7m      [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/is-buffer/1.1.5/[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/lcid/1.0.0/packa[K
[[7m      [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec source-map@~0.5.0[K
[[7m      [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec source-map@~0.5.0[K
[[7m      [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec source-map@~0.5.0[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/ast-types/0.8.12[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/ip/1.1.5/package[K
[[7m      [27m[90m.....[0m] \ diffTrees: [7msill[0m
[35minstall[0m generateActionsToTake[K
[[7m      [27m[90m.....[0m] | fetch: [7msill[0m
[35mdoParallel[0m fetch 1[K
[[7m      [27m[90m.....[0m] \ extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[[7m      [27m[90m.....[0m] \ extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[[7m      [27m[90m.....[0m] | extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[[7m      [27m[90m.....[0m] \ extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[[7m      [27m[90m...[0m] / preinstall:homebridge-
```

```
smarththings: [7msill[0m [35mdoParallel[0m prein[K
[[7m          [27m[90m...[0m] / finalize:homebridge-smarththings:
[7msill[0m [35mdoSerial[0m finalize[K
[[7m          [27m[90m...[0m] / finalize:homebridge-smarththings:
[7msill[0m [35mdoSerial[0m finalize[K
[[7m          [27m[90m...[0m] | postinstall:homebridge-
smarththings: [7msill[0m [35mdoSerial[0m postin[K
```

```
[K[?25h/usr/lib
```

```
2017-04-14 19:02:01,stdout,Installing plugins from /root/.homebridge/
install.sh.
```

```
2017-04-14 19:02:01,stdout,/root/.homebridge/package.json not found.
```

```
2017-04-14 19:02:01,stdout,Default env variables will be used.
```

```
2017-04-14 19:02:01,stdout,/root/.homebridge/.env not found.
```

```
2017-04-14 19:02:01,stdout,root
```

```
2017-04-14 19:02:01,stdout,Logged in as:
```

```
2017-04-14 18:26:46,stdout,      at Module.runMain (module.js:590:10)
```

```
2017-04-14 18:26:46,stdout,      at Function.Module._load (module.js:
424:3)
```

```
2017-04-14 18:26:46,stdout,      at tryModuleLoad (module.js:432:12)
```

```
2017-04-14 18:26:46,stdout,      at Module.load (module.js:473:32)
```

```
2017-04-14 18:26:46,stdout,      at Object.Module._extensions..js
(module.js:565:10)
```

```
2017-04-14 18:26:46,stdout,      at Module._compile (module.js:556:32)
```

```
2017-04-14 18:26:46,stdout,      at Object.<anonymous> (/usr/lib/
node_modules/homebridge/bin/homebridge:17:22)
```

```
2017-04-14 18:26:46,stdout,      at module.exports (/usr/lib/
node_modules/homebridge/lib/cli.js:26:16)
```

```
2017-04-14 18:26:46,stdout,      at new Server (/usr/lib/node_modules/
homebridge/lib/server.js:52:38)
```

```
2017-04-14 18:26:46,stdout,      at Server._loadConfig (/usr/lib/
node_modules/homebridge/lib/server.js:202:31)
```

```
2017-04-14 18:26:46,stdout,TypeError: Cannot read property 'username'
```

of undefined

2017-04-14 18:26:46,stdout,

2017-04-14 18:26:46,stdout, ^

2017-04-14 18:26:46,stdout, var username = config.bridge.username;

2017-04-14 18:26:46,stdout,/usr/lib/node_modules/homebridge/lib/
server.js:202

2017-04-14 18:26:46,stdout,"[37m[4/14/2017, 6:26:46 PM][39m ---
"

2017-04-14 18:26:46,stdout,"[37m[4/14/2017, 6:26:46 PM][39m
Registering platform 'homebridge-smarthings.SmartThings'
"

2017-04-14 18:26:46,stdout,"[37m[4/14/2017, 6:26:46 PM][39m Loaded
plugin: homebridge-smarthings
"

2017-04-14 18:26:43,stdout,*** WARNING *** For more information see
<[http://0pointer.de/avahi-compat?
s=libdns_sd&e=nodejs&f=DNSServiceRegister](http://0pointer.de/avahi-compat?s=libdns_sd&e=nodejs&f=DNSServiceRegister)>

2017-04-14 18:26:43,stdout,*** WARNING *** Please fix your application
to use the native API of Avahi!

2017-04-14 18:26:43,stdout,*** WARNING *** The program 'nodejs' called
'DNSServiceRegister()' which is not supported (or only supported
partially) in the Apple Bonjour compatibility layer of Avahi.

2017-04-14 18:26:43,stdout,*** WARNING *** For more information see
<http://0pointer.de/avahi-compat?s=libdns_sd&e=nodejs>

2017-04-14 18:26:43,stdout,*** WARNING *** Please fix your application
to use the native API of Avahi!

2017-04-14 18:26:43,stdout,*** WARNING *** The program 'nodejs' uses
the Apple Bonjour compatibility layer of Avahi.

2017-04-14 18:26:43,stdout,

2017-04-14 18:26:43,stdout,`-- [40m[33mhomebridge-
smarthings@0.5.1[39m[49m

2017-04-14 18:26:43,stdout,[?25l[[90m.....[0m] -
normalizeTree: [7msill[0m [35minstall[0m loadCurrentTree[K
[[90m.....[0m] | normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] \ normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K

[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[7m [27m[90m.....[0m] - cloneCurrentTree: [7msill[0m
[35mcloneCurrentTree[0m Finishing[K
[[7m [27m[90m.....[0m] / loadRequestedDeps: [7msill[0m
[35minstall[0m loadAllDepsIntoIdealTree[K
[[7m [27m[90m.....[0m] - loadRequestedDeps: [7msill[0m
[35minstall[0m loadAllDepsIntoIdealTree[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K

[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/superagent-proxy[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/humanize-ms/1.2.[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K

[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/qs/6.4.0/package[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/async/1.5.2/pack[K
[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/delayed-stream/1[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/isarray/1.0.0/pa[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/pac-proxy-agent/[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec isarray@0.0.1[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K

[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/mkdirp/0.5.1/pac[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/path-is-absolute[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/wrappy/1.0.2/pac[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec ast-types@0.9.6[K
[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec ast-types@0.9.6[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/ast-traverse/0.1[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K

```
[[7m      [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/repeat-string/1.[K
[[7m      [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/lcid/1.0.0/packa[K
[[7m      [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec source-map@~0.5.0[K
[[7m      [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec source-map@~0.5.0[K
[[7m      [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec source-map@~0.5.0[K
[[7m      [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/ast-types/0.8.12[K
[[7m      [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/smart-buffer/1.1[K
[[7m          [27m[90m.....[0m] / diffTrees: [7msill[0m
[35minstall[0m generateActionsToTake[K
[[7m          [27m[90m.....[0m] \ fetch: [7msill[0m
[35mdoParallel[0m fetch 1[K
[[7m          [27m[90m.....[0m] / extract:homebridge-smarthings:
[7msill[0m [35mdoParallel[0m extract[K
[[7m          [27m[90m.....[0m] / extract:homebridge-smarthings:
[7msill[0m [35mdoParallel[0m extract[K
[[7m          [27m[90m...[0m] / install:homebridge-smarthings:
[7msill[0m [35mdoSerial[0m install 1[K
```

[K[?25h/usr/lib

2017-04-14 18:26:32,stdout,Installing plugins from /root/.homebridge/
install.sh.

2017-04-14 18:26:32,stdout,/root/.homebridge/package.json not found.

2017-04-14 18:26:32,stdout,Default env variables will be used.

2017-04-14 18:26:32,stdout,/root/.homebridge/.env not found.

2017-04-14 18:26:32,stdout,root

2017-04-14 18:26:32,stdout,Logged in as:

2017-04-14 18:24:53,stdout, at Module.runMain (module.js:590:10)

2017-04-14 18:24:53,stdout, at Function.Module._load (module.js:
424:3)

2017-04-14 18:24:53,stdout, at tryModuleLoad (module.js:432:12)

```
2017-04-14 18:24:53,stdout,    at Module.load (module.js:473:32)
2017-04-14 18:24:53,stdout,    at Object.Module._extensions..js
(module.js:565:10)
2017-04-14 18:24:53,stdout,    at Module._compile (module.js:556:32)
2017-04-14 18:24:53,stdout,    at Object.<anonymous> (/usr/lib/
node_modules/homebridge/bin/homebridge:17:22)
2017-04-14 18:24:53,stdout,    at module.exports (/usr/lib/
node_modules/homebridge/lib/cli.js:26:16)
2017-04-14 18:24:53,stdout,    at new Server (/usr/lib/node_modules/
homebridge/lib/server.js:52:38)
2017-04-14 18:24:53,stdout,    at Server._loadConfig (/usr/lib/
node_modules/homebridge/lib/server.js:202:31)
2017-04-14 18:24:53,stdout,TypeError: Cannot read property 'username'
of undefined
2017-04-14 18:24:53,stdout,
2017-04-14 18:24:53,stdout,    ^
2017-04-14 18:24:53,stdout,    var username = config.bridge.username;
2017-04-14 18:24:53,stdout,/usr/lib/node_modules/homebridge/lib/
server.js:202
2017-04-14 18:24:53,stdout,"[37m[4/14/2017, 6:24:53 PM][39m ---
"
2017-04-14 18:24:53,stdout,"[37m[4/14/2017, 6:24:53 PM][39m
Registering platform 'homebridge-smarthings.SmartThings'
"
2017-04-14 18:24:53,stdout,"[37m[4/14/2017, 6:24:53 PM][39m Loaded
plugin: homebridge-smarthings
"
2017-04-14 18:24:50,stdout,*** WARNING *** For more information see
<http://0pointer.de/avahi-compat?
s=libdns\_sd&e=nodejs&f=DNSServiceRegister>
2017-04-14 18:24:50,stdout,*** WARNING *** Please fix your application
to use the native API of Avahi!
2017-04-14 18:24:50,stdout,*** WARNING *** The program 'nodejs' called
'DNSServiceRegister()' which is not supported (or only supported
partially) in the Apple Bonjour compatibility layer of Avahi.
```


[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/uuid/3.0.1/packa[K
[[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/humanize-ms/1.2.[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/cookiejar/2.1.1/[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/delayed-stream/1[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/core-util-is/1.0[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m


```
[35mcache add[0m spec ast-types@0.9.6[K
[[7m      [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/breakable/1.0.0/[K
[[7m      [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/repeat-string/1.[K
[[7m      [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/is-buffer/1.1.5/[K
[[7m      [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec source-map@~0.5.0[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec source-map@~0.5.0[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/ast-types/0.8.12[K
[[7m      [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/smart-buffer/1.1[K
[[7m      [27m[90m.....[0m] - diffTrees: [7msill[0m
[35minstall[0m generateActionsToTake[K
[[7m      [27m[90m.....[0m] \ fetch: [7msill[0m
[35mdoParallel[0m fetch 1[K
[[7m      [27m[90m.....[0m] - extract:homebridge-smarthings:
[7msill[0m [35mdoParallel[0m extract[K
[[7m      [27m[90m.....[0m] - extract:homebridge-smarthings:
```

```
[7msill[0m [35mdoParallel[0m extract[K  
[[7m          [27m[90m...[0m] | finalize:homebridge-smarththings:  
[7msill[0m [35mdoSerial[0m finalize[K
```

```
[K[?25h/usr/lib
```

```
2017-04-14 18:24:38,stdout,Installing plugins from /root/.homebridge/  
install.sh.
```

```
2017-04-14 18:24:38,stdout,/root/.homebridge/package.json not found.
```

```
2017-04-14 18:24:38,stdout,Default env variables will be used.
```

```
2017-04-14 18:24:38,stdout,/root/.homebridge/.env not found.
```

```
2017-04-14 18:24:38,stdout,root
```

```
2017-04-14 18:24:38,stdout,Logged in as:
```

```
2017-04-14 18:14:40,stdout,      at Module.runMain (module.js:590:10)
```

```
2017-04-14 18:14:40,stdout,      at Function.Module._load (module.js:  
424:3)
```

```
2017-04-14 18:14:40,stdout,      at tryModuleLoad (module.js:432:12)
```

```
2017-04-14 18:14:40,stdout,      at Module.load (module.js:473:32)
```

```
2017-04-14 18:14:40,stdout,      at Object.Module._extensions..js  
(module.js:565:10)
```

```
2017-04-14 18:14:40,stdout,      at Module._compile (module.js:556:32)
```

```
2017-04-14 18:14:40,stdout,      at Object.<anonymous> (/usr/lib/  
node_modules/homebridge/bin/homebridge:17:22)
```

```
2017-04-14 18:14:40,stdout,      at module.exports (/usr/lib/  
node_modules/homebridge/lib/cli.js:26:16)
```

```
2017-04-14 18:14:40,stdout,      at new Server (/usr/lib/node_modules/  
homebridge/lib/server.js:52:38)
```

```
2017-04-14 18:14:40,stdout,      at Server._loadConfig (/usr/lib/  
node_modules/homebridge/lib/server.js:202:31)
```

```
2017-04-14 18:14:40,stdout,TypeError: Cannot read property 'username'  
of undefined
```

```
2017-04-14 18:14:40,stdout,
```

```
2017-04-14 18:14:40,stdout, ^
2017-04-14 18:14:40,stdout, var username = config.bridge.username;
2017-04-14 18:14:40,stdout,/usr/lib/node_modules/homebridge/lib/
server.js:202
2017-04-14 18:14:40,stdout,"[37m[4/14/2017, 6:14:40 PM][39m ---
"
2017-04-14 18:14:40,stdout,"[37m[4/14/2017, 6:14:40 PM][39m
Registering platform 'homebridge-smarthings.SmartThings'
"
2017-04-14 18:14:40,stdout,"[37m[4/14/2017, 6:14:40 PM][39m Loaded
plugin: homebridge-smarthings
"
2017-04-14 18:14:37,stdout,*** WARNING *** For more information see
<http://0pointer.de/avahi-compat?
s=libdns\_sd&e=nodejs&f=DNSServiceRegister>
2017-04-14 18:14:37,stdout,*** WARNING *** Please fix your application
to use the native API of Avahi!
2017-04-14 18:14:37,stdout,*** WARNING *** The program 'nodejs' called
'DNSServiceRegister()' which is not supported (or only supported
partially) in the Apple Bonjour compatibility layer of Avahi.
2017-04-14 18:14:37,stdout,*** WARNING *** For more information see
<http://0pointer.de/avahi-compat?s=libdns\_sd&e=nodejs>
2017-04-14 18:14:37,stdout,*** WARNING *** Please fix your application
to use the native API of Avahi!
2017-04-14 18:14:37,stdout,*** WARNING *** The program 'nodejs' uses
the Apple Bonjour compatibility layer of Avahi.
2017-04-14 18:14:37,stdout,
2017-04-14 18:14:37,stdout,`-- [40m[33mhomebridge-
smarthings@0.5.1[39m[49m
2017-04-14 18:14:37,stdout,[?25l[[90m.....[0m] -
normalizeTree: [7msill[0m [35minstall[0m loadCurrentTree[K
[[90m.....[0m] | normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] \ normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] \ normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
```

[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[7m [27m[90m.....[0m] - cloneCurrentTree: [7msill[0m
[35mcloneCurrentTree[0m Finishing[K
[[7m [27m[90m.....[0m] / loadRequestedDeps: [7msill[0m
[35minstall[0m loadAllDepsIntoIdealTree[K
[[7m [27m[90m.....[0m] - loadRequestedDeps: [7msill[0m
[35minstall[0m loadAllDepsIntoIdealTree[K
[[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K

[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/superagent-proxy[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/humanize-ms/1.2.[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K

```
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/readable-stream/[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/mime-types/2.1.1[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/delayed-stream/1[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/core-util-is/1.0[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/socks-proxy-agen[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec isarray@0.0.1[K
[[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
```

[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/type-check/0.3.2[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K

[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/mkdirp/0.5.1/pac[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/minimatch/3.0.3/[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/wrappy/1.0.2/pac[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/balanced-match/0[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec ast-types@0.9.6[K
[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec ast-types@0.9.6[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/stringmap/0.2.2/[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K


```
[[7m      [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/repeat-string/1.[K
[[7m      [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/is-buffer/1.1.5/[K
[[7m      [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec source-map@~0.5.0[K
[[7m      [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec source-map@~0.5.0[K
[[7m      [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/ast-types/0.8.12[K
[[7m      [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[[7m      [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/smart-buffer/1.1[K
[[7m          [27m[90m.....[0m] / diffTrees: [7msill[0m
[35minstall[0m generateActionsToTake[K
[[7m          [27m[90m.....[0m] - fetch: [7msill[0m
[35mdoParallel[0m fetch 1[K
[[7m          [27m[90m.....[0m] / extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[[7m          [27m[90m.....[0m] / extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[[7m          [27m[90m...[0m] \ finalize:homebridge-smarththings:
[7msill[0m [35mdoSerial[0m finalize[K
```

[K[?25h/usr/lib

2017-04-14 18:14:26,stdout,Installing plugins from /root/.homebridge/
install.sh.

2017-04-14 18:14:26,stdout,/root/.homebridge/package.json not found.

2017-04-14 18:14:26,stdout,Default env variables will be used.

2017-04-14 18:14:26,stdout,/root/.homebridge/.env not found.

2017-04-14 18:14:26,stdout,root

2017-04-14 18:14:26,stdout,Logged in as:

2017-04-14 18:06:42,stdout, at Module.runMain (module.js:590:10)

2017-04-14 18:06:42,stdout, at Function.Module._load (module.js:
424:3)

2017-04-14 18:06:42,stdout, at tryModuleLoad (module.js:432:12)

```
2017-04-14 18:06:42,stdout,    at Module.load (module.js:473:32)
2017-04-14 18:06:42,stdout,    at Object.Module._extensions..js
(module.js:565:10)
2017-04-14 18:06:42,stdout,    at Module._compile (module.js:556:32)
2017-04-14 18:06:42,stdout,    at Object.<anonymous> (/usr/lib/
node_modules/homebridge/bin/homebridge:17:22)
2017-04-14 18:06:42,stdout,    at module.exports (/usr/lib/
node_modules/homebridge/lib/cli.js:26:16)
2017-04-14 18:06:42,stdout,    at new Server (/usr/lib/node_modules/
homebridge/lib/server.js:52:38)
2017-04-14 18:06:42,stdout,    at Server._loadConfig (/usr/lib/
node_modules/homebridge/lib/server.js:202:31)
2017-04-14 18:06:42,stdout,TypeError: Cannot read property 'username'
of undefined
2017-04-14 18:06:42,stdout,
2017-04-14 18:06:42,stdout,    ^
2017-04-14 18:06:42,stdout,    var username = config.bridge.username;
2017-04-14 18:06:42,stdout,/usr/lib/node_modules/homebridge/lib/
server.js:202
2017-04-14 18:06:42,stdout,"[37m[4/14/2017, 6:06:42 PM][39m ---
"
2017-04-14 18:06:42,stdout,"[37m[4/14/2017, 6:06:42 PM][39m
Registering platform 'homebridge-smarthings.SmartThings'
"
2017-04-14 18:06:42,stdout,"[37m[4/14/2017, 6:06:41 PM][39m Loaded
plugin: homebridge-smarthings
"
2017-04-14 18:06:39,stdout,*** WARNING *** For more information see
<http://0pointer.de/avahi-compat?
s=libdns\_sd&e=nodejs&f=DNSServiceRegister>
2017-04-14 18:06:39,stdout,*** WARNING *** Please fix your application
to use the native API of Avahi!
2017-04-14 18:06:39,stdout,*** WARNING *** The program 'nodejs' called
'DNSServiceRegister()' which is not supported (or only supported
partially) in the Apple Bonjour compatibility layer of Avahi.
```

2017-04-14 18:06:39,stdout,*** WARNING *** For more information see
<http://0pointer.de/avahi-compat?s=libdns_sd&e=nodejs>

2017-04-14 18:06:39,stdout,*** WARNING *** Please fix your application
to use the native API of Avahi!

2017-04-14 18:06:39,stdout,*** WARNING *** The program 'nodejs' uses
the Apple Bonjour compatibility layer of Avahi.

2017-04-14 18:06:38,stdout,

2017-04-14 18:06:38,stdout, `-- [40m[33muuid@3.0.1[39m[49m

2017-04-14 18:06:38,stdout, | `-- [40m[33msmart-
buffer@1.1.15[39m[49m

2017-04-14 18:06:38,stdout, | +-- [40m[33mip@1.1.5[39m[49m

2017-04-14 18:06:38,stdout, | `-- [40m[33msocks@1.1.10[39m[49m

2017-04-14 18:06:38,stdout, | `-- [40m[33msocks-proxy-
agent@2.0.0[39m[49m

2017-04-14 18:06:38,stdout, | | `-- [40m[33mstream-
to@0.2.2[39m[49m

2017-04-14 18:06:38,stdout, | | `-- [40m[33mstream-to-
buffer@0.1.0[39m[49m

2017-04-14 18:06:38,stdout, | | | `--
[40m[33mthunkify@2.1.2[39m[49m

2017-04-14 18:06:38,stdout, | | | | `--
[40m[33mthrough@2.3.8[39m[49m

2017-04-14 18:06:38,stdout, | | | | +-- [40m[33mregenerator-
runtime@0.9.6[39m[49m

2017-04-14 18:06:38,stdout, | | | | | `-- [40m[33msource-
map@0.5.6[39m[49m

2017-04-14 18:06:38,stdout, | | | | | +-- [40m[33mesprima-
fb@15001.1001.0-dev-harmony-fb[39m[49m

2017-04-14 18:06:38,stdout, | | | | | +-- [40m[33mast-
types@0.8.12[39m[49m

2017-04-14 18:06:38,stdout, | | | | | +--
[40m[33mrecast@0.10.33[39m[49m

```

2017-04-14 18:06:38,stdout, | | | +--
[40m[33mprivate@0.1.7[39m[49m

2017-04-14 18:06:38,stdout, | | | +-- [40m[33mesprima-
fb@15001.1001.0-dev-harmony-fb[39m[49m

2017-04-14 18:06:38,stdout, | | | | `--
[40m[33my18n@3.2.1[39m[49m

2017-04-14 18:06:38,stdout, | | | | +-- [40m[33mwindow-
size@0.1.4[39m[49m

2017-04-14 18:06:38,stdout, | | | | | `-- [40m[33minvert-
kv@1.0.0[39m[49m

2017-04-14 18:06:38,stdout, | | | | | `--
[40m[33mlcid@1.0.0[39m[49m

2017-04-14 18:06:38,stdout, | | | | +-- [40m[33mos-
locale@1.4.0[39m[49m

2017-04-14 18:06:38,stdout, | | | | +--
[40m[33mdecamelize@1.2.0[39m[49m

2017-04-14 18:06:38,stdout, | | | | | `--
[40m[33mwordwrap@0.0.2[39m[49m

2017-04-14 18:06:38,stdout, | | | | | +-- [40m[33mright-
align@0.1.3[39m[49m

2017-04-14 18:06:38,stdout, | | | | | | `-- [40m[33mlazy-
cache@1.0.4[39m[49m

2017-04-14 18:06:38,stdout, | | | | | | | `-- [40m[33mrepeat-
string@1.6.1[39m[49m

2017-04-14 18:06:38,stdout, | | | | | | | +--
[40m[33mlongest@1.0.1[39m[49m

2017-04-14 18:06:38,stdout, | | | | | | | | `-- [40m[33mis-
buffer@1.1.5[39m[49m

2017-04-14 18:06:38,stdout, | | | | | | | +-- [40m[33mkind-
of@3.1.0[39m[49m

2017-04-14 18:06:38,stdout, | | | | | | +-- [40m[33malign-
text@0.1.4[39m[49m

2017-04-14 18:06:38,stdout, | | | | | +-- [40m[33mcenter-

```

align@0.1.3[39m[49m

2017-04-14 18:06:38,stdout, | | | | +--
[40m[33mcliui@2.1.0[39m[49m

2017-04-14 18:06:38,stdout, | | | | +--
[40m[33mcamelcase@1.2.1[39m[49m

2017-04-14 18:06:38,stdout, | | | | `--
[40m[33myargs@3.27.0[39m[49m

2017-04-14 18:06:38,stdout, | | | | +--
[40m[33mtryor@0.1.2[39m[49m

2017-04-14 18:06:38,stdout, | | | | +--
[40m[33mstringset@0.2.1[39m[49m

2017-04-14 18:06:38,stdout, | | | | +--
[40m[33mstringmap@0.2.2[39m[49m

2017-04-14 18:06:38,stdout, | | | | +-- [40m[33msimple-
is@0.2.0[39m[49m

2017-04-14 18:06:38,stdout, | | | | +-- [40m[33msimple-
fmt@0.1.0[39m[49m

2017-04-14 18:06:38,stdout, | | | | +-- [40m[33mesprima-
fb@15001.1001.0-dev-harmony-fb[39m[49m

2017-04-14 18:06:38,stdout, | | | | +--
[40m[33mbreakable@1.0.0[39m[49m

2017-04-14 18:06:38,stdout, | | | | +-- [40m[33mast-
traverse@0.1.1[39m[49m

2017-04-14 18:06:38,stdout, | | | | | `--
[40m[33mstable@0.1.6[39m[49m

2017-04-14 18:06:38,stdout, | | | | +--
[40m[33malter@0.2.0[39m[49m

2017-04-14 18:06:38,stdout, | | | | +--
[40m[33mdefs@1.1.1[39m[49m

2017-04-14 18:06:38,stdout, | | | | `-- [40m[33msource-
map@0.5.6[39m[49m

2017-04-14 18:06:38,stdout, | | | | +-- [40m[33mast-
types@0.9.6[39m[49m

2017-04-14 18:06:38,stdout, [40m[33mrecast@0.11.23[39m[49m					`--	
2017-04-14 18:06:38,stdout, [40m[33mq@1.5.0[39m[49m					+--	
2017-04-14 18:06:38,stdout, [40m[33minimist@0.0.8[39m[49m					`--	
2017-04-14 18:06:38,stdout, [40m[33mmkdirp@0.5.1[39m[49m					+--	
2017-04-14 18:06:38,stdout, lite@0.4.15[39m[49m					+--	[40m[33miconv-
2017-04-14 18:06:38,stdout, fs@4.1.11[39m[49m					+--	[40m[33mgraceful-
2017-04-14 18:06:38,stdout, absolute@1.0.1[39m[49m					`--	[40m[33mpath-is-
2017-04-14 18:06:38,stdout, [40m[33monce@1.4.0[39m[49m					+--	
2017-04-14 18:06:38,stdout, map@0.0.1[39m[49m					`--	[40m[33mconcat-
2017-04-14 18:06:38,stdout, match@0.4.2[39m[49m					+--	[40m[33mbalanced-
2017-04-14 18:06:38,stdout, expansion@1.1.7[39m[49m					`--	[40m[33mbrace-
2017-04-14 18:06:38,stdout, [40m[33minimatch@3.0.3[39m[49m					+--	
2017-04-14 18:06:38,stdout, [40m[33mwrappy@1.0.2[39m[49m					`--	
2017-04-14 18:06:38,stdout, [40m[33minflight@1.0.6[39m[49m					+--	
2017-04-14 18:06:38,stdout, [40m[33mglob@5.0.15[39m[49m					+--	
2017-04-14 18:06:38,stdout, [40m[33mdefined@1.0.0[39m[49m					`--	
2017-04-14 18:06:38,stdout, [40m[33macorn@4.0.11[39m[49m					+--	

2017-04-14 18:06:38,stdout, | | | | +--
[40m[33mdetective@4.5.0[39m[49m

2017-04-14 18:06:38,stdout, | | | | | `-- [40m[33mgraceful-
readlink@1.0.1[39m[49m

2017-04-14 18:06:38,stdout, | | | | +--
[40m[33mcommander@2.9.0[39m[49m

2017-04-14 18:06:38,stdout, | | | +--
[40m[33mcommoner@0.10.8[39m[49m

2017-04-14 18:06:38,stdout, | | +--
[40m[33mregenerator@0.8.46[39m[49m

2017-04-14 18:06:38,stdout, | | +--
[40m[33mnetmask@1.0.6[39m[49m

2017-04-14 18:06:38,stdout, | | | `--
[40m[33mesprima@3.1.3[39m[49m

2017-04-14 18:06:38,stdout, | | | | `--
[40m[33mamdefine@1.0.1[39m[49m

2017-04-14 18:06:38,stdout, | | | | | `-- [40m[33msource-
map@0.2.0[39m[49m

2017-04-14 18:06:38,stdout, | | | | | `--
[40m[33mwordwrap@1.0.0[39m[49m

2017-04-14 18:06:38,stdout, | | | | | +-- [40m[33mtype-
check@0.3.2[39m[49m

2017-04-14 18:06:38,stdout, | | | | | +-- [40m[33mprelude-
ls@1.1.2[39m[49m

2017-04-14 18:06:38,stdout, | | | | | +--
[40m[33mlevn@0.3.0[39m[49m

2017-04-14 18:06:38,stdout, | | | | | +-- [40m[33mfast-
levenshtein@2.0.6[39m[49m

2017-04-14 18:06:38,stdout, | | | | | +-- [40m[33mdeep-
is@0.1.3[39m[49m

2017-04-14 18:06:38,stdout, | | | | +--
[40m[33moptionator@0.8.2[39m[49m

2017-04-14 18:06:38,stdout, | | | | +--
[40m[33mesutils@2.0.2[39m[49m

2017-04-14 18:06:38,stdout, | | | | +--
[40m[33mestraverse@1.9.3[39m[49m

2017-04-14 18:06:38,stdout, | | | | +--
[40m[33mesprima@2.7.3[39m[49m

2017-04-14 18:06:38,stdout, | | | +--
[40m[33mescodegen@1.8.1[39m[49m

2017-04-14 18:06:38,stdout, | | | +-- [40m[33mast-
types@0.9.11[39m[49m

2017-04-14 18:06:38,stdout, | | | +--
[40m[33mdegenerator@1.0.4[39m[49m

2017-04-14 18:06:38,stdout, | | | +-- [40m[33mco@3.0.6[39m[49m

2017-04-14 18:06:38,stdout, | | +-- [40m[33mpac-
resolver@1.2.6[39m[49m

2017-04-14 18:06:38,stdout, | | | `--
[40m[33mxregexp@2.0.0[39m[49m

2017-04-14 18:06:38,stdout, | | | | `--
[40m[33mstring_decoder@0.10.31[39m[49m

2017-04-14 18:06:38,stdout, | | | | +--
[40m[33misarray@0.0.1[39m[49m

2017-04-14 18:06:38,stdout, | | | +-- [40m[33mreadable-
stream@1.1.14[39m[49m

2017-04-14 18:06:38,stdout, | | | `-- [40m[33mftp@0.3.10[39m[49m

2017-04-14 18:06:38,stdout, | | | +-- [40m[33mfile-uri-to-
path@0.0.2[39m[49m

2017-04-14 18:06:38,stdout, | | | +-- [40m[33mdata-uri-to-
buffer@0.0.4[39m[49m

2017-04-14 18:06:38,stdout, | | +-- [40m[33mget-uri@1.1.0[39m[49m

2017-04-14 18:06:38,stdout, | +-- [40m[33mpac-proxy-
agent@1.0.0[39m[49m

2017-04-14 18:06:38,stdout, | +-- [40m[33mlru-cache@2.6.5[39m[49m

2017-04-14 18:06:38,stdout, | +-- [40m[33mhttps-proxy-
agent@1.0.0[39m[49m

2017-04-14 18:06:38,stdout, agent@1.0.0[39m[49m		+++ [40m[33mhttp-proxy-
2017-04-14 18:06:38,stdout,		`-- [40m[33msever@5.0.3[39m[49m
2017-04-14 18:06:38,stdout, base@2.0.1[39m[49m		+++ [40m[33magent-
2017-04-14 18:06:38,stdout,		`-- [40m[33mproxy-agent@2.0.0[39m[49m
2017-04-14 18:06:38,stdout, proxy@1.0.2[39m[49m		+++ [40m[33msuperagent-
2017-04-14 18:06:38,stdout, deprecate@1.0.2[39m[49m		`-- [40m[33mutil-
2017-04-14 18:06:38,stdout, [40m[33mstring_decoder@1.0.0[39m[49m		+++
2017-04-14 18:06:38,stdout, args@1.0.7[39m[49m		+++ [40m[33mprocess-nexttick-
2017-04-14 18:06:38,stdout,		+++ [40m[33misarray@1.0.0[39m[49m
2017-04-14 18:06:38,stdout,		+++ [40m[33minherits@2.0.3[39m[49m
2017-04-14 18:06:38,stdout, is@1.0.2[39m[49m		+++ [40m[33mcore-util-
2017-04-14 18:06:38,stdout, shims@1.0.0[39m[49m		+++ [40m[33mbuffer-
2017-04-14 18:06:38,stdout, stream@2.2.9[39m[49m		`-- [40m[33mreadable-
2017-04-14 18:06:38,stdout,		+++ [40m[33mq@6.4.0[39m[49m
2017-04-14 18:06:38,stdout,		+++ [40m[33mmime@1.3.4[39m[49m
2017-04-14 18:06:38,stdout,		+++ [40m[33mmethods@1.1.2[39m[49m
2017-04-14 18:06:38,stdout,		+++ [40m[33mformidable@1.1.1[39m[49m
2017-04-14 18:06:38,stdout, db@1.27.0[39m[49m		`-- [40m[33mmime-
2017-04-14 18:06:38,stdout, types@2.1.15[39m[49m		`-- [40m[33mmime-

```

2017-04-14 18:06:38,stdout, | | | `-- [40m[33mdelayed-
stream@1.0.0[39m[49m

2017-04-14 18:06:38,stdout, | | +-- [40m[33mcombined-
stream@1.0.5[39m[49m

2017-04-14 18:06:38,stdout, | | +-- [40m[33masync@1.5.2[39m[49m

2017-04-14 18:06:38,stdout, | +-- [40m[33mform-data@1.0.0-
rc4[39m[49m

2017-04-14 18:06:38,stdout, | +-- [40m[33mextend@3.0.0[39m[49m

2017-04-14 18:06:38,stdout, | | `-- [40m[33mms@0.7.2[39m[49m

2017-04-14 18:06:38,stdout, | +-- [40m[33mdebug@2.6.3[39m[49m

2017-04-14 18:06:38,stdout, | +-- [40m[33mcookiejar@2.1.1[39m[49m

2017-04-14 18:06:38,stdout, | +-- [40m[33mcomponent-
emitter@1.2.1[39m[49m

2017-04-14 18:06:38,stdout, +-- [40m[33msuperagent@2.3.0[39m[49m

2017-04-14 18:06:38,stdout, | `-- [40m[33mms@0.7.3[39m[49m

2017-04-14 18:06:38,stdout, | `-- [40m[33mhumanize-ms@1.2.0[39m[49m

2017-04-14 18:06:38,stdout, +--
[40m[33magentkeepalive@3.1.0[39m[49m

2017-04-14 18:06:38,stdout, `-- [40m[33mpubnub@4.8.0[39m[49m

2017-04-14 18:06:38,stdout, `-- [40m[33mhomebridge-
smarththings@0.5.1[39m[49m

2017-04-14 18:06:38,stdout,[?25l[[90m.....[0m] -
normalizeTree: [7msill[0m [35minstall[0m loadCurrentTree[K
[[90m.....[0m] | normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] / normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] - normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] \ normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[90m.....[0m] \ normalizeTree: [7msill[0m [35minstall[0m
loadCurrentTree[K
[[7m [27m[90m.....[0m] | loadRequestedDeps: [7msill[0m
[35minstall[0m loadAllDepsIntoIdealTree[K

```

```
[[7m    [27m[90m.....[0m] - loadRequestedDeps: [7msill[0m
[35minstall[0m loadAllDepsIntoIdealTree[K
[[7m    [27m[90m.....[0m] \ loadRequestedDeps: [7msill[0m
[35minstall[0m loadAllDepsIntoIdealTree[K
[[7m    [27m[90m.....[0m] \ loadRequestedDeps: [7msill[0m
[35minstall[0m loadAllDepsIntoIdealTree[K
[[7m    [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[[7m    [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
```

[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/homebridge-smart[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/superagent/2.3.0[K
[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/superagent/2.3.0[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/humanize-ms/1.2.[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K

[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/form-data/1.0.0-[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/async/1.5.2/pack[K
[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/delayed-stream/1[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/delayed-stream/1[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/isarray/1.0.0/pa[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K

```
[7m      [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/lru-cache/2.6.5/[K
[7m      [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec isarray@0.0.1[K
[7m      [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m      [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
```

[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/fast-levenshtein[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/fast-levenshtein[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/iconv-lite/0.4.1[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K

[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/minimatch/3.0.3/[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/wrappy/1.0.2/pac[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/balanced-match/0[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec ast-types@0.9.6[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec ast-types@0.9.6[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec ast-types@0.9.6[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/yargs/3.27.0/pac[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K

[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] | fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/longest/1.0.1/pa[K
[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/is-buffer/1.1.5/[K
[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/lcid/1.0.0/packa[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec source-map@~0.5.0[K
[7m [27m[90m.....[0m] - fetchMetadata: [34;40mverb[0m
[35mcache add[0m spec source-map@~0.5.0[K
[7m [27m[90m.....[0m] / fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/source-map/0.5.6[K
[7m [27m[90m.....[0m] / fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] - fetchMetadata: [7msill[0m
[35mmapToRegistry[0m uri https://registry.n[K
[7m [27m[90m.....[0m] \ fetchMetadata: [34;40mverb[0m
[35mafterAdd[0m /root/.npm/smart-buffer/1.1[K
[7m [27m[90m.....[0m] / diffTrees: [7msill[0m
[35minstall[0m generateActionsToTake[K
[7m [27m[90m.....[0m] / diffTrees: [7msill[0m
[35minstall[0m generateActionsToTake[K
[7m [27m[90m.....[0m] - fetch: [7msill[0m
[35mdoParallel[0m fetch 133[K
[7m [27m[90m.....[0m] - fetch: [7msill[0m
[35mdoParallel[0m fetch 133[K
[7m [27m[90m.....[0m] / extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m [27m[90m.....[0m] / extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m [27m[90m.....[0m] / extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m [27m[90m.....[0m] | extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m [27m[90m.....[0m] | extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m [27m[90m.....[0m] / extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m [27m[90m.....[0m] / extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m [27m[90m.....[0m] - extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m [27m[90m.....[0m] \ extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K

```
[7m          [27m[90m.....[0m] - extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] / extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] | extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] / extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] \ extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] \ extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] - extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] \ extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] - extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] | extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] \ extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] \ extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] | extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] | extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] | extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] / extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] \ extract:homebridge-smarththings:
[7msill[0m [35mdoParallel[0m extract[K
[7m          [27m[90m.....[0m] \ extract:invert-kv: [34;40mverb[0m
[35mgentlyRm[0m don't care about conten[K
[7m          [27m[90m.....[0m] \ extract:brace-expansion:
[7msill[0m [35mgunzTarPerm[0m extractEntry o[K
[7m          [27m[90m.....[0m] | extract:brace-expansion:
[7msill[0m [35mgunzTarPerm[0m extractEntry o[K
[7m          [27m[90m.....[0m] | extract:brace-expansion:
[7msill[0m [35mgunzTarPerm[0m extractEntry o[K
[7m          [27m[90m.....[0m] / extract:stream-to-buffer:
[34;40mverb[0m [35mgentlyRm[0m don't care about[K
[7m          [27m[90m.....[0m] \ extract:minimatch: [34;40mverb[0m
[35mgentlyRm[0m don't care about conten[K
[7m          [27m[90m.....[0m] \ extract:minimatch: [34;40mverb[0m
[35mgentlyRm[0m don't care about conten[K
[7m          [27m[90m.....[0m] - extract:minimatch: [34;40mverb[0m
[35mgentlyRm[0m don't care about conten[K
[7m          [27m[90m.....[0m] | extract:stringmap: [34;40mverb[0m
[35mgentlyRm[0m don't care about conten[K
```

[7m [27m[90m.....[0m] | extract>window-size:
[34;40mverb[0m [35mgentlyRm[0m don't care about cont[K
[[7m [27m[90m.....[0m] / extract:file-uri-to-path:
[7msill[0m [35mgunzTarPerm[0m extractEntry[K
[[7m [27m[90m.....[0m] | extract:stream-to: [7msill[0m
[35mgunzTarPerm[0m extractEntry test/.e[K
[[7m [27m[90m....[0m] | extract:is-buffer: [34;40mverb[0m
[35mgentlyRm[0m don't care about conten[K
[[7m [27m[90m....[0m] / extract:glob: [7msill[0m
[35mgunzTarPerm[0m extractEntry src/expressi[K
[[7m [27m[90m....[0m] / extract:thunkify: [7msill[0m
[35mgunzTarPerm[0m extractEntry lib/shar[K
[[7m [27m[90m....[0m] | extract:graceful-fs:
[34;40mverb[0m [35mgentlyRm[0m don't care about cont[K
[[7m [27m[90m....[0m] / extract:q: [7msill[0m
[35mgunzTarPerm[0m extractEntry src/tokencontex[K
[[7m [27m[90m....[0m] \ extract:optionator: [7msill[0m
[35mgunzTarPerm[0m extractEntry test/i[K
[[7m [27m[90m....[0m] - extract:ip: [7msill[0m
[35mgunzTarPerm[0m extractEntry Changelog.md[K
[[7m [27m[90m....[0m] / extract:levn: [7msill[0m
[35mgunzTarPerm[0m extractEntry test/complic[K
[[7m [27m[90m....[0m] / extract:escodegen: [7msill[0m
[35mgunzTarPerm[0m extractEntry def/jsx[K
[[7m [27m[90m....[0m] - extract:netmask: [7msill[0m
[35mgunzTarPerm[0m extractEntry karma/cov[K
[[7m [27m[90m....[0m] \ extract:wordwrap: [7msill[0m
[35mgunzTarPerm[0m extractEntry karma/co[K
[[7m [27m[90m....[0m] | extract:socks: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents;[K
[[7m [27m[90m....[0m] | extract:smart-buffer:
[34;40mverb[0m [35mgentlyRm[0m don't care about con[K
[[7m [27m[90m....[0m] \ extract:through: [7msill[0m
[35mgunzTarPerm[0m extractEntry lib/index[K
[[7m [27m[90m....[0m] \ extract:through: [7msill[0m
[35mgunzTarPerm[0m extractEntry lib/index[K
[[7m [27m[90m....[0m] - extract:formidable:
[34;40mverb[0m [35mgentlyRm[0m don't care about conte[K
[[7m [27m[90m....[0m] / extract:semver: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents;[K
[[7m [27m[90m....[0m] / extract:readable-stream:
[34;40mverb[0m [35mgentlyRm[0m don't care about[K
[[7m [27m[90m....[0m] - extract:uuid: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents; n[K
[[7m [27m[90m....[0m] - extract:debug: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents;[K
[[7m [27m[90m....[0m] | extract:qs: [7msill[0m
[35mgunzTarPerm[0m extractEntry lib/core/endpo[K
[[7m [27m[90m....[0m] - extract:yargs: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents;[K

[7m [27m[90m....[0m] - extract:get-uri: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents[K
[7m [27m[90m....[0m] | extract:recast: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents;[K
[7m [27m[90m....[0m] - extract:mkdirp: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents;[K
[7m [27m[90m...[0m] \ extract:esprima-fb: [7msill[0m
[35mgunzTarPerm[0m extractEntry other/[K
[7m [27m[90m...[0m] - extract:ast-types: [34;40mverb[0m
[35mgentlyRm[0m don't care about conten[K
[7m [27m[90m...[0m] - extract:pac-resolver:
[34;40mverb[0m [35mgentlyRm[0m don't care about con[K
[7m [27m[90m...[0m] | extract:iconv-lite:
[34;40mverb[0m [35mgentlyRm[0m don't care about conte[K
[7m [27m[90m...[0m] | extract:detective: [34;40mverb[0m
[35mgentlyRm[0m don't care about conten[K
[7m [27m[90m...[0m] \ extract:source-map:
[34;40mverb[0m [35mgentlyRm[0m don't care about conte[K
[7m [27m[90m...[0m] | extract:acorn: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents;[K
[7m [27m[90m...[0m] \ extract:acorn: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents;[K
[7m [27m[90m...[0m] / extract:acorn: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents;[K
[7m [27m[90m...[0m] / extract:acorn: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents;[K
[7m [27m[90m...[0m] \ extract:defs: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents; n[K
[7m [27m[90m...[0m] - extract:defs: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents; n[K
[7m [27m[90m...[0m] - extract:defs: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents; n[K
[7m [27m[90m...[0m] - extract:defs: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents; n[K
[7m [27m[90m...[0m] - extract:defs: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents; n[K
[7m [27m[90m...[0m] - extract:defs: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents; n[K
[7m [27m[90m...[0m] \ preinstall:homebridge-
smarththings: [7msill[0m [35mdoParallel[0m prein[K
[7m [27m[90m...[0m] | preinstall:homebridge-
smarththings: [7msill[0m [35mdoParallel[0m prein[K
[7m [27m[90m...[0m] | finalize:homebridge-smarththings:
[7msill[0m [35mdoSerial[0m finalize[K

```
[7m          [27m[90m...[0m] - finalize:lazy-cache: [7msill[0m
[35mfinalize[0m /usr/lib/node_modules[K
[[7m          [27m[90m...[0m] | finalize:tryor: [7msill[0m
[35mfinalize[0m /usr/lib/node_modules/home[K
[[7m          [27m[90m...[0m] | finalize:pubnub: [7msill[0m
[35mfinalize[0m /usr/lib/node_modules/hom[K
[[7m          [27m[90m...[0m] / build:homebridge-smarththings:
[7msill[0m [35mdoSerial[0m build 133[K
[[7m          [27m[90m...[0m] / build:inherits: [34;40mverb[0m
[35mlinkMans[0m inherits@2.0.3[K
[[7m          [27m[90m...[0m] - build:semver: [34;40mverb[0m
[35mgentlyRm[0m don't care about contents; n[K
[[7m          [27m[90m...[0m] | build:superagent-proxy:
[34;40mverb[0m [35mlinkMans[0m superagent-proxy@1[K
[[7m          [27m[90m...[0m] / install:ast-types: [7msill[0m
[35mlifecycle[0m ast-types@0.9.11~insta[K
[[7m          [27m[90m...[0m] / install:brace-expansion:
[7msill[0m [35mlifecycle[0m brace-expansion@K
[[7m          [27m[90m...[0m] - install:file-uri-to-path:
[7msill[0m [35mlifecycle[0m file-uri-to-pat[K
[[7m          [27m[90m...[0m] \ install:methods: [7msill[0m
[35mlifecycle[0m methods@1.1.2~install: n[K
[[7m          [27m[90m...[0m] | install:qs: [7msill[0m
[35mlifecycle[0m qs@6.4.0~install: no script f[K
[[7m          [27m[90m...[0m] / install:socks: [7msill[0m
[35mlifecycle[0m socks@1.1.10~install: no s[K
[[7m          [27m[90m...[0m] / install:wordwrap: [7msill[0m
[35mlifecycle[0m wordwrap@1.0.0~install:K
[[7m          [27m[90m...[0m] - install:superagent-proxy:
[7msill[0m [35mlifecycle[0m superagent-prox[K
[[7m          [27m[90m...[0m] / postinstall:ast-types: [7msill[0m
[35mlifecycle[0m ast-types@0.9.11~p[K
[[7m          [27m[90m...[0m] / postinstall:deep-is: [7msill[0m
[35mlifecycle[0m deep-is@0.1.3~postin[K
[[7m          [27m[90m...[0m] | postinstall:commander: [7msill[0m
[35mlifecycle[0m commander@2.9.0~po[K
[[7m          [27m[90m..[0m] - postinstall:minimatch: [7msill[0m
[35mlifecycle[0m minimatch@3.0.3~po[K
[[7m          [27m[90m..[0m] \ postinstall:regenerator-runtime:
[7msill[0m [35mlifecycle[0m regenera[K
[[7m          [27m[90m..[0m] | postinstall:stream-to: [7msill[0m
[35mlifecycle[0m stream-to@0.2.2~po[K
[[7m          [27m[90m..[0m] \ postinstall:once: [7msill[0m
[35mlifecycle[0m once@1.4.0~postinstall:K
[[7m          [27m[90m..[0m] / postinstall: [7msill[0m
[35mlifecycle[0m homebridge-smarththings@0.5.1[K
```

[K[?25h/usr/lib

2017-04-14 18:06:18,stdout,Installing plugins from /root/.homebridge/

install.sh.

2017-04-14 18:06:18,stdout,/root/.homebridge/package.json not found.

2017-04-14 18:06:18,stdout,Default env variables will be used.

2017-04-14 18:06:18,stdout,/root/.homebridge/.env not found.

2017-04-14 18:06:18,stdout,root

2017-04-14 18:06:18,stdout,Logged in as: