**LISTA PARTI PCB /26-349-0** **DATA 2/7/2026**

PCB/26-349-0 Revision: 0

| Pos. | Qtà | Rif | Descrizione | Value | Package | PN | Costruttore | Note |
|---|---|---|---|---|---|---|---|---|
| 1 | 42 | C1,C2,C3,C4,C5,C6,C8,C9,C10,C11,C13,C14,C15,C27,C29,C30,C31,C33,C40,C51,C53,C55,C56,C57,C58,C60,C61,C62,C63,C64,C66,C67,C68,C87,C88,C89,C90,C92,C100,C101,C102,C103 | MLCC - SMD/SMT 50V 0.1uF X7R 0603 10% | 100nF | SMD0603 | C0603C104K5RACTU | KEMET | |
| 2 | 8 | C7,C21,C32,C35,C43,C52,C54,C91 | MLCC - SMD/SMT 50V 0.01uF X7R 0603 5% | 10nF | SMD0603 | C0603C103J5RACTU | KEMET | |
| 3 | 10 | C12,C16,C17,C18,C22,C23,C24,C37,C39,C50 | MLCC - SMD/SMT 25V 1uF X7R 0805 10% | 1uF | SMD0805 | 08053C105K4Z2A | KYOCERA | |
| 4 | 1 | C19 | MLCC - SMD/SMT 100V 1nF COG 0805 5% | 1nF | SMD0805 | 08051A102J4T2A | KYOCERA | |
| 5 | 4 | C20,C42,C44,C45 | MLCC - SMD/SMT 50V 1n5F COG 0805 5% | 1n5F | SMD0805 | C0805C152J5GACTU | KEMET | |
| 6 | 12 | C25,C26,C70,C72,C75,C76,C78,C79,C81,C82,C84,C104 | Cond.Elt.Tantalio solido 35V SIZE C | 4u7 | 6032-28 | T491C475K035AT | KEMET | |
| 7 | 1 | C28 | MLCC - SMD/SMT 2KV 820pF X7R1210 10% | 820pF | SMD1210 | 1210GC821KAT2A | KYOCERA | |
| 8 | 1 | C34 | MLCC - SMD/SMT 2K5V 5n6F X7R1210 10% | 5n6F | SMD1825 | 825WC562KAT2A | KYOCERA | |
| 9 | 2 | C36,C41 | MLCC - SMD/SMT 100V 470pF COG 0805 5% | 470pF | SMD0805 | 08051A471JAT2A | KYOCERA | |
| 10 | 1 | C38 | MLCC - SMD/SMT 50V 47nF X7R 0603 10% | 47nF | SMD0805 | C0805C473K5RAC | KEMET | |
| 11 | 1 | C46 | MLCC - SMD/SMT 100V 330pF COG 0805 5% | 330pF | SMD0805 | C0805C331J1GAC | KEMET | |
| 12 | 2 | C47,C48 | MLCC - SMD/SMT 50V 56pF COG 0805 5% | 56pF | SMD0805 | C0805C560J5GACTU | KEMET | |
| 13 | 2 | C49,C69 | Cond.Elt.Tantalio solido 35V SIZE C | 22uF | 7343-43 | T491X226K035AT7280 | KEMET | |
| 14 | 1 | C59 | MLCC - SMD/SMT 10V 10uF X7R 0805 10% | 10uF | SMD0805 | C0805C106K8RACTU | KEMET | |
| 15 | 1 | C65 | MLCC - SMD/SMT 35V 4u7F X7R 1206 10% | 4u7 | SMD1206 | C1206C475K6RACTU | KEMET | |
| 16 | 6 | C77,C80,C83,C86,C93,C94 | Safety Capacitors WCAP-CSSA X&Y Safety 470pF 5kV 10% 1812 | 470pF | SMD1812 | 8853522110011 | WURTH | |
| 17 | 15 | DL1,DL2,DL3,DL4,DL11,DL12,DL13,DL14,DL15,DL16,DL17,DL18,DL19,DL20,DL21 | Diodo led smd 0805 | GIALLO | SMD0805 | KP-2012YD | KINGBRIGHT | |
| 18 | 1 | DL5 | Diodo led smd 0805 | BLU | SMD0805 | KP-2012PBC | KINGBRIGHT | |
| 19 | 1 | DL6 | Diodo led smd 0805 | ROSSO | SMD0805 | APTD2012LSURCK | KINGBRIGHT | |
| 20 | 4 | DL7,DL8,DL9,DL10 | Diodo led smd 0805 | VERDE | SMD0805 | KP-2012SGD | KINGBRIGHT | |
| 21 | 1 | D1 | ESD Protection compatible with CAN BUS | ESD2CAN24DBZRQ1 | SOT23-3 | ESD2CAN24DBZRQ1 | TEXAS | |
| 22 | 9 | D2,D3,D4,D13,D14,D17,D18,D21,D22 | Small Signal Switching Diodes SINGLE JUNC. 75V 4.0NS COMP | 1N4148WT | SOD-523F-2 | 1N4148WT | ONSEMI | |
| 23 | 8 | D5,D6,D7,D8,D9,D10,D11,D12 | Rectifiers Diode, Superfast, SMA, 50V, 1A, 150C | ES1A | DO-214AC-2 | ES1A | DIOTEC | |
| 24 | 4 | D15,D16,D19,D20 | Rectifiers 1.0A 1000V | RS1M-13-F | SMA-2 | RS1M-13-F | DIODES | |
| 25 | 1 | D23 | Zener Diodes Zener Diode 3.0V 1000mW Surface Mount | PDZVTR3.0B | SOD-128-2 | PDZVTR3.0B | ROHM | |
| 26 | 2 | D24,D25 | Rectifiers Diode, Superfast, SMA, 100V, 1A, 150C | ES1B | SMA | ES1B | DIOTEC | |
| 27 | 1 | D26 | DIODO EDS BIDIREZIONALE | ESD5V0D3B-TP | SOD-323-2 | ESD5V0D3B-TP | MCC | |
| 28 | 1 | FL1 | Circuiti filtro EMI 40 DB 50V 15A LEADED | BNX012-01 | | BNX012-01 | MURATA | |
| 29 | 1 | F1 | FUSIBILE +PORTAFUSIBILE 0154002.DRT | 2A | | 0154002.DRT | LITTELFUSE | |
| 30 | 2 | JP1,JP2 | HEADER DRITTO 2 PIN PASSO 2.54 | SIP | THT | TSW-102-09-T-S-RA | SAMTEC | |
| 31 | 1 | J1 | CONN.HEADER 2X5 DRITTO P2 | NANO-FIT 105310-2108 | THT | 105310-2108 | MOLEX | |
| 32 | 1 | J2 | Connettore RJ45 8 Posizioni Verticale | RJE08188001F | RJ45 | RJE08188001F | AMPHENOL | |
| 33 | 1 | J3 | CONNETTRORE 4 VIE P.3.81 | PHOENIX-MC | THT | 1803293 | PHOENIX | |
| 34 | 1 | J4 | CONNETTORE 9 PIN P.5.08 90° | PHOENIX-COMBICON | THT | 1759088 | PHOENIX | |
| 35 | 1 | J5 | CONNETTORE 3 PIN P.7.62 90° | PHOENIX-COMBICON | THT | 1766246 | PHOENIX | |
| 36 | 1 | J6 | CONN. DRITTO 3 PIN PASSO 2.54 | ITW-MASCON | THT | MLSS100-3 | PANCOM | |
| 37 | 1 | J7 | CONN.HEADER 2X1 DRITTO P2 | NANO-FIT 105311-1102 | THT | 105311-1102 | MOLEX | |
| 38 | 1 | J8 | Header boxed IDC dritto 2 X 3 P.2.54 | 61200621621 | THT | 61200621621 | WURTH | |
| 39 | 1 | J9 | CONN.HEADER 2X5 DRITTO P2 | NANO-FIT 105310-2210 | THT | 105310-2210 | MOLEX | |
| 40 | 1 | J10 | Molex Minifit 2x1 | 46999-0138-MOLEX | Minifit46999-0138 | 46999-0138 | Molex | |
| 41 | 1 | J11 | CONN.HEADER 2X3 DRITTO P2 | NANO-FIT 105312-1106 | THT | 105312-1106 | MOLEX | |
| 42 | 1 | J12 | TTerminali e capicorda 2.54MM CGRIDIII HDR 8P V | 90130-1208 | THT | 90130-1208 | MOLEX | |
| 43 | 1 | K1 | RELE' STATO SOLIDO SMD | CPC1017NTR | SOP-4 | CPC1017NTR | IXYS | |
| 44 | 1 | L1 | Filtro Modo Comune x CAN BUS | DLW32SH101XF2L | DLW32SH101XF2L | DLW32SH101XF2L | MURATA | |
| 45 | 2 | L2,L3 | Ferrite Bead | BLM18BD102 | SMD0603 | BLM18BD102SN1D | MURATA | |
| 46 | 1 | L4 | Common Mode Choke 470uH | 470uH | | 744272471 | WUERTH | |

| Pos. | Qtà | Rif | Descrizione | Value | Package | PN | Costruttore | Note |
|---|---|---|---|---|---|---|---|---|
| 47 | 1 | PT1 | Resettable Fuses - PPTC PTS0603 0.05A, 15V | PTS060315V005 | | PTS060315V005 | EATON | |
| 48 | 2 | P1,P3 | Trimmer Resistors - Through Hole 3/8" 5Kohms Sealed Vertical Adjust | 5K | | 3296W-1-502LF | BOURNS | |
| 49 | 1 | P2 | Trimmer Resistors - Through Hole 3/8" 5Kohms Sealed Vertical Adjust | 10K | | 3296W-1-103LF | BOURNS | |
| 50 | 1 | P4 | Trimmer Resistors - Through Hole 3/8" 5Kohms Sealed Vertical Adjust | 20K | | 3296W-1-203LF | BOURNS | |
| 51 | 21 | Q1,Q2,Q3,Q4,Q6,Q9,Q10,Q11,Q12,Q13,Q14,Q15,Q16,Q17,Q18,Q19,Q20,Q21,Q22,Q23,Q24 | MOSFETs 60V 115mA N-Channel | 2N7002LT1G | SOT23 | 2N7002LT1G | ON | |
| 52 | 1 | Q5 | Bipolar Transistors - BJT BJT, SOT-323, 45V, 100mA, PNP | BC857BW | SOT323 | BC857BW | DIOTEC | |
| 53 | 2 | Q7,Q8 | MOSFETs 60V N-Channel Enhancement Mode MOSFET | PJE8472B_R1_00001 | SOT-523-3 | PJE8472B_R1_00001 | PANJIT | |
| 54 | 1 | R1 | Resistore thick film 1/10W 1% 0603 | 33R | SMD0603 | MULTICOMP | | |
| 55 | 3 | R2,R172,R173 | Resistore thick film 1/10W 1% 0603 | 120R | SMD0603 | MULTICOMP | | |
| 56 | 1 | R3 | Resistore thick film 1/10W 1% 0603 | 20K | SMD0603 | MULTICOMP | | |
| 57 | 23 | R4,R9,R16,R19,R22,R23,R24,R59,R67,R70,R79,R89,R91,R94,R108,R109,R116,R125,R134,R139,R149,R160,R171 | Resistore thick film 1/10W 1% 0603 | 10K | SMD0603 | MULTICOMP | | |
| 58 | 13 | R5,R7,R20,R40,R52,R56,R60,R61,R77,R93,R103,R126,R132 | Resistore thick film 1/10W 1% 0603 | 1K | SMD0603 | MULTICOMP | | |
| 59 | 3 | R6,R15,R46 | Resistore thick film 1/10W 1% 0603 | 2K2 | SMD0603 | MULTICOMP | | |
| 60 | 10 | R8,R66,R69,R87,R119,R128,R135,R141,R151,R166 | Resistore thick film 1/10W 1% 0603 | 280R | SMD0603 | MULTICOMP | | |
| 61 | 1 | R10 | Resistore thick film 1/4W 1% 1206 | 1K5 | SMD1206 | MULTICOMP | | |
| 62 | 18 | R11,R12,R13,R18,R21,R68,R71,R72,R73,R78,R90,R92,R111,R112,R118,R147,R157,R163 | Resistore thick film 1/10W 1% 0603 | 100K | SMD0603 | MULTICOMP | | |
| 63 | 3 | R14,R105,R114 | Resistore thick film 1/4W 1% 1206 | 1K3 | SMD1206 | MULTICOMP | | |
| 64 | 9 | R17,R55,R88,R100,R101,R102,R150,R159,R169 | Resistore thick film 1/10W 1% 0603 | 3K3 | SMD0603 | MULTICOMP | | |
| 65 | 1 | R25 | Resistore thick film 1/8W 1% 0805 | 2K2 | SMD0805 | MULTICOMP | | |
| 66 | 2 | R26,R64 | Resistore thick film 1/8W 1% 0805 | 3K3 | SMD0805 | MULTICOMP | | |
| 67 | 2 | R27,R39 | Resistore thick film 1/8W 1% 0805 | 1K | SMD0805 | MULTICOMP | | |
| 68 | 3 | R28,R29,R30 | Resistore thick film 1/4W 1% 1206 | 1R | SMD1206 | MULTICOMP | | |
| 69 | 3 | R31,R75,R84 | Resistore thick film 1/8W 1% 0805 | 10K | SMD0805 | MULTICOMP | | |
| 70 | 1 | R32 | Resistore thick film 1/8W 1% 0805 | 18K | SMD0805 | MULTICOMP | | |
| 71 | 1 | R33 | Resistore thick film 1/4W 1% 1206 | 18K | SMD1206 | MULTICOMP | | |
| 72 | 3 | R34,R35,R36 | Resistore thick film 1/4W 1% 1206 | 130K | SMD1206 | MULTICOMP | | |
| 73 | 1 | R37 | Resistore thick film 1/4W 1% 1206 | 220K | SMD1206 | MULTICOMP | | |
| 74 | 1 | R38 | Resistore thick film 1/8W 1% 0805 | 20K | SMD0805 | MULTICOMP | | |
| 75 | 4 | R41,R42,R44,R45 | Resistore thick film 1/4W 1% 1206 | 130K | SMD1206 | MULTICOMP | | |
| 76 | 2 | R43,R47 | Resistore thick film 1/4W 1% 1206 | 4K7 | SMD0805 | MULTICOMP | | |
| 77 | 1 | R48 | Resistore thick film 1/8W 1% 0805 | 5K6 | SMD0805 | MULTICOMP | | |
| 78 | 1 | R49 | Resistore thick film 1/8W 1% 0805 | 470R | SMD0805 | MULTICOMP | | |
| 79 | 1 | R50 | Resistore thick film 1/8W 1% 0805 | 4K32 | SMD0805 | MULTICOMP | | |
| 80 | 1 | R51 | Resistore thick film 1/10W 1% 0603 | 1K2 | SMD0603 | MULTICOMP | | |
| 81 | 1 | R53 | Resistore thick film 1/10W 1% 0603 | 8K45 | SMD0603 | MULTICOMP | | |
| 82 | 16 | R54,R98,R99,R123,R124,R131,R133,R138,R145,R146,R148,R155,R158,R164,R165,R170 | Resistore thick film 1/10W 1% 0603 | 33K | SMD0603 | MULTICOMP | | |
| 83 | 1 | R57 | Resistore thick film 1/8W 1% 0805 | 390R | SMD0805 | MULTICOMP | | |
| 84 | 1 | R58 | Resistore thick film 1/10W 1% 0603 | 18K | SMD0603 | MULTICOMP | | |
| 85 | 1 | R62 | Resistore thick film 1/8W 1% 0805 | 10R | SMD0805 | MULTICOMP | | |
| 86 | 1 | R63 | Resistore thick film 1/8W 1% 0805 | 120K | SMD0805 | MULTICOMP | | |
| 87 | 1 | R65 | Resistore thick film 1/8W 1% 0805 | 220R | SMD0805 | MULTICOMP | | |
| 88 | 1 | R74 | Resistore thick film 1/10W 0.1% 10PPM 0603 | 2K67 | SMD0603 | RP0603BRD072K67L | | |
| 89 | 1 | R76 | Resistore thick film 1/8W 1% 0805 | 2K | SMD0805 | MULTICOMP | | |

| Pos. | Qtà | Rif | Descrizione | Value | Package | PN | Costruttore | Note |
|---|---|---|---|---|---|---|---|---|
| 90 | 1 | R80 | Resistore thick film 1/2W 1% 2512 | 100R | SMD2512 | MULTICOMP | | |
| 91 | 1 | R81 | Resistore thick film 1/10W 0.1% 10PPM 0603 | 33K | SMD0603 | RT0603BRC0733KL | | |
| 92 | 1 | R82 | Resistore thick film 1/10W 0.1% 10PPM 00603 | 100K | SMD0603 | RT0603BRB07100KL | | |
| 93 | 1 | R83 | Resistore thick film 1/10W 0.1% 10PPM 0603 | 11K | SMD0603 | RT0603BRD0711KL | | |
| 94 | 1 | R85 | Resistore thick film 1/10W 0.1% 10PPM 0603 | 14K | SMD0603 | RT0603BRB0714KL | | |
| 95 | 1 | R86 | Resistore thick film 1/8W 1% 0805 | 47R | SMD0805 | MULTICOMP | | |
| 96 | 1 | R95 | Resistore thick film 1/10W 1% 0603 | 330R | SMD0603 | MULTICOMP | | |
| 97 | 2 | R96,R97 | Resistore thick film 1/10W 1% 0603 | 680R | SMD0603 | MULTICOMP | | |
| 98 | 1 | R104 | Resistore thick film 1/4W 1% 1206 | 1K8 | SMD1206 | MULTICOMP | | |
| 99 | 1 | R106 | Resistore thick film 1/10W 1% 0603 | 12K | SMD0603 | MULTICOMP | | |
| 100 | 2 | R107,R115 | Resistore thick film 1/10W 1% 0603 | 15K | SMD0603 | MULTICOMP | | |
| 101 | 1 | R110 | Resistore thick film 1/10W 1% 0603 | 2K | SMD0603 | MULTICOMP | | |
| 102 | 2 | R113,R117 | Resistore thick film 1/10W 1% 0603 | 4K7 | SMD0603 | MULTICOMP | | |
| 103 | 16 | R120,R121,R122,R129,R130,R136,R137,R142,R143,R144,R152,R153,R154,R162,R167,R168 | Resistore thick film 1/4W 1% 1206 | 2K | SMD1206 | MULTICOMP | | |
| 104 | 1 | R127 | Resistore thick film 1/10W 1% 0603 | 2K | SMD1206 | MULTICOMP | | |
| 105 | 3 | R140,R156,R161 | Resistore thick film 1/10W 1% 0603 | 47K | SMD0603 | MULTICOMP | | |
| 106 | 14 | TP1,TP2,TP5,TP6,TP9,TP10,TP11,TP13,TP15,TP16,TP23,TP24,TP26,TP27 | Test Plugs & Test Jacks TEST POINT YELLOW | YEL | | 5004 | KEYSTONE | |
| 107 | 5 | TP3,TP4,TP7,TP8,TP25 | Test Plugs & Test Jacks TEST POINT BLK .063 | BLK | | 5006 | KEYSTONE | |
| 108 | 2 | TP12,TP28 | Test Plugs & Test Jacks TEST POINT (GREEN) | GRN | | 5116 | KEYSTONE | |
| 109 | 2 | TP14,TP29 | Test Plugs & Test Jacks TEST POINT WHITE .040 | WHT | | 5002 | KEYSTONE | |
| 110 | 6 | TP17,TP18,TP19,TP20,TP21,TP22 | PCBTestPoint | PCBTestPoint | | - | | ON PCB |
| 111 | 1 | U1 | Digital Isolators Reinforced, fast, low-power 2-channel | MAX22246CAWA/V+ | SOIC-8 | MAX22246CAWA/V+ | ANALOG DEVICE | |
| 112 | 1 | U2 | CAN Interface IC High-speed CAN transceiver | TJA1050T/CM,118 | SOIC-8 | TJA1050T | NXP | |
| 113 | 2 | U3,U19 | Amplificatori di isolamento High Stability Isolated Error Amplifier | ADuM3195BRQZ | QSOP-16 | ADuM3195BRQZ | ANALOG DEVICE | |
| 114 | 2 | U4,U6 | Logic Gates SSOP5 IC LOGIC 2INPUT AND GATE | BD7LS08ZG-CTL | SSOP-5 | BD7LS08ZG-CTL | ROHM | |
| 115 | 19 | U5,U7,U21,U22,U26,U35,U36,U41,U44,U45,U46,U47,U48,U49,U50,U51,U52,U53,U54 | Transistor Output Optocouplers | TLP383D4BLLTLE | SO-6-4 | TLP383D4BLLTLE | TOSHIBA | |
| 116 | 4 | U8,U37,U38,U42 | Supervisory Circuits Ultra-Lo 150nA | TPS3839G33DBZR | SOT23-3 | TPS3839G33 | TEXAS | |
| 117 | 1 | U10 | Op Amps Dual Operational Amp lifier TSSOP8 | LM358PT | TSSOP-8 | LM358PT | TEXAS | |
| 118 | 1 | U11 | Digital Isolators 3-CHANNEL DIGITAL ISOLATORS | ADUM1310ARWZ-RL | WIDE-SOIC | ADUM1310ARWZ-RL | ANALOG DEVICE | |
| 119 | 1 | U12 | Digital to Analog Converters - DAC Single 12-bit DAC | MCP4821T-E/MS | MSOP8 | MCP4821T-E/MS | MICROCHIP | |
| 120 | 1 | U13 | Timers & Support Products Single Precision Timer | NE555DR1G4 | SOIC-8 | NE555DR1G4 | TEXAS | |
| 121 | 1 | U14 | Flip-Flops Dual CMOS | CD4013BPWR | TSSOP-14 | CD4013BPWR | TEXAS | |
| 122 | 3 | U16,U17,U18 | Gate Drivers Dual 5A Hi-Spd Low- Side Pwr MOSFET | UCC27525DSDT | WSON-8 | UCC27525DSDT | TEXAS | |
| 123 | 1 | U20 | Switching Controllers Prog Off-Line PWM Controller | UC3841DW | SOIC18-W | UC3841DW | TEXAS | |
| 124 | 1 | U23 | Op Amps Dual Operational Amp lifier TSSOP8 | LM358PT | TSSOP-8 | LM358PT | ST | |
| 125 | 1 | U24 | Optoisolatore 5300VRMS singolo | SI8710AD-B-ISR | S-DIP-6 | SI8710AD-B-ISR | SKYWORKS | |
| 126 | 1 | U25 | Analog Comparators VOLTAGE COMPARATOR | LM311MX/NOPB | SOIC-8 | LM311MX/NOPB | TEXAS | |
| 127 | 1 | U27 | Voltage References 100-ppm/C precision micropower shunt vol | LM4040AIM3X-2.0/G4 | SOT-23 | LM4040AIM3X-2.0/G4 | TEXAS | |
| 128 | 1 | U28 | 32bit ARM 4F 1MB Flash, 256K Ram, 2xCAN-FD | SAME51J20A-AF | TQFP | SAME51J20A-AF | MICROCHIP | |
| 129 | 2 | U29,U31 | DC/DC Converters  0.5A switching regulator in a SIP3 package | RBT05W24S05 | RBT05W | RBT05W24S05 | MEANWELL | |
| 130 | 1 | U30 | DC/DC Converters 18-36Vin 15Vout 1A 15W 2x1 Med Iso Reg | MDS15B-15 | MDS15B-15 | MDS15B-15 | MEANWELL | |
| 131 | 1 | U32 | DC/DC Converters 1W DC/DC Converter isolated, unregulated | TMA-1515S | THT | TMA-1515S | TRACO | |
| 132 | 1 | U33 | LDO Voltage Regulators 3.3V 1A Positive | NCP1117ST33T3G | SOT223 | NCP1117ST33T3G | ON | |
| 133 | 1 | U34 | DC/DC Converters 9-36Vin 5V 0-600mA 3W DIP Med | MDS03F-05 | MDS03F-05 | MDS03F-05 | MEANWELL | |
| 134 | 1 | U55 | Digital Isolators General-purpose qua d-channel 2/2 digit | ISO6742FDWR | SOIC-16 | ISO6742FDWR | TEXAS | |

| Pos. | Qtà | Rif | Descrizione | Value | Package | PN | Costruttore | Note |
|---|---|---|---|---|---|---|---|---|
| 135 | 2 | U57,U58 | RS-422/RS-485 Interface IC 10MBps Full Duplex 5V | ADM4857ARZ-REEL7 | SOIC-8 | ADM4857ARZ-REEL7 | ANALOG DEVICE | |
| 136 | 4 | Z1,Z2,Z3,Z4 | Zener Diodes | PLVA650A,215 | SOT23-3 | PLVA650A,215 | NEXPERIA | |