


Ejecutable

1. Abres Net Beam y seleccionas un proyecto Maben.



New Java Application

Steps

1. Choose Project
2. **Name and Location**

Name and Location

Project Name: Ejecutable

Project Location: C:\Users\Marcos\Documents\NetBeansProjects Browse...

Project Folder: C:\Users\Marcos\Documents\NetBeansProjects\Ejecutable

Artifact Id: Ejecutable


Group Id: com.mycompany

Version: 1.0-SNAPSHOT


Package: com.mycompany.ejecutable (Optional)

< Back Next > Finish Cancel Help

2. Pinchas sobre el proyecto -> new -> JFrame Form



3. Lo incluyes en el package del Main




The screenshot shows the 'New JFrame Form' dialog box. On the left, under 'Steps', step 2 'Name and Location' is selected. The 'Name and Location' section on the right contains the following fields:

- Class Name:** JTextField with 'NewJFrame'.
- Project:** JComboBox with 'Ejecutable' selected.
- Location:** JComboBox with 'Source Packages' selected.
- Package:** JComboBox with 'com.mycompany.ejecutable' selected. This field is highlighted with a red rectangular box.
- Created File:** Text area showing the file path: 'Projects\Ejecutable\src\main\java\com\mycompany\ejecutable\NewJFrame.java'.
- Superclass:** Empty text field with a 'Browse...' button to its right.
- Interfaces:** Empty text area with a 'Browse...' button to its right.


At the bottom, there are five buttons: '< Back', 'Next >', 'Finish' (highlighted with a blue border), 'Cancel', and 'Help'.

4. En el formulario principal, el que tiene el Main(Ejecutable), instancias la clase formulario y la pones visible a true

Frm.setVisible(true);



5. En Project Files pinchamos sobre el fichero pom.xml



Debajo de la etiqueta `</properties>` añadimos esto

```
<build>
```

```
  <!-- Añadido-->
```

```
  <plugins>
```

```
    <plugin>
```

```
      <groupId>org.apache.maven.plugins</groupId>
```

```
      <artifactId>maven-jar-plugin</artifactId>
```

```
      <version>2.4</version>
```

```
    </plugin>
```

<archive>

<manifest>

<mainClass>com.mycompany.ejecutable.Formulario</mainClass>

</manifest>

</archive>

</configuration>


</plugin>

</plugins>


</build>

En la etiqueta de <mainClass>, se pone, nombre de paquete. Nombre del JFrame Form, en mi caso, formulario

6. Botón derecho sobre el proyecto y pulsar clean and build



En la carpeta, se genera el ejecutable



<m