



INSTITUTO  
DE FÍSICA

if  
Instituto de Física  
UNAM

# Dark Matter As A Probe Of Inflation

02/07/2021

Marcos A. G. García





Instituto de  
Física  
Teórica  
UAM-CSIC

UAM Universidad Autónoma  
de Madrid



CSIC  
CONSEJO SUPERIOR DE INVESTIGACIONES CIENTÍFICAS

# About me




Licenciatura (Gabino Barreda), 2008

Maestría (Alfonso Caso), 2010


Doctorado (Alfonso Caso), 2011

Thesis: *The  $H_3$  and  $H_4$  Integrable Systems*  
(A. Turbiner, ICN)

Solvability of QM systems defined by crystallographic  
and non-crystallographic groups



# About me



PhD, math. phys.



Ph.D. (High Energy Theory), 2016

Greiling Award (research)  
TA Award (teaching)

Thesis: *No-Scale Inflation*  
(K. Olive, FTPI)

Particle - Early Universe connection  
(susy + inflation + baryogenesis)

(and a bit of Lorentz invariance violation)



# About me



PhD, inflation, susy




RICE



Postdoctoral Research Associate  
(with M. Amin)

Inflation + GUT, dark matter,  
disorder, gravitational waves, SNI





PhD, math. phys.


# About me



PhD, inflation, susy




RICE  
Postdoc, CMB, GWs



PhD, math. phys.

## Map of the world showing research locations



RICE  
Postdoc, CMB, GWs




Investigador Postdoctoral “Severo Ochoa”


Reheating + Dark Matter, Beyond Boltzmann,  
Primordial Black Holes (2 Master students)

2021 ISAPP DM Summer School


# Main Collaborators




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion

# Composition of the Universe




Credit: Jessie Muir


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs





## 4. Future prospects




## 5. Conclusion


# The many virtues of the WIMP




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs





## 4. Future prospects




## 5. Conclusion

# The many virtues of the WIMP



$$\Omega_{\text{DM}} h^2 \equiv \frac{\rho_{\text{DM}}}{\rho_{\text{tot}}} h^2 \sim \frac{0.1 \text{ pb}}{\langle \sigma v \rangle}$$
$$\sim 0.1 \left( \frac{m_{\text{DM}}}{100 \text{ GeV}} \right)^2$$


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects



## 5. Conclusion


# Where are the WIMPs?

Direct detection



SuperCDMS Dark Matter Limit Plotter


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs





## 4. Future prospects



## 5. Conclusion


# Where are the WIMPs?

DM annihilation in the Galactic Center



K. Abazajian et al., PRD 102 (2020), 043012 (Fermi-LAT)


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects



## 5. Conclusion


# Where are the WIMPs?

DM annihilation to neutrinos



C. Argüelles et al., arXiv:1912.09486 [hep-ph]


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs





## 4. Future prospects




## 5. Conclusion


# Beyond the WIMP




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion


# Beyond the WIMP




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects



## 5. Conclusion

# Inflating spacetime


Simplest incarnation: a slowly rolling scalar field in FRW spacetime,  $ds^2 = dt^2 - a(t)^2 dx^2$

$$\ddot{\Phi} + 3H\dot{\Phi} + V'(\Phi) = 0$$

$$H \equiv \frac{\dot{a}}{a} = \left( \frac{\rho_\Phi}{3M_P^2} \right)^{1/2} \quad \text{with}$$


$$\rho_\Phi = \frac{1}{2}\dot{\Phi}^2 + V(\Phi)$$

$$P_\Phi = \frac{1}{2}\dot{\Phi}^2 - V(\Phi)$$




When inflation ends, reheating begins


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects




## 5. Conclusion


# The horizon problem

$\Delta T / T \sim 10^{-5}$  in the CMB

Without inflation




With inflation




Credit: Héctor Ramírez


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion

# The primordial fluctuations



Quantum fluctuations in  $\Phi, g$ , are stretched by expansion

Planck TT, TE, EE + lowE + lensing + BK15 (■  $1\sigma$ , ■  $2\sigma$ )




Y. Akrami et al. [Planck], Astron.  
Astrophys. 641 (2020) A10


$$\mathcal{P}_{\mathcal{R}} = \frac{H_*^4}{4\pi^2 \dot{\Phi}_*^2} \left( \frac{k}{aH} \right)^{n_s - 1}$$

$$\mathcal{P}_{\mathcal{T}} = \frac{2H_*^2}{\pi^2} \left( \frac{k}{aH} \right)^{n_T}$$


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion

# The primordial fluctuations




Quantum fluctuations in  $\Phi, g$ , are stretched by expansion




$$\mathcal{P}_{\mathcal{R}} = \frac{H_*^4}{4\pi^2 \dot{\Phi}_*^2} \left( \frac{k}{aH} \right)^{n_s - 1}$$

$$\mathcal{P}_{\mathcal{T}} = \frac{2H_*^2}{\pi^2} \left( \frac{k}{aH} \right)^{n_T}$$


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects



## 5. Conclusion


# Problems and solutions for inflation

- Inflaton traverses trans-Planckian distances: radiative corrections


$\Rightarrow$  Supersymmetry:

$$\text{dashed circle} + \text{dashed circle with arrow} = 0$$


- Coupling to gravity?  $\Rightarrow$  Supergravity. But  $V = e^G(G^i G_i - 3)$
- Add extra symmetry that flattens the potential  $\Rightarrow$  No-Scale Supergravity




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects




## 5. Conclusion


# Problems and solutions for inflation

- A proposal: *Twisted No-Scale Inflation*


$$K = -3 \ln \left[ T + \bar{T} - \frac{1}{3} \sum_i |\phi|_i^2 \right] + \sum_a \frac{|\varphi_a|^2}{(T + \bar{T})^{n_a}}$$




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs





## 4. Future prospects



## 5. Conclusion


# Problems and solutions for inflation

- A proposal: *Twisted No-Scale Inflation*




Twisted Multifield No-Scale Inflation  $\Rightarrow$  full Planck compatibility


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects



## 5. Conclusion

The vacuum can be excited!

During reheating, the inflaton provides an oscillating background




$$\mathcal{L}_\psi = y \Phi \bar{\psi} \psi \equiv m_\psi(t) \bar{\psi} \psi$$


$$\mathcal{L}_\chi = \frac{1}{2} \sigma \Phi^2 \chi^2 \equiv \frac{1}{2} m_\chi^2(t) \chi^2$$

Mixing of +/- frequency modes  $\rightarrow$  particle production!


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects






## 5. Conclusion


# Scalar (p)reheating

$$\ddot{\chi}_p + 3H\dot{\chi}_p + \left[ \frac{p^2}{a^2} + m_\chi^2(t) \right] \chi_p = 0, \quad m_\chi^2(t) = \sigma \Phi^2 + m_{\chi,0}^2$$


Neglecting expansion,




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects






## 5. Conclusion


# Scalar (p)reheating

$$\ddot{\chi}_p + 3H\dot{\chi}_p + \left[ \frac{p^2}{a^2} + m_\chi^2(t) \right] \chi_p = 0, \quad m_\chi^2(t) = \sigma\Phi^2 + m_{\chi,0}^2$$

With expansion,




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects






## 5. Conclusion


# Fermion (p)reheating

$$\left[ i\gamma^\mu \partial_\mu + i\frac{3a'}{2a} \gamma^0 - am_\psi(\tau) \right] \psi = 0, \quad m_\psi^2(\tau) = (y\Phi + m_{\psi,0})^2$$


With expansion,




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects




## 5. Conclusion

# The perturbative (dissipative) picture

Reheating as the exchange of energy between two ideal fluids


$$T^{\mu\nu} = T_{\Phi}^{\mu\nu} + T_R^{\mu\nu} = \begin{pmatrix} \rho_{\Phi} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} + \frac{1}{3} \begin{pmatrix} 3\rho_R & 0 & 0 & 0 \\ 0 & \rho_R & 0 & 0 \\ 0 & 0 & \rho_R & 0 \\ 0 & 0 & 0 & \rho_R \end{pmatrix}$$




$$\langle p_{\Phi} \rangle = \frac{1}{2} \langle \dot{\Phi}^2 + m_{\Phi}^2 \Phi^2 \rangle \simeq 0$$

(matter)


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects



## 5. Conclusion


# The perturbative (dissipative) picture

Reheating as the exchange of energy between two ideal fluids


$$T^{\mu\nu} = T_{\Phi}^{\mu\nu} + T_R^{\mu\nu} = \begin{pmatrix} \rho_{\Phi} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} + \frac{1}{3} \begin{pmatrix} 3\rho_R & 0 & 0 & 0 \\ 0 & \rho_R & 0 & 0 \\ 0 & 0 & \rho_R & 0 \\ 0 & 0 & 0 & \rho_R \end{pmatrix}$$

Conservation  $\nabla_{\mu} T^{\mu\nu} = 0$ ,


$$\dot{\rho}_R + 4H\rho_R = -(\dot{\rho}_{\Phi} + 3H\rho_{\Phi}) \equiv \Gamma_{\Phi}\rho_{\Phi}$$




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects




## 5. Conclusion


# The perturbative (dissipative) picture

Reheating as the exchange of energy between two ideal fluids


$$T^{\mu\nu} = T_{\Phi}^{\mu\nu} + T_R^{\mu\nu} = \begin{pmatrix} \rho_{\Phi} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} + \frac{1}{3} \begin{pmatrix} 3\rho_R & 0 & 0 & 0 \\ 0 & \rho_R & 0 & 0 \\ 0 & 0 & \rho_R & 0 \\ 0 & 0 & 0 & \rho_R \end{pmatrix}$$




# 1. Beyond WIMPs



# 2. Inflation & reheating







# 3. FIMPs




# 4. Future prospects




# 5. Conclusion




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects



## 5. Conclusion


# The phase space distribution

$$n_\psi = \int \frac{d^3 p}{(2\pi)^3} f_\psi(p, t)$$




$$\begin{aligned} \frac{\partial f_\psi}{\partial t} - H|\mathbf{p}| \frac{\partial f_\psi}{\partial |\mathbf{p}|} \\ = \frac{1}{2p_0} \int d\Pi |\mathcal{M}|_{\Phi \rightarrow \bar{\psi}\psi}^2 n_\Phi \delta^{(3)}(\mathbf{P}) + \mathcal{C}^{\text{int}}[f_\psi] \end{aligned}$$


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs





## 4. Future prospects




## 5. Conclusion

# The phase space distribution

$$n_\psi = \int \frac{d^3 p}{(2\pi)^3} f_\psi(p, t)$$




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects



## 5. Conclusion


# The phase space distribution

$$n_\psi = \int \frac{d^3 p}{(2\pi)^3} f_\psi(p, t)$$




$$\mathcal{C}^{\text{int}}[f_\psi] = \left| \text{---} \right|^2 + \left| \text{---} \right|^2 + \dots$$


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs





## 4. Future prospects




## 5. Conclusion

# The phase space distribution


$$n_\psi = \int \frac{d^3 p}{(2\pi)^3} f_\psi(p, t)$$




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects




## 5. Conclusion


# Is a spin- $\frac{3}{2}$ dark matter particle the missing piece in the puzzle?




## 1. Beyond WIMPs




## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects



## 5. Conclusion


# Is a spin- $\frac{3}{2}$ dark matter particle the missing piece in the puzzle?

	spin 0	spin 1/2	spin 1	spin 3/2	spin 2
SM+DM:					


$$\mathcal{L} = -\frac{1}{2}\bar{\Psi}_\mu \left( i\gamma^{[\mu}\gamma^\nu\gamma^{\rho]}\partial_\rho + m_{3/2}\gamma^{[\mu}\gamma^{\nu]} \right) \Psi_\nu \quad (\text{Rarita-Schwinger})$$

For gravitinos see e.g. J. Ellis, **MG**, D. Nanopoulos, K. Olive and M. Peloso, JCAP 03 (2016), 008;  
E. Dudas, **MG**, Y. Mambrini, K. Olive, M. Peloso and S. Verner, PRD 103 (2021), 123519


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects




## 5. Conclusion

# Is a spin- $\frac{3}{2}$ dark matter particle the missing piece in the puzzle?


	spin 0	spin 1/2	spin 1	spin 3/2	spin 2
SM+DM:	$H$	$u_L$	$W^0$	$\Psi$	$G$
	$\Phi$	$\nu_R$			<i>raritron</i>

$$\begin{aligned}\mathcal{L} = & -\frac{1}{2}\bar{\Psi}_\mu \left( i\gamma^{[\mu}\gamma^\nu\gamma^{\rho]}\partial_\rho + m_{3/2}\gamma^{[\mu}\gamma^{\nu]} \right) \Psi_\nu \\ & + yH\bar{\nu}_L\nu_R + \frac{M_R}{2}\bar{\nu}_R^c\nu_R \quad (\nu \text{ masses through see-saw}) \\ & + y_\nu\Phi\bar{\nu}_R\nu_R \quad (\text{reheating})\end{aligned}$$


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion

# Is a spin- $\frac{3}{2}$ dark matter particle the missing piece in the puzzle?




$$\begin{aligned}\mathcal{L} = & -\frac{1}{2}\bar{\Psi}_\mu \left( i\gamma^{[\mu}\gamma^\nu\gamma^{\rho]}\partial_\rho + m_{3/2}\gamma^{[\mu}\gamma^{\nu]}\right) \Psi_\nu \\ & + yH\bar{\nu}_L\nu_R + \frac{M_R}{2}\bar{\nu}_R^c\nu_R \\ & + y_\nu\Phi\bar{\nu}_R\nu_R \\ & + i\frac{\alpha_1}{2M_P}\bar{\nu}_R\gamma^\mu[\gamma^\rho, \gamma^\sigma]\Psi_\mu F_{\rho\sigma}\end{aligned}$$


# 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




# 4. Future prospects




## 5. Conclusion

# Is a spin- $\frac{3}{2}$ dark matter particle the missing piece in the puzzle?




$$\begin{aligned}\mathcal{L} = & -\frac{1}{2}\bar{\Psi}_\mu \left( i\gamma^{[\mu}\gamma^\nu\gamma^{\rho]}\partial_\rho + m_{3/2}\gamma^{[\mu}\gamma^{\nu]}\right) \Psi_\nu \\ & + yH\bar{\nu}_L\nu_R + \frac{M_R}{2}\bar{\nu}_R^c\nu_R \\ & + y_\nu\Phi\bar{\nu}_R\nu_R \\ & + i\frac{\alpha_1}{2M_P}\bar{\nu}_R\gamma^\mu[\gamma^\rho,\gamma^\sigma]\Psi_\mu F_{\rho\sigma} + i\frac{\alpha_2}{2M_P}i\sigma_2(D^\mu H)^*\bar{L}\Psi_\mu + \cdots\end{aligned}$$


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects



## 5. Conclusion

# Scatterings and decays


$$\mathcal{L}_{3/2} = \boxed{i\frac{\alpha_1}{2M_P}\bar{\nu}_R\gamma^\mu[\gamma^\rho, \gamma^\sigma]\Psi_\mu F_{\rho\sigma}} + i\frac{\alpha_2}{2M_P}i\sigma_2(D^\mu H)^*\bar{L}\Psi_\mu + \text{h.c.}$$




$$\Rightarrow \sigma(s) \propto \frac{\alpha_1^2 y^2 s^2}{m_{3/2}^2 M_R^2 M_P^2}$$

- Production peaked at high energies → reheating
- $\Psi$  is never in thermal equilibrium (freeze-in)


## 1. Beyond WIMPs




## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion


# Scatterings and decays




$$\Omega_{3/2} \propto \alpha_1 \frac{m_\nu m_\Phi^2 T_{\text{reh}}^3}{m_{3/2} M_R t_{\text{therm}}}$$




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion


# Scatterings and decays




$$\Omega_{3/2} \propto \alpha_1 \frac{m_\nu T_{\text{reh}}^5}{m_{3/2} M_R}$$




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs





## 4. Future prospects




## 5. Conclusion


# Scatterings and decays




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion

# How warm is out-of-equilibrium dark matter?




CDM




WDM (0.5 keV)


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion


# How warm is out-of-equilibrium dark matter?




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs





## 4. Future prospects



## 5. Conclusion


# How warm is out-of-equilibrium dark matter?

R. Murgia, V. Iršič and M. Viel, PRD 98 (2018), 083540



G. Ballesteros, MG and M. Pierre, JCAP 03 (2021), 101


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs





## 4. Future prospects




## 5. Conclusion


Constraints:  $\Omega_{\text{DM}} + \gamma + \nu + \text{Lyman-}\alpha$




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects




## 5. Conclusion


# Production (via inflaton decay)

Via  $\alpha_1$ ,



$M_R \ll m_\Phi$ :




$M_R \gg m_\Phi$ :




(via  $\alpha_2$  are 2-loop suppressed)




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs





## 4. Future prospects




## 5. Conclusion


Constraints:  $\Omega_{\text{DM}} + \gamma + \nu + \text{Lyman-}\alpha$




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion

# UV completions: No Scale Inflation + GUTs

Flipped SU(5)  $\times$  U(1)  $\rightarrow$  GUT symmetry breaking after inflation




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion

# UV completions: No Scale Inflation + GUTs


Flipped SU(5)  $\times$  U(1)  $\rightarrow$  GUT symmetry breaking after inflation




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion

# UV completions: No Scale Inflation + GUTs


Flipped SU(5)  $\times$  U(1)  $\rightarrow$  GUT symmetry breaking after inflation




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion


# UV completions: Supercosmology




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs





## 4. Future prospects



## 5. Conclusion

# Preheating and Dark Matter

SHORT TERM



Early times:


field picture

(limited dissipation)


Late times:

fluid picture


(no fluctuations)




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs





## 4. Future prospects



## 5. Conclusion

# Preheating and Dark Matter

SHORT TERM



Early times:

field picture

(limited dissipation)

Schiwnger-Keldysh / Kadanoff-Baym


Boltzmann

Late times:


fluid picture

(no fluctuations)


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects





## 5. Conclusion

# Beyond perturbation theory

SHORT TERM

Super-heavy dark matter (WIMPzillas, ...)


E. Kolb, D. Chung and A. Riotto, AIP Conf. Proc. 484 (1999), 91




(but not thermally though)

MG, K. Kaneta, Y. Mambrini and K. Olive, JCAP 04 (2021), 012


## 1. Beyond WIMPs




## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects



## 5. Conclusion

# Large metric fluctuations?

SHORT TERM



Credit: Naoya Kitajima

Metric preheating → overdensities → light PBHs → (Hawking) reheating


$M_{\text{BH}}$	$\tau_{\text{BH}}$
A man	$10^{-12} \text{ s}$
$10^{15} \text{ g}$	$10^{10} \text{ y}$
Earth	$10^{49} \text{ y}$
Sun	$10^{66} \text{ y}$
Milky Way	$10^{99} \text{ y}$

$$\frac{\delta\rho_C}{\rho} \gtrsim 0.5$$


$$M_{\text{BH}} \propto \rho_{\text{form}} / H_{\text{form}}^3 < 10^9 \text{ g}$$

$$\tau_{\text{BH}} \approx 10^{64} \left( \frac{M}{M_{\odot}} \right)^3 \text{ y}$$


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion

# Large metric fluctuations?


SHORT TERM




Credit: Naoya Kitajima




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects



## 5. Conclusion

# Dark matter from inflation

SHORT TERM

### ON THE CONCENTRATION OF RELIC MAGNETIC MONOPOLES IN THE UNIVERSE


Ya.B. ZELDOVICH and M.Yu. KHOPOV

*Institute of Applied Mathematics, Academy of Sciences of the USSR, Moscow 125047, USSR*


PLB 79 (1978), 239

Inflation efficiently dilutes  
relics, dangerous or not


But inflation can lead to overdensities




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects



## 5. Conclusion

# Dark matter from inflation

SHORT TERM

### ON THE CONCENTRATION OF RELIC MAGNETIC MONOPOLES IN THE UNIVERSE


Ya.B. ZELDOVICH and M.Yu. KHOPOV

*Institute of Applied Mathematics, Academy of Sciences of the USSR, Moscow 125047, USSR*

PLB 79 (1978), 239


Inflation efficiently dilutes  
relics, dangerous or not

But inflation can lead to overdensities




[github.com/bradkav/PBHbounds](https://github.com/bradkav/PBHbounds)


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs







## 4. Future prospects



## 5. Conclusion

# Warm inflation?



A. Berera, PRL 75 (1995), 3218

A. Berera, I. G. Moss and R. O. Ramos, Rept. Prog. Phys. 72 (2009), 026901

A. Pérez, MG, G. Ballesteros, M. Pierre, J. Rey, *on it*

SHORT TERM

Inflaton slows down by thermal friction

$$\ddot{\Phi} + (3H + \Gamma)\dot{\Phi} + V_{\Phi} = 0$$

$$\dot{\rho}_r + 4H\rho_r - \Gamma\dot{\Phi}^2 = 0$$

Thermal noise is an extra source of density fluctuations

$$\delta\ddot{\Phi}_k + (3H + \Gamma)\delta\dot{\Phi}_k = \xi_k + \dots$$




Daniel Green @nu\_phases · 1 jun. ...  
3/8 The inflaton needs to continually produce particles

Problem: most couplings that do this will destroy inflation / scale invariance


Worse problem: If you write a coupling that preserves scale invariance, it was shown you don't get normal friction

arxiv.org/abs/1109.4192


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects



## 5. Conclusion

# Supersymmetry in the Early Universe


SHORT TERM

EW physics

Is there a need for intermediate mass scales?


$$W = \lambda^i \nu_i^c H_1 H_2 + \kappa^{ijk} \nu_i^c \nu_j^c \nu_k^c$$

MG, D. López-Fogliani, C. Muñoz, on it



$\nu$  spectrum

$H$ - $\nu_R$  inflation




Origin of the matter-antimatter asymmetry  
(Twisted Affleck Dine, non-perturbative leptogenesis, ...)


MG and K. A. Olive, JCAP 09 (2013), 007

Initial conditions for inflation (non-perturbative: see next slide)


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs





## 4. Future prospects




## 5. Conclusion

# Reheating and Dark Matter Beyond Leading Order

LONG TERM




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs





## 4. Future prospects




## 5. Conclusion

# Reheating and Dark Matter Beyond Leading Order


LONG TERM




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion

# Reheating and Dark Matter Beyond Leading Order


LONG TERM




## 1. Beyond WIMPs




## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion

# Reheating and Dark Matter Beyond Leading Order


LONG TERM




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion

# Reheating and Dark Matter Beyond Leading Order


LONG TERM




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion

# Reheating and Dark Matter Beyond Leading Order


LONG TERM




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion

# Reheating and Dark Matter Beyond Leading Order


LONG TERM




# 1. Beyond WIMPs



# 2. Inflation & reheating



# 3. FIMPs



# 4. Future prospects





# 5. Conclusion

## Fragmenting the condensate

LONG TERM



Backreaction

$$\sigma \Phi^2 \chi^2$$



“opening up” =  
attractive interaction

$$V = \frac{1}{2} m_\Phi^2 \Phi^2 + V_{NL}$$



Complex, U(1):

Q-Balls

Real:

Oscillons

self-interaction

gravity




Boson stars




Oscillatons


## 1. Beyond WIMPs




## 2. Inflation & reheating



## 3. FIMPs





## 4. Future prospects




## 5. Conclusion

# Head-on oscillaton collisions


LONG TERM




# 1. Beyond WIMPs



# 2. Inflation & reheating



# 3. FIMPs





# 4. Future prospects



# 5. Conclusion


## Head-on oscillaton collisions

LONG TERM



T. Helfer, E. A. Lim, **MG** and M. A. Amin, PRD 99 (2019), 044046


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects



## 5. Conclusion


# Head-on oscillaton collisions

LONG TERM




LIGO range  $10^{-12}$  eV  $\lesssim m \lesssim 10^{-10}$  eV


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects




## 5. Conclusion

# Axion Star Mergers

LONG TERM


Real-Scalar Cores




Credit: Kip Thorne

- Saturation of the Kerr bound?
- Post-Newtonian, mass ejection, and elastic corrections to inspiral
- Quasi-normal modes


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects




## 5. Conclusion

# Complexity in the early Universe


LONG TERM

### Particle theory


- SM UV completions  $N_F \gg 1$
- Coupling to  $\Phi$  weakly constrained
- Non-trivial field manifolds




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects




## 5. Conclusion


# Complexity in the early Universe

LONG TERM

$$\text{background dynamics} \longrightarrow \text{particle production } \langle \chi_{k_1} \chi_{k_2} \cdots \rangle \longleftrightarrow \text{curvature fluctuations } \langle \zeta_{k_1} \zeta_{k_2} \cdots \rangle$$




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects




## 5. Conclusion


# A (conformal) spectator in dS

LONG TERM


**MG**, M. Amin, S. Carlsten and D. Green, JCAP 05 (2019), 012




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects





## 5. Conclusion

# A (conformal) spectator in dS


LONG TERM

$$P(\mathbf{M}; t + \delta t) = \int d\mathbf{M}_j P(\mathbf{M}_j^{-1} \mathbf{M}; t) P(\mathbf{M}_j; \delta t)$$


P. Mello, P. Pereyra and N. Kumar, Ann. Phys. 181 (1988) 290




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects




## 5. Conclusion


LONG TERM

# Stochastically sourced power spectrum


MG, M. A. Amin and D. Green, JCAP 06 (2020), 039




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs



## 4. Future prospects




## 5. Conclusion

# Disordered Dynamics Beyond Planck


LONG TERM

$$\mathcal{N}_s(\sigma/H)^2 = 25, \quad N_{\text{tot}} = 20, \quad \text{Planck TT, TE, EE + lowE + lensing + BK15} \quad (\textcolor{red}{\square} 1\sigma, \textcolor{orange}{\square} 2\sigma)$$




- Beyond the power spectrum: Non-Gaussianity, Spectral Distortions, Dissipation
- Higher spin fluctuations (Primordial Gravitational Waves)
- Primordial Black Hole distribution


## 1. Beyond WIMPs




## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion

# Infrastructure

- An office



- Computing



Multithread Personal Computing




IFT Computing (Mingus, ...)




External Supercomputing (COSMOS, ...)

- Collaboration network. IF + travel + visitors
- Motivated students and postdocs


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects




## 5. Conclusion


## Synergy




## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Future prospects



## 5. Conclusion


# Conclusion

- The light beyond the WIMP: the Big Bang itself?
- Dark matter as a probe of early dynamics
- Indirect connection with low energy physics (neutrinos, CMB, proton decay, ...)
- Same ideas, different applications (condensed matter, baryon asymmetry, finance, ...)




¡Gracias!


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs




## 4. Compact objects




## 5. Prospects


# Other evidence for Dark Matter?




XENON, PRD 102 (2020), 072004



IceCube, PRL 113 (2014), 101101



K. Kohri and T. Terada, PLB 813 (2021), 136040




LHAASO, Nature 594 (2021), 33


## 1. Beyond WIMPs



## 2. Inflation & reheating



## 3. FIMPs






## 4. Compact objects




## 5. Prospects


# Prospects




# 1. Beyond WIMPs




# 2. Inflation & reheating



# 3. FIMPs



# 4. Compact objects



# 5. Prospects

