

Swing

Emerson C. Lima

Programação Java





```
void setBorder(Border)
Border getBorder()
void setForeground(Color)
void setBackground(Color)
Color getForeground()
Color getBackground()
void setOpaque(boolean)
boolean isOpaque()
void setFont(Font)
Font getFont()
void setCursor(Cursor)
Cursor getCursor()
```

```
void setComponentPopupMenu(JPopupMenu)
```

void setVisible(boolean)

boolean isVisible()

```
void setToolTipText(String)

void setEnabled(boolean)
boolean isEnabled()
```

```
void addMouseListener(MouseListener)
void removeMouseListener(MouseListener)
```

```
void addKeyListener(KeyListener)
void removeKeyListener(KeyListener)
```

```
boolean contains(int, int)
boolean contains(Point)
```

void repaint()

void paintComponent(Graphics)

```
Component add(Component)
Component add(Component, int)
void add(Component, Object)
```

```
void remove(int)
void remove(Component)
void removeAll()
```

```
int getComponentCount()
Component getComponent(int)
Component[] getComponents()
```

```
void setPreferredSize(Dimension)
void setMaximumSize(Dimension)
void setMinimumSize(Dimension)
Dimension getPreferredSize()
Dimension getMaximumSize()
Dimension getMinimumSize()
```

```
void setLayout(LayoutManager)
LayoutManager getLayout()
```

```
int getWidth()
int getHeight()
Dimension getSize()
Dimension getSize(Dimension)

int getX()
int getY()
```

```
int getX()
int getY()
Point getLocation()
Point getLocation(Point)
Point getLocationOnScreen()
```

```
Rectangle getBounds()
Rectangle getBounds(Rectangle)
```

```
Insets getInsets()
```

```
void setLocation(int, int)
void setLocation(Point)
```

```
void setSize(int, int)
void setSize(Dimension)
```

```
void setBounds(int, int, int, int)
void setBounds(Rectangle)
```