

Cucumber Report

23 de ago. de 2023 22:33:04

Start : ago. 23, 10:32:43.675 PM

End : ago. 23, 10:33:04.196 PM

Duration : 20.521 s

Features




Scenarios

Steps

PASSED - 5
FAILED - 0
SKIPPED - 0


PASSED - 25
FAILED - 0
SKIPPED - 0

PASSED - 105
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Delete</u>	3.468 s	5	5	0	0	15	15	0	0
<u>Get</u>	4.406 s	5	5	0	0	20	20	0	0
<u>Patch</u>	7.219 s	5	5	0	0	40	40	0	0
<u>Post</u>	2.558 s	5	5	0	0	15	15	0	0
<u>Put</u>	2.839 s	5	5	0	0	15	15	0	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@delete	5	5	0	0	1	1	0	0
@jsonplaceholder	25	25	0	0	5	5	0	0
@get	5	5	0	0	1	1	0	0
@patch	5	5	0	0	1	1	0	0
@post	5	5	0	0	1	1	0	0
@put	5	5	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Delete</u>	5	5	0	0	3.468 s
2	<u>Get</u>	5	5	0	0	4.406 s
3	<u>Patch</u>	5	5	0	0	7.219 s
4	<u>Post</u>	5	5	0	0	2.558 s
5	<u>Put</u>	5	5	0	0	2.839 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Delete</u>	<u>Delete a resource</u>	3	3	0	0	1.608 s
2	<u>Delete</u>	<u>Delete a resource</u>	3	3	0	0	0.447 s
3	<u>Delete</u>	<u>Delete a resource</u>	3	3	0	0	0.440 s
4	<u>Delete</u>	<u>Delete a resource</u>	3	3	0	0	0.475 s
5	<u>Delete</u>	<u>Delete a resource</u>	3	3	0	0	0.465 s
6	<u>Get</u>	<u>Retrieve resource</u>	4	4	0	0	0.886 s
7	<u>Get</u>	<u>Retrieve resource</u>	4	4	0	0	0.870 s
8	<u>Get</u>	<u>Retrieve resource</u>	4	4	0	0	0.863 s
9	<u>Get</u>	<u>Retrieve resource</u>	4	4	0	0	0.904 s
10	<u>Get</u>	<u>Retrieve resource</u>	4	4	0	0	0.862 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Patch</u>	<u>Modify a resource partially</u>	8	8	0	0	1.641 s
12	<u>Patch</u>	<u>Modify a resource partially</u>	8	8	0	0	1.402 s
13	<u>Patch</u>	<u>Modify a resource partially</u>	8	8	0	0	1.374 s
14	<u>Patch</u>	<u>Modify a resource partially</u>	8	8	0	0	1.409 s
15	<u>Patch</u>	<u>Modify a resource partially</u>	8	8	0	0	1.373 s
16	<u>Post</u>	<u>Create new resource</u>	3	3	0	0	0.554 s
17	<u>Post</u>	<u>Create new resource</u>	3	3	0	0	0.493 s
18	<u>Post</u>	<u>Create new resource</u>	3	3	0	0	0.528 s
19	<u>Post</u>	<u>Create new resource</u>	3	3	0	0	0.486 s
20	<u>Post</u>	<u>Create new resource</u>	3	3	0	0	0.483 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Put</u>	<u>Update an existing resource</u>	3	3	0	0	0.664 s
22	<u>Put</u>	<u>Update an existing resource</u>	3	3	0	0	0.495 s
23	<u>Put</u>	<u>Update an existing resource</u>	3	3	0	0	0.612 s
24	<u>Put</u>	<u>Update an existing resource</u>	3	3	0	0	0.532 s
25	<u>Put</u>	<u>Update an existing resource</u>	3	3	0	0	0.518 s

Delete



PASSED	DURATION - 3.468 s	Scenarios		Steps	
/ 10:32:43.675 PM // 10:32:47.143 PM /		Total - 5		Total - 15	
		Pass - 5		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Delete a resource

PASSED	DURATION - 1.608 s		Steps	
/ 10:32:43.682 PM // 10:32:45.290 PM /			Total - 3	
Delete			Pass - 3	
@delete @jsonplaceholder			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given the user deletes 'posts' with 1	PASSED	1.564 s
2	When it returns response status 200	PASSED	0.001 s
3	Then the response should be empty "	PASSED	0.000 s

Delete a resource

PASSED	DURATION - 0.447 s		Steps	
/ 10:32:45.298 PM // 10:32:45.745 PM /			Total - 3	
Delete			Pass - 3	
@delete @jsonplaceholder			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given the user deletes 'posts' with 2	PASSED	0.443 s
2	When it returns response status 200	PASSED	0.001 s
3	Then the response should be empty "	PASSED	0.000 s

Delete a resource

PASSED	DURATION - 0.440 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:32:45.752 PM // 10:32:46.192 PM /				
Delete				
@delete @jsonplaceholder				



#	Step / Hook Details	Status	Duration
1	Given the user deletes 'posts' with 3	PASSED	0.434 s
2	When it returns response status 200	PASSED	0.000 s
3	Then the response should be empty "	PASSED	0.001 s

Delete a resource

PASSED	DURATION - 0.475 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:32:46.197 PM // 10:32:46.672 PM /				
Delete				
@delete @jsonplaceholder				



#	Step / Hook Details	Status	Duration
1	Given the user deletes 'posts' with 4	PASSED	0.471 s
2	When it returns response status 200	PASSED	0.000 s
3	Then the response should be empty "	PASSED	0.001 s

Delete a resource



<div>PASSED</div>	<div>DURATION - 0.465 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:32:46.678 PM // 10:32:47.143 PM /				
Delete				
@delete @jsonplaceholder				

#	Step / Hook Details	Status	Duration
1	Given the user deletes 'posts' with 5	PASSED	0.461 s
2	When it returns response status 200	PASSED	0.001 s
3	Then the response should be empty "	PASSED	0.000 s

Get



<div>PASSED</div>	<div>DURATION - 4.406 s</div>	<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 20</div> <div>Pass - 20</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:32:47.155 PM // 10:32:51.561 PM /</div>					

Retrieve resource

<div>PASSED</div> <div>DURATION - 0.886 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:32:47.155 PM // 10:32:48.041 PM /				
Get				
@jsonplaceholder @get				



#	Step / Hook Details	Status	Duration
1	Given the user retrieves 'posts'	PASSED	0.426 s
2	When it uses the identification '1'	PASSED	0.454 s
3	Then it should returns 'sunt aut facere repellat provident occaecati excepturi optio reprehenderit'	PASSED	0.001 s
4	And status 200	PASSED	0.000 s

Retrieve resource

PASSED	DURATION - 0.870 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:32:48.047 PM // 10:32:48.917 PM /				
Get				
@jsonplaceholder @get				

#	Step / Hook Details	Status	Duration
1	Given the user retrieves 'posts'	PASSED	0.429 s
2	When it uses the identification '11'	PASSED	0.436 s
3	Then it should returns 'et ea vero quia laudantium autem'	PASSED	0.000 s
4	And status 200	PASSED	0.000 s



Retrieve resource

PASSED	DURATION - 0.863 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:32:48.922 PM // 10:32:49.785 PM /				
Get				
@jsonplaceholder @get				

#	Step / Hook Details	Status	Duration
1	Given the user retrieves 'posts'	PASSED	0.430 s
2	When it uses the identification '22'	PASSED	0.429 s



#	Step / Hook Details	Status	Duration
3	Then it should returns 'dolor sint quo a velit explicabo quia nam'	PASSED	0.000 s
4	And status 200	PASSED	0.000 s

Retrieve resource

PASSED	DURATION - 0.904 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0				
/ 10:32:49.790 PM // 10:32:50.694 PM /							
Get							
@jsonplaceholder @get							



#	Step / Hook Details	Status	Duration
1	Given the user retrieves 'posts'	PASSED	0.458 s
2	When it uses the identification '33'	PASSED	0.441 s
3	Then it should returns 'qui explicabo molestiae dolorem'	PASSED	0.001 s
4	And status 200	PASSED	0.000 s

Retrieve resource



PASSED	DURATION - 0.862 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:32:50.699 PM // 10:32:51.561 PM /				
Get				
@jsonplaceholder @get				

#	Step / Hook Details	Status	Duration
1	Given the user retrieves 'posts'	PASSED	0.428 s
2	When it uses the identification '44'	PASSED	0.430 s
3	Then it should returns 'optio dolor molestias sit'	PASSED	0.000 s
4	And status 200	PASSED	0.000 s

Patch



PASSED	DURATION - 7.219 s	Scenarios		Steps	
/ 10:32:51.569 PM // 10:32:58.788 PM /		Total - 5		Total - 40	
		Pass - 5		Pass - 40	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Modify a resource partially

<div>PASSED</div> <div>DURATION - 1.641 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:32:51.569 PM // 10:32:53.210 PM /</div>			
<div>Patch</div>			
<div>@jsonplaceholder @patch</div>			



#	Step / Hook Details	Status	Duration
1	Given the user retrieves 'posts'	PASSED	0.423 s
2	And it uses the identification '1'	PASSED	0.445 s
3	And it should returns 'sunt aut facere repellat provident occaecati excepturi optio reprehenderit'	PASSED	0.000 s
4	And status 200	PASSED	0.000 s
5	When the user updates that 'posts' id 1 with just the name to 'Just title Updated with Patch 1'	PASSED	0.763 s
6	Then the status received should be 200	PASSED	0.001 s
7	And the 1 should be the same	PASSED	0.000 s
8	But the title must be the updated 'Just title Updated with Patch 1'	PASSED	0.000 s

Modify a resource partially

PASSED	DURATION - 1.402 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 10:32:53.216 PM // 10:32:54.618 PM /				
Patch				
@jsonplaceholder @patch				

#	Step / Hook Details	Status	Duration
1	Given the user retrieves 'posts'	PASSED	0.449 s
2	And it uses the identification '11'	PASSED	0.440 s
3	And it should returns 'et ea vero quia laudantium autem'	PASSED	0.001 s
4	And status 200	PASSED	0.001 s
5	When the user updates that 'posts' id 11 with just the name to 'Just title Updated with Patch 2'	PASSED	0.505 s
6	Then the status received should be 200	PASSED	0.000 s
7	And the 11 should be the same	PASSED	0.000 s
8	But the title must be the updated 'Just title Updated with Patch 2'	PASSED	0.000 s



Modify a resource partially

PASSED	DURATION - 1.374 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 10:32:54.623 PM // 10:32:55.997 PM /				
Patch				
@jsonplaceholder @patch				

#	Step / Hook Details	Status	Duration
1	Given the user retrieves 'posts'	PASSED	0.425 s
2	And it uses the identification '22'	PASSED	0.441 s
3	And it should returns 'dolor sint quo a velit explicabo quia nam'	PASSED	0.001 s
4	And status 200	PASSED	0.000 s
5	When the user updates that 'posts' id 22 with just the name to 'Just title Updated with Patch 3'	PASSED	0.503 s



#	Step / Hook Details	Status	Duration
6	Then the status received should be 200	PASSED	0.000 s
7	And the 22 should be the same	PASSED	0.000 s
8	But the title must be the updated 'Just title Updated with Patch 3'	PASSED	0.000 s

Modify a resource partially

PASSED	DURATION - 1.409 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 10:32:56.001 PM // 10:32:57.410 PM /				
Patch				
@jsonplaceholder @patch				



#	Step / Hook Details	Status	Duration
1	Given the user retrieves 'posts'	PASSED	0.448 s
2	And it uses the identification '33'	PASSED	0.476 s
3	And it should returns 'qui explicabo molestiae dolorem'	PASSED	0.001 s
4	And status 200	PASSED	0.000 s
5	When the user updates that 'posts' id 33 with just the name to 'Just title Updated with Patch 4'	PASSED	0.481 s
6	Then the status received should be 200	PASSED	0.001 s
7	And the 33 should be the same	PASSED	0.000 s
8	But the title must be the updated 'Just title Updated with Patch 4'	PASSED	0.000 s

Modify a resource partially



PASSED	DURATION - 1.373 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 10:32:57.415 PM // 10:32:58.788 PM /				
Patch				
@jsonplaceholder @patch				

#	Step / Hook Details	Status	Duration
1	Given the user retrieves 'posts'	PASSED	0.452 s
2	And it uses the identification '44'	PASSED	0.438 s
3	And it should returns 'optio dolor molestias sit'	PASSED	0.001 s
4	And status 200	PASSED	0.000 s
5	When the user updates that 'posts' id 44 with just the name to 'Just title Updated with Patch 5'	PASSED	0.479 s
6	Then the status received should be 200	PASSED	0.000 s
7	And the 44 should be the same	PASSED	0.001 s
8	But the title must be the updated 'Just title Updated with Patch 5'	PASSED	0.000 s

Post



PASSED	DURATION - 2.558 s	Scenarios		Steps	
/ 10:32:58.793 PM // 10:33:01.351 PM /		Total - 5		Total - 15	
		Pass - 5		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Create new resource

PASSED	DURATION - 0.554 s		Steps	
/ 10:32:58.793 PM // 10:32:59.347 PM /			Total - 3	
Post			Pass - 3	
@post @jsonplaceholder			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given the user creates 'posts', with name 'Title 1', message 'This is the first body' and id 1	PASSED	0.549 s
2	When it gets status 201	PASSED	0.000 s
3	Then it should contains the same name 'Title 1', message 'This is the first body' and id 1	PASSED	0.001 s

Create new resource

PASSED	DURATION - 0.493 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:32:59.350 PM // 10:32:59.843 PM /				
Post				
@post @jsonplaceholder				



#	Step / Hook Details	Status	Duration
1	Given the user creates 'posts', with name 'Title 2', message 'This is the second body' and id 2	PASSED	0.490 s
2	When it gets status 201	PASSED	0.000 s
3	Then it should contains the same name 'Title 2', message 'This is the second body' and id 2	PASSED	0.000 s

Create new resource

PASSED	DURATION - 0.528 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:32:59.846 PM // 10:33:00.374 PM /				
Post				
@post @jsonplaceholder				



#	Step / Hook Details	Status	Duration
1	Given the user creates 'posts', with name 'Title 3', message 'This is the third body' and id 3	PASSED	0.525 s
2	When it gets status 201	PASSED	0.000 s
3	Then it should contains the same name 'Title 3', message 'This is the third body' and id 3	PASSED	0.000 s

Create new resource

PASSED	DURATION - 0.486 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:33:00.378 PM // 10:33:00.864 PM /				
Post				
@post @jsonplaceholder				



#	Step / Hook Details	Status	Duration
1	Given the user creates 'posts', with name 'Title 4', message 'This is the fourth body' and id 4	PASSED	0.482 s
2	When it gets status 201	PASSED	0.001 s
3	Then it should contains the same name 'Title 4', message 'This is the fourth body' and id 4	PASSED	0.001 s

Create new resource



PASSED	DURATION - 0.483 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:33:00.868 PM // 10:33:01.351 PM /				
Post				
@post @jsonplaceholder				

#	Step / Hook Details	Status	Duration
1	Given the user creates 'posts', with name 'Title 5', message 'This is the fifth body' and id 5	PASSED	0.481 s
2	When it gets status 201	PASSED	0.000 s
3	Then it should contains the same name 'Title 5', message 'This is the fifth body' and id 5	PASSED	0.001 s

Put



PASSED	DURATION - 2.839 s	Scenarios		Steps	
/ 10:33:01.357 PM // 10:33:04.196 PM /		Total - 5		Total - 15	
		Pass - 5		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Update an existing resource

PASSED	DURATION - 0.664 s		Steps	
/ 10:33:01.357 PM // 10:33:02.021 PM /			Total - 3	
Put			Pass - 3	
@put @jsonplaceholder			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given the user updates an existing 'posts', with name 'Title 1 updated', message 'This is the first body updated', user id 1 and id 1	PASSED	0.659 s
2	When it returns status 200	PASSED	0.000 s
3	Then it should contains name 'Title 1 updated', message 'This is the first body updated', user id 1 and id 1	PASSED	0.002 s



Update an existing resource

PASSED	DURATION - 0.495 s		Steps	
/ 10:33:02.026 PM // 10:33:02.521 PM /			Total - 3	
Put			Pass - 3	
@put @jsonplaceholder			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given the user updates an existing 'posts', with name 'Title 1 updated', message 'This is the second body updated', user id 2 and id 2	PASSED	0.492 s



#	Step / Hook Details	Status	Duration
2	When it returns status 200	PASSED	0.000 s
3	Then it should contains name 'Title 1 updated', message 'This is the second body updated', user id 2 and id 2	PASSED	0.001 s

Update an existing resource

PASSED	DURATION - 0.612 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:33:02.525 PM // 10:33:03.137 PM /				
Put				
@put @jsonplaceholder				

#	Step / Hook Details	Status	Duration
1	Given the user updates an existing 'posts', with name 'Title 1 updated', message 'This is the third body updated', user id 3 and id 3	PASSED	0.609 s
2	When it returns status 200	PASSED	0.000 s
3	Then it should contains name 'Title 1 updated', message 'This is the third body updated', user id 3 and id 3	PASSED	0.000 s

Update an existing resource

PASSED	DURATION - 0.532 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:33:03.141 PM // 10:33:03.673 PM /				
Put				
@put @jsonplaceholder				

#	Step / Hook Details	Status	Duration
1	Given the user updates an existing 'posts', with name 'Title 1 updated', message 'This is the fourth body updated', user id 4 and id 4	PASSED	0.528 s
2	When it returns status 200	PASSED	0.000 s
3	Then it should contains name 'Title 1 updated', message 'This is the fourth body updated', user id 4 and id 4	PASSED	0.000 s

Update an existing resource


PASSED

DURATION - 0.518 s

/ 10:33:03.678 PM // 10:33:04.196 PM /

Put

@put @jsonplaceholder



Index	Value
1	0.5
2	0.0
3	0.0


Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given the user updates an existing 'posts', with name 'Title 1 updated', message 'This is the fifth body updated', user id 5 and id 5	PASSED	0.515 s
2	When it returns status 200	PASSED	0.000 s
3	Then it should contains name 'Title 1 updated', message 'This is the fifth body updated', user id 5 and id 5	PASSED	0.001 s