



MILL TEST CERTIFICATE

Number:

108851459.0.4

Page:

1 / 7

Date: July 28, 2026



MAVERICK TUBE CORPORATION

Hickman Plant
5020 N COUNTY RD 967
BLYTHEVILLE, AR 72315
(870) 776-5000 tel
(870) 776-5008 fax

Customer:		Customer's Order Item:		Customer's Reference:		Manufacturer's Works Order N°:	
		39071884/SO/40		32716		N/A	
Manufacturing Process:		Product Type:				Surface:	
HFW		Line Pipe				Bare	
Standard or Specification:				Steel Grade:		Ends:	
API Spec. 5L 46th Ed. 04/2018				X65M PSL 2		Plain End Bevelled	
Dimensions:		Schedule:	Length:	Quantity: 13 PCS		Nominal Weight:	
16.000 x 0.500 in		N/A	35"MIN 45"MAX	556 FT 46141 LB		82.85 LB/FT	

TENSILE TEST

Heat N°	Sample N°	Zone	Lot N°	Specimen condition				Specimen dimensions		Test temp	Y.S.	U.T.S.	Y.S./U.T.S	Elongation		
				Ls	Sc	Type	Ori	Size			.5% EUL	Req.	Req. Max.	Lo	Min.	Obt.
											Min: 65 300 Max: 87 000	Min: 77 600 Max: 110 200				
2154488	209493	E1	2154488	B	AM	Ss	T	1.500		RT	75 651	87 941	0.86	2.0	23.0	35.0
2154489	209534	E1	2154489	B	AM	Ss	T	1.500		RT	77 237	88 267	0.87	2.0	23.0	34.7
2254928	209553	E1	2254928	B	AM	Ss	T	1.500		RT	72 261	85 843	0.84	2.0	23.0	35.2
2254930	209529	E1	2254930	B	AM	Ss	T	1.500		RT	72 999	85 702	0.85	2.0	23.0	36.7

AM: As manufactured
B: Body
E1 / E2: Ends of Sampling
Lo: Initial length
Ls: Location of sample

Max: Maximum
Min: Minimum
Obt: Obtained
Ori: Orientation
Req. Max: Required maximum

Req: Required
RT: Room temperature
Sc: Specimen condition
Ss: Strip specimen
T: Transversal

U.T.S: Ultimate tensile strength
Y.S: Yield strength

Heat N°	Sample N°	Zone	Lot N°	Specimen condition				Specimen dimensions		Test temp	U.T.S.
				Ls	Sc	Type	Ori	Size	Req.		
									Min: 77 600		
									Max: 110 200		
								in	F	psi	
2154488	209493	E1	2154488	W	AM	Ss	T	1.500		RT	91 392
2154489	209534	E1	2154489	W	AM	Ss	T	1.500		RT	90 993
2254928	209553	E1	2254928	W	AM	Ss	T	1.500		RT	91 364
2254930	209529	E1	2254930	W	AM	Ss	T	1.500		RT	89 647

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.



MILL TEST CERTIFICATE

Number:

108851459.0.4

Page:

2 / 7

Date: July 28, 2026



MAVERICK TUBE CORPORATION

Hickman Plant
5020 N COUNTY RD 967
BLYTHEVILLE, AR 72315
(870) 776-5000 tel
(870) 776-5008 fax

Customer:		Customer's Order Item:		Customer's Reference:	Manufacturer's Works Order N°:
		39071884/SO/40		32716	N/A
Manufacturing Process:		Product Type:			Surface:
HFW		Line Pipe			Bare
Standard or Specification:				Steel Grade:	Ends:
API Spec. 5L 46th Ed. 04/2018				X65M PSL 2	Plain End Bevelled
Dimensions:	Schedule:	Length:	Quantity:		Nominal Weight:
16.000 x 0.500 in	N/A	35'MIN 45'MAX	13 PCS 556 FT	46141 LB	82.85 LB/FT

TENSILE TEST

AM: As manufactured
E1 / E2: Ends of Sampling
Ls: Location of sample
Max: Maximum

Min: Minimum
Ori: Orientation
Req: Required
RT: Room temperature

Sc: Specimen condition
Ss: Strip specimen
T: Transversal
U.T.S: Ultimate tensile strength

W: Weld

CHEMICAL COMPOSITION

					Composition %																		
					X 100								X 1000										X 1000
					C	Mn	Si	Cu	Ni	Cr	Mo	E-Pcm	P	S	Al	Sn	Nb	V	Ti	Ca	N	B	
					H	Max	Min	12	160	45	50	30	30	15	25	25	15	—	—	—	—	—	—
Heat N°	Sample N°	Lot N°	Ls	P	Max	Min	12	160	45	50	30	30	15	25	25	15	—	—	—	—	10		
							12	160	45	50	30	30	15	25	25	15	—	—	—	—	—	—	—
2154488	4159404	2154488	B.M.	H	4	133	18	11	3	5	1	12	15	1	40	10	43	50	2	2	8	--	
2154489	4159398	2154489	B.M.	H	4	134	17	12	4	6	1	12	15	1	30	10	43	52	2	2	7	--	
2254928	4159276	2254928	B.M.	H	5	135	19	13	4	5	1	13	13	1	30	10	42	50	3	2	9	--	
2254930	4159307	2254930	B.M.	H	4	132	18	15	4	6	1	12	13	2	30	10	45	48	2	2	8	--	
2154488	4161143	2154488	B.M.	P	4	131	21	10	4	5	1	13	13	2	49	--	42	48	3	3	--	10	
2154488	4161163	2154488	B.M.	P	3	131	21	10	4	6	1	12	14	2	43	--	42	48	3	2	--	10	
2154489	4161287	2154489	B.M.	P	3	131	20	11	4	6	1	12	15	2	36	--	41	49	3	2	--	10	
2154489	4161307	2154489	B.M.	P	3	131	20	11	4	6	1	12	15	2	36	--	42	49	3	2	--	10	
2254928	4161392	2254928	B.M.	P	4	136	21	10	4	5	1	13	14	3	46	10	44	69	4	4	8	10	

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.



MILL TEST CERTIFICATE

Number:

108851459.0.4

Page:

3 / 7

Date: July 28, 2026

MAVERICK TUBE CORPORATION

Hickman Plant
5020 N COUNTY RD 967
BLYTHEVILLE, AR 72315
(870) 776-5000 tel
(870) 776-5008 fax



Customer:		Customer's Order Item:		Customer's Reference:		Manufacturer's Works Order N°:	
		39071884/SO/40		32716		N/A	
Manufacturing Process:		Product Type:				Surface:	
HFW		Line Pipe				Bare	
Standard or Specification:				Steel Grade:		Ends:	
API Spec. 5L 46th Ed. 04/2018				X65M PSL 2		Plain End Bevelled	
Dimensions:		Schedule:		Length:		Quantity:	
16.000 x 0.500 in		N/A		35"MIN 45"MAX		13 PCS 556 FT 46141 LB	
						Nominal Weight:	
						82.85 LB/FT	

CHEMICAL COMPOSITION

				Composition %															
				X 100								X 1000							
				C	Mn	Si	Cu	Ni	Cr	Mo	CE-Pcm	P	S	Al	Sn	Nb	V	Ti	Ca
				H	Max	12	160	45	50	30	30	15	25	25	15	--	--	--	--
				Min	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
				P	Max	12	160	45	50	30	30	15	25	25	15	--	--	--	--
				Min	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heat N°	Sample N°	Lot N°	Ls	P	Max	Min													
2254928	4161412	2254928	B.M.	P	5	136	22	12	4	5	1	14	10	2	41	10	42	69	4
2254930	4161171	2254930	B.M.	P	4	133	21	13	5	6	1	13	12	2	38	10	43	44	3
2254930	4161191	2254930	B.M.	P	3	131	21	14	5	6	1	12	13	3	41	10	44	45	3

B.M: Base metal

H: Heat

Max: Maximum

P: Product

CE-Pcm: CE-Pcm

Ls: Location of sample

Min: Minimum

THROUGH WALL HARDNESS

Required values			Individuals			Average			Hardness type:HRBW		
			Min: -	Max: 94.0	Var: --	Min: --	Max: --	Var: --			
Heat N°	Sample N°	Zone	Lot N°	Pipe N°	Specimen condition			Quad.			Avg.
						Ls	Sc				
2154488	209493	-	2154488	-	B			AM			91.8
2154489	209534	-	2154489	-	B			AM			91.7
2254928	209553	-	2254928	-	B			AM			91.9
2254930	209529	-	2254930	-	B			AM			92.2

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.



MILL TEST CERTIFICATE

Number:
108851459.0.4

Page:
4 / 7

Date: **July 28, 2026**

MAVERICK TUBE CORPORATION
Hickman Plant
5020 N COUNTY RD 967
BLYTHEVILLE, AR 72315
(870) 776-5000 tel
(870) 776-5008 fax



Customer:		Customer's Order Item:		Customer's Reference:		Manufacturer's Works Order N°:	
		39071884/SO/40		32716		N/A	
Manufacturing Process:		Product Type:				Surface:	
HFW		Line Pipe				Bare	
Standard or Specification:				Steel Grade:		Ends:	
API Spec. 5L 46th Ed. 04/2018				X65M PSL 2		Plain End Bevelled	
Dimensions:		Schedule:	Length:	Quantity:		Nominal Weight:	
16.000 x 0.500 in		N/A	35"MIN 45"MAX	13 PCS 556 FT 46141 LB		82.85 LB/FT	

THROUGH WALL HARDNESS

AM: As manufactured	Ls: Location of sample	Quad: Quadrant
Avg: Average	Max: Maximum	Sc: Specimen condition
B: Body	Min: Minimum	Var: Variation

IMPACT TEST

Type: Charpy V			Orientation: T				Unit: ft.lb				Shear area %			
Position:			Temp: 32		Unit: F		Ind.Min.Reg: 11		Req.Min.Avg: 15		Ind.Min.Reg: -		Req.Min.Avg: -	
Heat N°	Sample N°	Lot N°	Ls	Sc	T.T F	Size	Results				Results			
						-	1	2	3	Avg.	1	2	3	Avg.
2154488	209493	2154488	B	AM	32	3/4	215	212	218	215	100	100	100	100
2154489	209534	2154489	B	AM	32	3/4	211	214	212	212	100	100	100	100
2254928	209553	2254928	B	AM	32	3/4	209	212	195	205	100	100	100	100
2254930	209529	2254930	B	AM	32	3/4	217	212	212	214	90	100	100	97

AM: As manufactured	Ind. Min. Req: Individual Minimum Required	Sc: Specimen condition
Avg: Average	Ls: Location of sample	T.T: Test temperature
B: Body	Req. Min. Avg: Required minimum average	Temp: Temperature

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.



MILL TEST CERTIFICATE

Number:
108851459.0.4

Page:
5 / 7

Date: **July 28, 2026**

MAVERICK TUBE CORPORATION
Hickman Plant
5020 N COUNTY RD 967
BLYTHEVILLE, AR 72315
(870) 776-5000 tel
(870) 776-5008 fax

Customer:		Customer's Order Item: 39071884/SO/40		Customer's Reference: 32716	Manufacturer's Works Order N°: N/A
Manufacturing Process: HFW		Product Type: Line Pipe			Surface: Bare
Standard or Specification: API Spec. 5L 46th Ed. 04/2018			Steel Grade: X65M PSL 2		Ends: Plain End Bevelled
Dimensions: 16.000 x 0.500 in	Schedule: N/A	Length: 35'MIN 45'MAX	Quantity: 13 PCS 556 FT 46141 LB		Nominal Weight: 82.85 LB/FT

FLATTENING TEST

Standard:				Standard:				Standard:				Standard:			
Heat N°	Lot N°	Sample N°	Result	Heat N°	Lot N°	Sample N°	Result	Heat N°	Lot N°	Sample N°	Result	Heat N°	Lot N°	Sample N°	Result
2154488	2154488	209493	Good	2154489	2154489	209534	Good	2254928	2254928	209553	Good	2254930	2254930	209529	Good

HYDROSTATIC TEST

Pressure		Time		Results
Unit	Value	Seconds		
psi	2,970	5		Satisfactory

SUPPLEMENTARY INFORMATION

Supplementary Information		Supplementary Information	
This material has been manufactured, sampled, tested and inspected in accordance with this specification and has been found to meet the requirements called for by the above order. This product is silicon and/or aluminum fully killed. NDT OK; Longitudinal UT and Transverse EMI with ID/OD N-10 Notches (1.0" L and .039" W)		verified by 1/8" TDH BODY TENSILE SOURCED 180° FROM WELD LINE; CVN SAMPLES SOURCED 90° FROM WELD LINE; CVN SAMPLES TESTED BY 8mm STRIKER	

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.



MILL TEST CERTIFICATE

Number:

108851459.0.4

Page:

6 / 7

Date: July 28, 2026

MAVERICK TUBE CORPORATION

Hickman Plant
5020 N COUNTY RD 967
BLYTHEVILLE, AR 72315
(870) 776-5000 tel
(870) 776-5008 fax



Customer:		Customer's Order Item:		Customer's Reference:	Manufacturer's Works Order N°:
		39071884/SO/40		32716	N/A
Manufacturing Process:		Product Type:			Surface:
HFW		Line Pipe			Bare
Standard or Specification:				Steel Grade:	Ends:
API Spec. 5L 46th Ed. 04/2018				X65M PSL 2	Plain End Bevelled
Dimensions:	Schedule:	Length:	Quantity:		Nominal Weight:
16.000 x 0.500 in	N/A	35'MIN 45'MAX	13 PCS 556 FT	46141 LB	82.85 LB/FT

SUPPLEMENTARY INFORMATION

Heat Treatment	
The minimum weld seam heat treatment temperature is 1650F.	
Steel Vendor Name and Manufactured	
2154488,NUCOR STEEL HICKMAN,ARMOREL,AR,Melted and Manufactured in USA 2154489,NUCOR STEEL HICKMAN,ARMOREL,AR,Melted and Manufactured in USA	
Steel Vendor Name and Manufactured	
2254928,NUCOR STEEL HICKMAN,ARMOREL,AR,Melted and Manufactured in USA 2254930,NUCOR STEEL HICKMAN,ARMOREL,AR,Melted and Manufactured in USA	

SUMMARY REPORT

Heat N°	Quantity	Length	Weight	Heat N°	Quantity	Length	Weight
	(Pieces)	FT	LB		(Pieces)	FT	LB
2154488	2	88.36	7,321.509	2254928	6	253.143	20,975.176
2154489	4	173.648	14,388.64	2254930	1	41.709	3,456.09

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.



MAVERICK TUBE CORPORATION
Hickman Plant
5020 N COUNTY RD 967
BLYTHEVILLE, AR 72315
(870) 776-5000 tel
(870) 776-5008 fax

MILL TEST CERTIFICATE

Number:

108851459.0.4

Page:


7 / 7

Date: **July 28, 2026**

Customer:		Customer's Order Item:		Customer's Reference:	Manufacturer's Works Order N°:
		39071884/SO/40		32716	N/A
Manufacturing Process:		Product Type:			Surface:
HFW		Line Pipe			Bare
Standard or Specification:				Steel Grade:	Ends:
API Spec. 5L 46th Ed. 04/2018				X65M PSL 2	Plain End Bevelled
Dimensions:	Schedule:	Length:	Quantity:		Nominal Weight:
16.000 x 0.500 in	N/A	35'MIN 45'MAX	13 PCS 556 FT	46141 LB	82.85 LB/FT

The product certified herein has been manufactured, sampled, tested and inspected in accordance with the stated specifications and has been found to meet the requirements.

We, Tenaris, hereby acknowledge the restrictions as per article 3g(1) of Council Regulation (EU) No 833/2014, as amended, and confirm that our company is compliant with this legislation. Consequently, we, Tenaris, hereby represent and warrant that the steel products covered by this certificate, as listed in Annex XVII of Council Regulation (EU) No 833/2014 of 31 July 2014 and its subsequent amendments, do not originate from Russia. Furthermore, we confirm that the steel products covered by this certificate, as listed in Annex XVII of Council Regulation (EU) No 833/2014 of 31 July 2014 and its subsequent amendments, as required under article 3g(1)(d) (as amended) and related guidelines do not incorporate any steel or iron products as listed in the same Annex XVII originating in Russia when having been processed in a third country. We also acknowledge the equivalent restrictions as per Clause 17e of Norway's Russia Regulations of 15 August 2014 No. 1076 (FOR-2014-08-15-1076) and Regulations 46IA and 46IB of the UK Russia (Sanctions) (EU Exit) Regulations 2019, and confirm that our company is compliant with these laws as well.

CUSTOMER / THIRD PARTY		TENARIS QUALITY DEPARTMENT SIGNATURE	
INSPECTION COMPANY COMPAÑIA DE INSPECCIÓN			
Company Name: N/A Employee Name: N/A		QUALITY CERTIFICATION DEPT. Francisco G. Pinilla Portales	CHIEF OF QUALITY CERTIFICATION DEPT. Kyle McCarthy

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.