

**MAVERICK TUBE CORPORATION**

Hickman Plant
5020 N COUNTY RD 967
BLYTHEVILLE, AR 72315
(870) 776-5000 tel
(870) 776-5008 fax

MILL TEST CERTIFICATE

Number:

108817293.0.7

Page:

1 / 6Date: **July 15, 2026**

Customer: MRC Global CPU at Tenaris Hickman, North Co Road 967, Blytheville, AR 723157427			Customer's Order Item: 39080737/SO/70		Customer's Reference: US1119929PO		Manufacturer's Works Order N°: N/A		
Manufacturing Process: HFW			Product Type: Line Pipe					Surface: Bare	
Standard or Specification: API Spec 5L 46th Edition 04/2018					Steel Grade: X65M PSL 2			Ends: Plain End Bevelled	
Dimensions: 16.000 x 0.500 in		Schedule: N/A		Length: 35'MIN 45'MAX		Quantity: 3 PCS 124 FT		Nominal Weight: 10310 LB 82.85 LB/FT	

TENSILE TEST

Heat N°	Sample N°	Zone	Lot N°	Specimen condition				Specimen dimensions		Test temp	Y.S.	U.T.S.	Y.S./U.T.S	Elongation		
				Ls	Sc	Type	Ori	Size	.5% EUL		Req.	Req. Max.	Lo	Min.	Obt.	
									Min: 65 300		Min: 77 600					
									Max: 87 000		Max: 110 200					
						in		F	psi	psi			in	%	%	
2263166	222613	E1	2263166	B	AM	Ss	T	1.500		RT	69 704	88 175	0.79	2.0	23.0	31.4
2263167	222612	E1	2263167	B	AM	Ss	T	1.500		RT	68 864	88 182	0.78	2.0	23.0	34.1

AM: As manufactured

Max: Maximum

Req: Required

U.T.S: Ultimate tensile strength

B: Body

Min: Minimum

RT: Room temperature

Y.S: Yield strength

E1 / E2: Ends of Sampling

Obt: Obtained

Sc: Specimen condition

Lo: Initial length

Ori: Orientation

Ss: Strip specimen

Ls: Location of sample

Req. Max: Required maximum

T: Transversal

Heat N°	Sample N°	Zone	Lot N°	Specimen condition				Specimen dimensions		Test temp	U.T.S.
				Ls	Sc	Type	Ori	Size	Req.		
									in		F
2263166	222613	E1	2263166	W	AM	Ss	T	1.500	RT	93 548	
2263167	222612	E1	2263167	W	AM	Ss	T	1.500	RT	92 666	

AM: As manufactured

Min: Minimum

Sc: Specimen condition

W: Weld

E1 / E2: Ends of Sampling

Ori: Orientation

Ss: Strip specimen

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.

**MAVERICK TUBE CORPORATION**

Hickman Plant
5020 N COUNTY RD 967
BLYTHEVILLE, AR 72315
(870) 776-5000 tel
(870) 776-5008 fax

MILL TEST CERTIFICATE

Number:

108817293.0.7

Page:

2 / 6Date: **July 15, 2026**

Customer: MRC Global CPU at Tenaris Hickman, North Co Road 967, Blytheville, AR 723157427			Customer's Order Item: 39080737/SO/70		Customer's Reference: US1119929PO		Manufacturer's Works Order N°: N/A		
Manufacturing Process: HFW			Product Type: Line Pipe					Surface: Bare	
Standard or Specification: API Spec 5L 46th Edition 04/2018					Steel Grade: X65M PSL 2			Ends: Plain End Bevelled	
Dimensions: 16.000 x 0.500 in		Schedule: N/A		Length: 35'MIN 45'MAX		Quantity: 3 PCS 124 FT		Nominal Weight: 10310 LB 82.85 LB/FT	

TENSILE TEST

Ls: Location of sample	Req: Required	T: Transversal
Max: Maximum	RT: Room temperature	U.T.S: Ultimate tensile strength

CHEMICAL COMPOSITION

					Composition %																	
					X 100								X 1000								X 10000	
					C	Mn	Si	Cu	Ni	Cr	Mo	CE-Pcm	P	S	Al	Sn	Nb	V	Ti	Ca	N	B
					H	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
Heat N°	Sample N°	Lot N°	Ls	P	Max	12	160	45	50	30	30	15	25	25	15	--	--	--	--	--	--	10
				Min	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2263166	4189358	2263166	B.M.	H	5	136	19	13	8	6	1	14	11	1	20	10	2	48	3	2	9	--
2263167	4189365	2263167	B.M.	H	5	133	18	14	10	5	1	13	9	1	30	10	2	51	2	2	8	--
2263166	4189526	2263166	B.M.	P	5	137	21	12	8	6	1	15	9	2	27	10	44	62	3	2	--	10
2263166	4189546	2263166	B.M.	P	5	138	21	12	8	6	1	15	9	2	26	10	44	64	3	2	--	10
2263167	4189547	2263167	B.M.	P	5	138	20	13	11	5	1	15	9	2	29	10	44	58	3	5	--	10
2263167	4189567	2263167	B.M.	P	5	139	21	13	11	5	1	15	9	2	30	10	45	58	3	5	--	10

B.M: Base metal	H: Heat	Max: Maximum	P: Product
CE-Pcm: CE-Pcm	Ls: Location of sample	Min: Minimum	

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.

**MAVERICK TUBE CORPORATION**

Hickman Plant
5020 N COUNTY RD 967
BLYTHEVILLE, AR 72315
(870) 776-5000 tel
(870) 776-5008 fax

MILL TEST CERTIFICATE

Number:

108817293.0.7

Page:

3 / 6Date: **July 15, 2026**

Customer: MRC Global CPU at Tenaris Hickman, North Co Road 967, Blytheville, AR 723157427			Customer's Order Item: 39080737/SO/70		Customer's Reference: US1119929PO		Manufacturer's Works Order N°: N/A	
Manufacturing Process: HFW			Product Type: Line Pipe					Surface: Bare
Standard or Specification: API Spec 5L 46th Edition 04/2018					Steel Grade: X65M PSL 2			Ends: Plain End Bevelled
Dimensions: 16.000 x 0.500 in		Schedule: N/A	Length: 35'MIN 45'MAX		Quantity: 3 PCS 124 FT 10310 LB			Nominal Weight: 82.85 LB/FT

THROUGH WALL HARDNESS

Required values			Individuals			Average			Hardness type:HRBW		
			Min: -	Max: 94.0	Var: --	Min: --	Max: --	Var: --			
Heat N°	Sample N°	Zone	Lot N°	Pipe N°	Specimen condition		Quad.		Scale		Avg.
					Ls	Sc					
2263166	222613	-	2263166	-	B	AM	-		HRBW		92.1
2263167	222612	-	2263167	-	B	AM	-		HRBW		91.6

AM: As manufactured

Ls: Location of sample

Quad: Quadrant

Avg: Average

Max: Maximum

Sc: Specimen condition

B: Body

Min: Minimum

Var: Variation

IMPACT TEST

Type: Charpy V			Orientation: T				Unit: ft.lb				Shear area %			
Position:			Temp: 32		Unit: F		Ind.Min.Reg: 11		Req.Min.Avg: 15		Ind.Min.Reg: -		Req.Min.Avg: -	
Heat N°	Sample N°	Lot N°	Ls	Sc	T.T	Size	Results				Results			
					F	-	1	2	3	Avg.	1	2	3	Avg.
2263166	222613	2263166	B	AM	32	3/4	98	42	103	81	40	30	20	30
2263167	222612	2263167	B	AM	32	3/4	147	22	115	95	60	40	60	53

AM: As manufactured

Ind. Min. Req: Individual Minimum Required

Sc: Specimen condition

Avg: Average

Ls: Location of sample

T.T: Test temperature

B: Body

Req. Min. Avg: Required minimum average

Temp: Temperature

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.

**MAVERICK TUBE CORPORATION**

Hickman Plant
5020 N COUNTY RD 967
BLYTHEVILLE, AR 72315
(870) 776-5000 tel
(870) 776-5008 fax

MILL TEST CERTIFICATE

Number:

108817293.0.7

Page:

4 / 6Date: **July 15, 2026**

Customer: MRC Global CPU at Tenaris Hickman, North Co Road 967, Blytheville, AR 723157427		Customer's Order Item: 39080737/SO/70		Customer's Reference: US1119929PO	Manufacturer's Works Order N°: N/A
Manufacturing Process: HFW		Product Type: Line Pipe			Surface: Bare
Standard or Specification: API Spec 5L 46th Edition 04/2018			Steel Grade: X65M PSL 2		Ends: Plain End Bevelled
Dimensions: 16.000 x 0.500 in	Schedule: N/A	Length: 35'MIN 45'MAX	Quantity: 3 PCS 124 FT 10310 LB		Nominal Weight: 82.85 LB/FT

FLATTENING TEST

Standard:				Standard:			
Heat N°	Lot N°	Sample N°	Result	Heat N°	Lot N°	Sample N°	Result
2263166	2263166	222613	Good	2263167	2263167	222612	Good

HYDROSTATIC TEST

Pressure		Time	Results
Unit	Value	Seconds	
psi	2,970	5	Satisfactory

SUPPLEMENTARY INFORMATION

Supplementary Information	Supplementary Information
This material has been manufactured, sampled, tested and inspected in accordance with this specification and has been found to meet the requirements called for by the above order. This product is silicon and/or aluminum fully killed. NDT OK; Longitudinal UT and Transverse EMI with ID/OD N-10 Notches (1.0" L and .039" W)	verified by 1/8" TDH BODY TENSILE SOURCED 180° FROM WELD LINE; CVN SAMPLES SOURCED 90° FROM WELD LINE; CVN SAMPLES TESTED BY 8mm STRIKER

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.

**MAVERICK TUBE CORPORATION**

Hickman Plant
5020 N COUNTY RD 967
BLYTHEVILLE, AR 72315
(870) 776-5000 tel
(870) 776-5008 fax

MILL TEST CERTIFICATE

Number:

108817293.0.7

Page:

5 / 6Date: **July 15, 2026**

Customer: MRC Global CPU at Tenaris Hickman, North Co Road 967, Blytheville, AR 723157427		Customer's Order Item: 39080737/SO/70		Customer's Reference: US1119929PO	Manufacturer's Works Order N°: N/A
Manufacturing Process: HFW		Product Type: Line Pipe			Surface: Bare
Standard or Specification: API Spec 5L 46th Edition 04/2018			Steel Grade: X65M PSL 2		Ends: Plain End Bevelled
Dimensions: 16.000 x 0.500 in	Schedule: N/A	Length: 35"MIN 45"MAX	Quantity: 3 PCS 124 FT 10310 LB		Nominal Weight: 82.85 LB/FT

SUPPLEMENTARY INFORMATION

Heat Treatment

The minimum weld seam heat treatment temperature is 1650F.

Steel Vendor Name and Manufactured

2263166,NUCOR STEEL HICKMAN,ARMOREL,AR,Melted and Manufactured in USA

Steel Vendor Name and Manufactured

2263167,NUCOR STEEL HICKMAN,ARMOREL,AR,Melted and Manufactured in USA

SUMMARY REPORT

Heat N°	Quantity	Length	Weight	Heat N°	Quantity	Length	Weight
	(Pieces)	FT	LB		(Pieces)	FT	LB
2263166	2	80.062	6,633.772	2263167	1	44.37	3,676.498

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.

**MAVERICK TUBE CORPORATION**

Hickman Plant
5020 N COUNTY RD 967
BLYTHEVILLE, AR 72315
(870) 776-5000 tel
(870) 776-5008 fax

MILL TEST CERTIFICATE

Number:

108817293.07


Page:

6 / 6Date: **July 15, 2026**

Customer: MRC Global CPU at Tenaris Hickman, North Co Road 967, Blytheville, AR 723157427		Customer's Order Item: 39080737/SO/70		Customer's Reference: US1119929PO	Manufacturer's Works Order N°: N/A
Manufacturing Process: HFW		Product Type: Line Pipe			Surface: Bare
Standard or Specification: API Spec 5L 46th Edition 04/2018			Steel Grade: X65M PSL 2		Ends: Plain End Bevelled
Dimensions: 16.000 x 0.500 in	Schedule: N/A	Length: 35'MIN 45'MAX	Quantity: 3 PCS 124 FT 10310 LB		Nominal Weight: 82.85 LB/FT

The product certified herein has been manufactured, sampled, tested and inspected in accordance with the stated specifications and has been found to meet the requirements.

We, Tenaris, hereby acknowledge the restrictions as per article 3g(1) of Council Regulation (EU) No 833/2014, as amended, and confirm that our company is compliant with this legislation. Consequently, we: Tenaris, hereby represent and warrant that the steel products covered by this certificate, as listed in Annex XVII of Council Regulation (EU) No 833/2014 of 31 July 2014 and its subsequent amendments, do not originate from Russia. Furthermore, we confirm that the steel products covered by this certificate, as listed in Annex XVII of Council Regulation (EU) No 833/2014 of 31 July 2014 and its subsequent amendments, as required under article 3g(1)(d) (as amended) and related guidelines do not incorporate any steel or iron products as listed in the same Annex XVII originating in Russia when having been processed in a third country. We also acknowledge the equivalent restrictions as per Clause 17e of Norway's Russia Regulations of 15 August 2014 No. 1076 (FOR-2014-08-15-1076) and Regulations 46IA and 46IB of the UK Russia (Sanctions) (EU Exit) Regulations 2019, and confirm that our company is compliant with these laws as well.

CUSTOMER / THIRD PARTY		TENARIS QUALITY DEPARTMENT SIGNATURE	
INSPECTION COMPANY COMPAÑÍA DE INSPECCIÓN Company Name: N/A Employee Name: N/A		 QUALITY CERTIFICATION DEPT. Francisco G. Pinilla Portales	 CHIEF OF QUALITY CERTIFICATION DEPT. Kyle McCarthy

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.