



ABF FREIGHT SYSTEM, INC.

Pro Number
075996349

STRAIGHT BILL OF LADING

LOAD # 0195702

BOL # 4500956518

PO # 4500956518

Date: Mar 31, 2025

FROM (SHIPPER):

E-Z LINE PIPE SUPPORT CO INC
23147 HWY 6
ALVIN, TX 77511
Phone: CHARLOTTE MITCHELL 713-675-6693

TO (CONSIGNEE):

Consumers Energy
1800 Mitchell St
JACKSON, MI 49203

Scheduled ship date 03/31/2025 1230 - 1630

Special Instructions: quote#LXT8M30905

HM	Units	Packaging	Kind of Packages, Description of Articles (IF HAZARDOUS MATERIALS - PROPER SHIPPING NAME)	Spots	WEIGHT	CLASS	SKU
	1	PLT	UTILITY PARTS Dim: L:48 W:40 H:16	1	615 LBS	100	
	1	PLT	UTILITY PARTS Dim: L:48 W:40 H:21	1	575 LBS	100	

Totals

Units: 2

Spots: 2

Weight: 1,190 LBS

Billing terms: COLLECT: ☐
PREPAID: ☐
3RD PARTY: ☒

Bill to: ACF Global Logistics
1737 Spring Arbor RD STE 224
Jackson, MI 49203
877-437-0724

NOTE(1) - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.
NOTE(2) - Liability Limitation for loss or damage on this shipment may be applicable. See 49 U.S.C. 14706(c)(1)(A) and (B).
NOTE(3) - Commodities requiring special or additional care or attention in handling or stowing must be so marked and packaged as to ensure safe transportation with ordinary care. See Sec 2(e) of NMFC item 380.

Where the applicable tariff provisions specify a limitation of the carrier's liability (NMFC item 172), if there is no release or value declaration by the shipper, and the shipper does not declare a value or release the carrier's liability, that liability shall be limited to the extent provided by NMFC item 172. California intrastate shipments must comply with NMFC item 173.

This is to certify that the above-named materials are properly classified, described, packaged, marked, and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation

Shipper Signature

Driver Signature

PLACARDS REQUIRED YES ☐ NO ☐ PLACARDS SUPPLIED YES ☐ NO ☐

Subject to terms of carriage, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement: The carrier shall not make delivery without payment of freight and all other lawful charges.

Consignee Signature

RECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of issue of the Bill of Lading, the property described above in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of, said property over all or any portion of said route to destination and as to each party at any time interested in all or any said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment.
Shipper hereby certifies that he is familiar with all the bill of lading terms and conditions in the governing classification and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

SHIPPER: E-Z LINE PIPE SUPPORT CO INC
23147 HWY 6
ALVIN, TX 77511

CARRIER: ABF FREIGHT SYSTEM, INC.

PER:

DATE:



E-Z LINE

PIPE SUPPORT CO., LLC
P.O. BOX 767 MANVEL, TX 77578-0767
PH:713-675-6693 FAX: 713-947-0768

UNIFORM STRAIGHT BILL OF LADING ORIGINAL - NOT NEGOTIABLE

sales@ezline.com * www.ezline.com

Find JOB **254673**
E-Z LINE JOB # **254673**

RECEIVED, SUBJECT TO THE CLASSIFICATIONS AND TARIFFS IN EFFECT ON THE DATE THIS ISSUE OF THIS BILL AT HOUSTON, TX FROM E-Z LINE PIPE SUPPORT CO. LLC

3/31/2025

The property described below, in apparent good order except as noted (contents and conditions of contents and packages unknown, marked consigned and destined property under the contract) agrees to carry to its usual place of delivery as said destination, if on its own road or water line, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all conditions not prohibited by law, whether printed or written, here in contained, which are hereby agreed to by the shipper and accepted for himself assigns.

MAIL OR STREET ADDRESS OF CONSIGNEE FOR PURPOSES OF NOTIFICATION
CONSIGNEE TO: CONSUMERS ENERGY COMPANY

DESTINATION: JACKSON

STATE: MI ZIP: 49203

ROUTE: 1800 MITCHELL ST

CONTACT: JENNIFER KELSO

517-787-9971

DEL. CARRIER

ABF FREIGHT SYSTEM

CONF #

TRACK #

PICK UP #

PRO # 075996349

ACCOUNT:

FREIGHT TERMS: THIRD PARTY

BILL FREIGHT TO: ACF GLOBAL LOGISTICS

COMPANY NAME: ACF GLOBAL LOGISTICS

ADDRESS: 1737 Spring Arbor Rd. Ste. 224

CITY: JACKSON

STATE: MI

ZIP: 49203

SPECIAL INSTRUCTIONS

CS031853

PO# 4500956518

ATTN: AUSTIN OWEN

OVS- LAT 3 REPL- MATL SAP WO#

43109319

* CONTACT 24 HRS PRIOR TO DELIVERY*

NIMEC# 107060.00

FINISH UNLESS NTD.

☒ GALV

☐ Painted

☐ Uncoated

Number of Pallets / Boxes

2

Total Weight of Pallets

80

CLASS: 50

Quantity	QTY SHP	Description	Tag	Pipe Jack Dim	Weight
15	15	PL 3/8" x 7" x 0'-6 13/16" SC-2020-04 (15 ASSEMBLIES) 360 DEG. CLAMP 4" P.S.	DOMESTIC	PALLET 1	
60	60	Machine Bolt 5/8" DIA x 3" LG. (A-307) With Hex. Nut and Washer	DOMESTIC	PALLET 1	
4	4	PL 3/8" x 9" x 1'-4 5/8" SC-2020-10 (4 ASSEMBLIES) 360 DEG. CLAMP 10" P.S.	DOMESTIC	PALLET 1	
16	16	Machine Bolt 3/4" DIA x 3 1/4" LG. (A-307) With Hex. Nut and Washer	DOMESTIC	PALLET 1	
13	13	4" 204 - F <> Y = 3' - 0" PALLET 2	1/8" PTFE / DOMESTIC	2' - 8 1/8"	
52	52	1/2" x 12" - Anchor Bolt (HDG) w/ 2 HHN & 1 FW	DOMESTIC	PALLET 2	
		WEIGHT			1110

#1 - 615 LBS @ 48" X 40" X 16"

#2 - 575 LBS @ 48" X 40" X 21"

CUSTOMER P.O. NO.: S014201970

Pallet + Product Weight 1,110

Product Weight 1,110

(" The fiber boxes used for this shipment conform to the specifications set forth in the box makers certificate thereon and all other requirements of Uniform Freight classification.")

Shippers imprint in lieu of stamp; not a part of bill of lading approved by the Interstate Commerce Commission.

E-Z LINE PIPE SUPPORT CO. LLC SHIPPER PER: Rachael

PAGE: 1

AGENT PER

Permanent post office address of shipper: P.O. Box 767, Manvel Texas 77578-0767

AV

INSPECTED BY

ALL MATERIAL IS INSPECTED BY E-Z LINE PRIOR TO SHIPMENT PLEASE CHECK YOUR ORDER UPON RECEIPT. ANY DISCREPANCIES MUST BE REPORTED TO E-Z LINE WITHIN 10 BUSINESS DAYS. AFTER 10 BUSINESS DAYS REPLACEMENT MATERIAL WILL BE BILLED TO THE CUSTOMER AND ALL SHIPPING CHARGES WILL ALSO APPLY.



Certification of Analysis and Tests

Jade Sterling Steel Co., Inc.
26400 Richmond Rd
Bedford Heights, OH 44146
is Certified to ISO 9001

Date 07/19/24
Your Order No. 60324F
Our Invoice No. 277769
Our S.O. No. 182354 ID# 999

For: AMERICAN ANCHOR BOLT

0000353297

Description of Material and Specifications: 444" F1554 GR55 X 20'

Chemical Analysis (ASTM A29)


Heat Number	C	Mn	P	S	Si	Ni	Cr	Mo	Al	Cu	B
790411	.23	.92	.012	.008	.23	.07	.08	.01	.040	.12	.0020
Ti											
.042											

Mechanical Properties (ASTM A370)

Tensile PSI	Yield PSI	%Elong	%R.A.
94200	71100	27	64.1

Country of Origin: UNITED STATES

Certificate of Tests shall not be reproduced except in full. The material was not exposed to mercury or any metal alloy that is liquid at ambient temperature during processing or while in our possession. No weld or weld repair was performed on this material.
We hereby certify that the foregoing data is a true copy of the data furnished by our supplier or resulting from tests performed for our company.


Director/Metallurgy and Quality
Andrew M. Freborg



CUSTOMER SHIP TO E Z LINE 21340 HIGHWAY 6 MANVEL, TX 77578 USA	CUSTOMER BILL TO STEEL AND PIPE SUPPLY CO INC MANHATTAN, KS 66505-1688 USA		GRADE A36/A572-50 11.5	SHAPE / SIZE Standard I-Beam / 4 X 7.7# / 100 X 0001177048	DOCUMENT ID		
	CUSTOMER MATERIAL N° 000000000035477040						
SALES ORDER 14535296/000010		SPECIFICATION / DATE or REVISION ASME SA36 ASTM A572-21					
		LENGTH 40'00"	PCS 69	WEIGHT 21,252 LB	HEAT / BATCH 59115963/02		

DATE
11/12/2024

CHEMICAL COMPOSITION													
C (%)	Mn (%)	P (%)	S (%)	Si (%)	Cu (%)	Ni (%)	Cr (%)	Mo(%)	Sa (%)	V (%)	Nb (%)	Al (%)	CE _{eq} A6 (%)
0.09	0.91	0.019	0.034	0.23	0.29	0.07	0.20	0.020	0.007	0.002	0.011	0.001	0.31

MECHANICAL PROPERTIES						
YS (0.2% (PSI)	UTS (PSI)	YS (MPa)	UTS (MPa)	G/L (Inches)	G/L (mm)	Elong. (%)
56130	72445	387	500	8.000	200.0	23.70
55779	71396	385	492	8.000	200.0	21.30

Recycled steel is 100% recyclable. Support the circular economy through our Metals Recycling Partnership. For details, visit www.gerdau.com/metals-recycling, or contact metalsrecycling@gerda.com.

The above figures are certified chemical and physical test records as contained in the permanent records of the company. We certify that these data are correct and in compliance with specified requirements. No weld repair was performed on this material. The material has not been in contact with mercury while in German possession. For all products other than billets or beam blanks, this material was produced (Electric Arc Furnace, Melted, Continuously Cast, Hot Rolled and, if applicable, Cold-Drawn) in the USA. For billets or beam blanks, this material was produced (Electric Arc Furnace, Melted and Continuously Cast) in the USA. CMTR complies with EN 10204 3.1.

BHASKAR YALAMANCHILI
- QUALITY DIRECTOR

Phone: (409) 267-1071 Email: Elvaskar.Yalamanchili@getdata.com

WADE LUMPKENS
QUALITY ASSURANCE MGR

Phone: 972-779-3118 Email: Wade.Lumpkins@ggerdan.com

SSAB

Test Certificate

12400 Highway 43 North, Axis, Alabama 36505, US

Customer:
CHAPPEL STEEL CORPORATION
PO BOX 1000

SPRING HOUSE
PA 19477

Customer P.O. No.: HOU-18322

Product Description: ASTM A283-C(24)/A36(19)/ASME SA283-C(23)
A709(21)36/ASME SA36(23)
MN .80%- .90%, .010% MAX S

Mill Order No. 41-752732-07

Shipping Manifest: AR409375

Ship Date: 08 Oct 24

Cert No: 08198548

Cert Date: 08 Oct 24

(Page 1 of 1)

Form TC1: Revision 5: Date 22 Aug 2022

Size: 0.375 X 96.00 X 240.0 (IN)

Tensiles:

Charpy Impact Tests

Heat	Id	Tensile		Tst		Elong %		Hardness		Abs. Energy (FTLB)			% Shear			Tst		Tst		BDWTT	
		Piece	Thick	YS	UTS	%RA	2in	8in	Dir	1	2	3	1	2	3	Avg	Dir	Dir	Dir	Dir	Temp %Shr
W4J550	A53		0.308 (DISCRT)	56	73		39														
W4J550	A57		0.444 (DISCRT)	56	74		39														
Chemical Analysis																					
Heat	Id	C	Mn	P	S	Si	Total	Al	Cu	Ni	Cr	Mo	Cb	V	Ti	B	N	ORGN			
W4J550		.17	.85	.010	.002	.05	.032	.030	.27	.13	.10	.03	.003	.005	.014	.0003	.0071	USA			

KILLED STEEL
MERCURY IS NOT A METALLURGICAL COMPONENT OF THE STEEL AND NO MERCURY WAS INTENTIONALLY ADDED DURING THE MANUFACTURE OF THIS PRODUCT.
KILLED STEEL, PRODUCED TO A FINE GRAIN PRACTICE
WTR EN 10204:2004 INSPECTION CERTIFICATE 3.1 COMPLIANT
100% MELTED, FOUNDED, AND ROLLED IN THE USA.
NO WELD REPAIR HAS BEEN PERFORMED ON THIS MATERIAL.
PRODUCTS SHIPPED:
W4J550 A56 PCS: 11, LBS: 26950 W4J550 A54 PCS: 9, LBS: 22050

WE HEREBY CERTIFY THAT THIS MATERIAL WAS
TESTED IN ACCORDANCE WITH, AND MEETS THE
REQUIREMENTS OF, THE APPROPRIATE SPECIFICATION

Jason Thomas
Director Technical Services

(P) Cust Part #