

Our Order 2492378-7-1 Your Order 74769-03
Heat 2247485
Desc Pipe ERW API 5L X52,12.750 x .500 - 12" XH SRL

Packing List 407195-4 (1/14/2026)

Image 545886

Job: 74769
PO: 7476903
BOM: 4
Pages: 7
Heat: 2247485



MAVERICK TUBE CORPORATION

Hoboken Plant
8520 N COUNTY RD DRF
BOJBY RD CELL, AR 72115
(501) 776-5000 W
(501) 776-5000 FAX

MILL TEST CERTIFICATE



Customer: Edgen B&H		Customer's Order Item: 9901338/50/90		Customer's Works Order No: 312469	
Manufacturing Process: HPW		Product Type: Line Pipe		Surface: Bare	
Standard or Specification: API 5L 46th Edition 04/2018		Steel Grade: X52M PSL 2		Ends: Plain End Bevelled	
Dimensions: 12.750 x 0.500 in		Schedule: N/A		Nominal Weight: 65.48 LB/FT	
		Length: 33' MIN 45' MAX		Quantity: 203 PCS 8731 FT	
		Lot No:		565989 LB	

TENSILE TEST

Heat No	Sample No	Zone	Lot No	Specimen condition			Specimen dimensions		Test temp	Y.S.		U.T.S.		Elongation	
				LS	SC	Type	Ori	Size		Min: 52 200	Max: 76 900	Min: 66 700	Max: 110 200	Lo	Obt.
2147624	202933	E1	2147624	B	AM	Ss	T	1.500	F	65 693	75 190	75 190	2.0	29.0	42.6
2151468	202937	E1	2151468	B	AM	Ss	T	1.500	RT	65 753	73 089	73 089	2.0	29.0	39.6
2247485	199078	E1	2247485	B	AM	Ss	T	1.500	RT	67 384	74 961	74 961	2.0	29.0	41.1
2247485	202930	E1	2247485	B	AM	Ss	T	1.500	RT	66 468	74 019	74 019	2.0	29.0	39.9
2247485	202932	E1	2247485	B	AM	Ss	T	1.500	RT	64 765	72 715	72 715	2.0	29.0	39.9

AM: As manufactured		LS: Location of sample		Ori: Orientation	
B: Body		Max: Maximum		Req: Required	
E1 / E2: Ends of Sampling		Min: Minimum		RT: Room temperature	
Lo: Initial Length		Obt: Obtained		SC: Specimen condition	

Heat No	Sample No	Zone	Lot No	Specimen condition			Specimen dimensions		Test temp	Y.S.		U.T.S.	
				LS	SC	Type	Ori	Size		Min: 52 200	Max: 76 900	Min: 66 700	Max: 110 200
2147624	202933	E1	2147624	W	AM	Ss	T	1.500	F	65 693	75 190	75 190	2.0
2151468	202937	E1	2151468	W	AM	Ss	T	1.500	RT	65 753	73 089	73 089	2.0
2247485	199078	E1	2247485	W	AM	Ss	T	1.500	RT	67 384	74 961	74 961	2.0
2247485	202930	E1	2247485	W	AM	Ss	T	1.500	RT	66 468	74 019	74 019	2.0

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green-colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any untruth or not allowed use. Any alteration and/or falsification will be subjected to the law.



MAVERICK TUBE CORPORATION
Hickman Plant
6020 N COUNTY RD 607
BLUTHVILLE, AR 72315
(870) 770-5900 ext
(870) 770-5003 fax



MILL TEST CERTIFICATE

Number: 9901338.0.9

Page: 2 / 7

Date: May 01, 2025

Customer: Edgen B&H		Customer's Order Item: 9901338/50/90		Manufacturer's Works Order N°:	
Manufacturing Process: HPW		Product Type: Line Pipe		Surface: Bare	
Standard or Specification: API 5L 46th Edition 04/2018		Steel Grade: X52M PSL 2		Ends: Plain End Bevelled	
Dimensions: 12.750 x 0.500 in		Schedule: N/A		Nominal Weight: 65.48 LB/FT	
Length: 35' MIN 45' MAX		Quantity: 203 PCS		8731 FT	
Weight: 565989 LB					

TENSILE TEST

Heat N°	Sample N°	Zone	Lot N°	Specimen condition			Specimen dimensions		Test temp	U.T.S. Req.
				LS	SC	Type	Cr	Size		
2247485	202932	E1	2230680	W	AXL	S	T	1.900	F	75089

AM: As manufactured
E1 / E2: Ends of Sampling
LS: Location of sample
Max: Maximum
Min: Minimum
Ori: Orientation
Req: Required
RT: Room temperature
SC: Specimen condition
SS: Strip specimen
T: Transversal
U.T.S: Ultimate tensile strength
W: Weld

CHEMICAL COMPOSITION

		Composition %													
		C	Mn	P	S	Si	Cu	Ni	Cr	Mo	Al	Sn	Nb	V	Ti
Heat N°	2147624	0.22	1.4	0.025	0.015	0.45	0.5	0.3	0.3	0.15	—	—	—	—	—
	2151468	0.22	1.4	0.025	0.015	0.45	0.5	0.3	0.3	0.15	—	—	—	—	—
Sample N°	4143012	0.03	1.14	0.012	0.001	0.18	0.08	0.03	0.04	0.01	0.03	0	0.043	0.005	0.013
	4143815	0.03	1.11	0.011	0.001	0.19	0.11	0.04	0.04	0.01	0.03	0	0.043	0.005	0.013
Lot N°	2147624	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0.001	0	0.001
	2151468	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0	0.001	0	0.001

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unavailability or falsification will be subjected to the law.



MAVERICK TUBE CORPORATION

Hoboken, NJ
6020 N. COUNTY RD. 067
BAYVIEW, NJ 07005
(800) 775-5000 ext.
(609) 676-5000 fax

Tenaris		MILL TEST CERTIFICATE		Number: 9901338.0.9	Page: 3 / 7
Customer: Edgen B&H		Customer's Order Item: 9901338/SO/90		Date: May 01, 2025	
Manufacturing Process: HPW		Product Type: Line Pipe		Customer's Reference: 312469	
Standard or Specification: API 5L 46th Edition 04/2018		Steel Grade: X52M PSL 2		Ends: Plain End Bevelled	
Dimensions: 12.750 x 0.500 in		Length: 37' MIN 45' MAX		Nominal Weight: 65.48 LB/FT	
Schedule: N/A		Quantity: 203 PCS		8731 FT	
		565989 LB			

CHEMICAL COMPOSITION

		Composition %																						
		x 1																						
Heat N°	Sample N°	Lot N°	Ls	H ₁ Max Min	P	Mn	P	S	Si	Cu	Ni	Cr	Mo	Al	Sn	Nb	V	Ti	Ca	B	N	Fe-Pcm		
2247485	4134226	2247485	B.M.	H	0.05	1.12	0.012	0.001	0.2	0.13	0.04	0.05	0.01	0.04	0.01	0.043	0.005	0.013	0.001	0	0.007	0	0.007	0.124
2250879	4138972	2250879	B.M.	H	0.04	1.11	0.011	0.001	0.19	0.09	0.03	0.04	0.01	0.03	0.01	0.043	0.004	0.012	0.001	0	0.006	0.11		
2250840	4138953	2250840	B.M.	H	0.05	1.13	0.011	0.001	0.2	0.09	0.03	0.05	0.01	0.03	0.01	0.043	0.005	0.014	0.002	0	0.007	0.122		
2147624	202618	2147624	B.M.	P	0.047	1.16	0.01	0.002	0.21	0.08	0.03	0.04	0.01	0.038	0.004	0.042	0.007	0.015	0.003	0.001	-	0.005	0.123	
2147624	202619	2147624	B.M.	P	0.048	1.16	0.01	0.002	0.21	0.08	0.03	0.04	0.01	0.038	0.004	0.042	0.007	0.015	0.002	0.001	-	0.005	0.123	
2151468	202586	2151468	B.M.	P	0.049	1.12	0.011	0.002	0.24	0.12	0.03	0.05	0.01	0.042	0.005	0.044	0.008	0.015	0.004	0	0.005	0.123		
2151468	202587	2151468	B.M.	P	0.057	1.13	0.012	0.002	0.22	0.13	0.04	0.05	0.01	0.031	0.007	0.045	0.007	0.013	0.002	0.001	-	0.007	0.124	
2247485	199526	2247485	B.M.	P	0.038	1.12	0.01	0.002	0.24	0.13	0.04	0.04	0.01	0.043	0.007	0.04	0.008	0.015	0.002	0.001	-	0.007	0.118	
2247485	199527	2247485	B.M.	P	0.039	1.12	0.01	0.002	0.24	0.13	0.04	0.04	0.01	0.044	0.007	0.04	0.008	0.015	0.002	0.001	-	0.007	0.119	
2250879	202590	2250879	B.M.	P	0.047	1.12	0.009	0.002	0.23	0.09	0.03	0.04	0.01	0.035	0.004	0.045	0.007	0.016	0.002	0.001	-	0.004	0.124	
2250879	202591	2250879	B.M.	P	0.044	1.12	0.008	0.002	0.2	0.08	0.03	0.04	0.01	0.036	0.005	0.047	0.008	0.015	0.003	0.001	-	0.004	0.124	
2250840	202620	2250840	B.M.	P	0.05	1.12	0.01	0.002	0.23	0.08	0.03	0.05	0.01	0.03	0.004	0.042	0.007	0.016	0.004	0.001	-	0.004	0.127	
2250840	202621	2250840	B.M.	P	0.05	1.12	0.009	0.002	0.23	0.08	0.03	0.04	0.01	0.03	0.004	0.043	0.007	0.015	0.003	0.001	-	0.004	0.127	

B.M. Base metal	H: Heat	Max: Maximum	P: Product
CE-Pcm: CE-Pcm	LS: Location of sample	Min: Minimum	
This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.			



MAVERICK TUBE CORPORATION
Houston, TX 77058
5020 N. COUNTY ROAD 087
BOYDVIEW, AR 72015
(870) 776-5000 ext
(870) 776-5003 fax



MILL TEST CERTIFICATE

Number: 9901338.0.9

Page: 4 / 7

Date: May 01, 2025

Customer: Edgen B&CH		Customer's Order Item: 9901338/SCV90		Manufacturer's Works Order N°: 312469	
Manufacturing Process: HPW		Product Type: Line Pipe		Surface: Bare	
Standard or Specification: API 5L 46th Edition 04/2018		Steel Grade: X52M PSL 2		Ends: Plain End Bevelled	
Dimensions: 12.750 x 0.500 in		Schedule: N/A		Nominal Weight: 65.48 LB/FT	
		Length: 35' MIN 45' MAX		Quantity: 303 PCS	
				8731 FT	
				565989 LB	

THROUGH WALL HARDNESS

Required Values		Individuals		Average		Hardness type: HRBW	
Heat N°	Sample N°	Zone	Lot N°	Pipe N°	Specimen condition	Scale	Avg.
2147624	202933	-	2147624	-	AM	HRBW	89.6
2151468	202937	-	2151468	-	AM	HRBW	87.4
2247485	199078	-	2247485	-	AM	HRBW	88.1
2250879	202930	-	2250879	-	AM	HRBW	86.9
2250880	202932	-	2250880	-	AM	HRBW	86.8

AM: As manufactured	LS: Location of sample	Quad: Quadrant
Avg: Average	Max: Maximum	SC: Specimen condition
B: Body	Min: Minimum	Var: Variation

IMPACT TEST

Type: Charpy V		Temp: 32		Orientation: T		Unit: F		Unit: J		Unit: Ft/Lb		Shear area %	
Heat N°	Sample N°	Lot N°	Zone	T.T	F	Size	Results	Ind Min	Req. Min	Avg	15	Ind Min	Req. Min
2147624	202933	2147624	B	AM	32	3/4	196	229	232	219	100	100	100
2151468	202937	2151468	B	AM	32	3/4	232	199	203	211	100	100	100
2247485	199078	2247485	B	AM	32	3/4	167	204	203	191	90	100	97
2250879	202930	2250879	B	AM	32	3/4	234	243	238	238	100	100	100
2250880	202932	2250880	B	AM	32	3/4	238	233	219	230	100	100	100

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any untruth or not allowed use. Any alteration and/or falsification will be subjected to the law.



MAVERICK TUBE CORPORATION

Maverick Plant
4620 N. COUNTY RD. N7
BETHLEHEM, PA 17215
(610) 776-5000 ext
(610) 776-5001 fax

MILL TEST CERTIFICATE



Number: 9901338.0.9
Page: 5 / 7

Date: May 01, 2025

Customer: Edgen B&H		Customer's Order Item:	9901338/SC/90	Customer's Reference:	312469	Manufacturer's Works Order N°:	N/A
Manufacturing Process:		Product Type:	Line Pipe	Surface:			
HPW		Schedule:		Steel Grade:		Ends:	
API 5L 46th Edition 04/2018		N/A		X52M PSL 2		Plain End Bevelled	
Dimensions:		Length:		Quantity: 203 PCS		Nominal Weight:	
12.750 x 0.500 in		35" MIN 45" MAX		8731 FT		65.48 LB/FT	

IMPACT TEST

AM: As manufactured	Ind. Min. Req. Individual Minimum Required	SC: Specimen condition
Avg: Average	LS: Location of sample	T: T: Test temperature
B: Body	Req. Min. Avg. Required minimum average	Temp: Temperature

FLATTENING TEST

Standard:				Standard:			
Heat N°	Lot N°	Sample N°	Result	Heat N°	Lot N°	Sample N°	Result
2147624	2151468	202933	Good	2200880	2250880	202932	Good
2151468		202937	Good				

HYDROSTATIC TEST

Pressure		Time	Results
Unit	Value	Seconds	
psi	2,970	5	Satisfactory

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must alert its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.



MAVERICK TUBE CORPORATION
HICKMAN, AR
5020 N. COUNTY RD 067
SLYTHEDULL, AR 72115
(800) 776-5000 WH
(816) 276-5000 SA



MILL TEST CERTIFICATE

Customer: Edgen B&H
Customer's Order Item: 9901338/SO/90
Customer's Reference: 312469
Date: May 01, 2025
Page: 6 / 7

Manufacturing Process: HF W	Product Type: Line Pipe	Steel Grade: X52M PSL 2	Surface: Bare
Standard or Specification: API 5L 46th Edition 04/2018	Length: 35' MIN 45' MAX	Quantity: 203 PCS 8731 FT	Ends: Plain End Bevelled
Dimensions: 12.750 x 0.500 in	Schedule: N/A	Weight: 565989 LB	Normal Weight: 65.48 LB/FT

SUPPLEMENTARY INFORMATION

Supplementary Information	Supplementary Information
This material has been manufactured, sampled, tested and inspected in accordance with this specification and has been found to meet the requirements called for by the above order. This product is silicon and/or aluminum fully killed. NDT OK; Longitudinal UT with ID/OD N-10 Noches (2.0" L x .040" W) verified by .08" FDH COMPLIANT TO ASTM A57.18 GRADE B AND ASME SA53 GRADE B	Material meets the maximum hardness requirement of section A.2.1.2 of NACE MR0175 and is compliant to 3.1.B of EN 10204 BODY TENSILE SOURCED 180° FROM WELD LINE; CVN SAMPLES SOURCED 90° FROM WELD LINE; CVN SAMPLES TESTED BY 8mm STRIKER

Heat Treatment

The minimum weld seam heat treatment temperature is 1650F.

Steel Vendor Name and Manufactured	Steel Vendor Name and Manufactured
2147624,NUCOR STEEL HICKMAN,AR,Mohel and Manufactured in USA	22-0679,NUCOR STEEL HICKMAN,AR,Mohel and Manufactured in USA
2151468,NUCOR STEEL HICKMAN,AR,Mohel and Manufactured in USA	22-0680,NUCOR STEEL HICKMAN,AR,Mohel and Manufactured in USA
2247485,NUCOR STEEL HICKMAN,AR,Mohel and Manufactured in USA	

SUMMARY REPORT

Heat N°	Quantity (Pieces)	Heat N°	Quantity (Pieces)	Heat N°	Quantity (Pieces)
2147624	66	2151468	48	2247485	50
				2250579	26
				2256880	13

This certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.

Our Order 2492378-7-1 Your Order 74769-03
Heat 2247485
Desc Pipe ERW API 5L X52,12.750 x .500 - 12" XH SRL

Packing List 407195-4 (1/14/2026) Image 545886



MAVERICK TUBE CORPORATION

Holmes Pipe
6020 N. COUNTY RD 007
BLYTHEVILLE, AR 72315
(870) 776-5000 ext
(870) 776-5000 fax

MILL TEST CERTIFICATE



Number: 9901338.0.9
Page: 7 / 7

Date: May 01, 2025

Customer: Edgca B&H		Customer's Order Item: 9901338/SC/90		Manufacturer's Works Order No: 312469	
Manufacturing Process: HFW		Product Type: Line Pipe		Surface: Bare	
Standard or Specification: API 5L 46th Edition 04/2018		Steel Grade: X52M PSL 2		Ends: Plain End Bevelled	
Dimensions: 12.750 x 0.500 in		Length: 33' MIN 45' MAX		Nominal Weight: 65.48 LB/FT	
Schedule: N/A		Quantity: 203 PCS		8731 FT	
		655989 LB			

The product certified herein has been manufactured, sampled, tested and inspected in accordance with the stated specifications and has been found to meet the requirements. This certificate is not a declaration of origin nor may it be used as a declaration of origin. We, Tenaris, hereby acknowledge the restrictions as per article 39(1) of Council Regulation (EU) No 833/2014, as amended, and confirm that our company is compliant with this legislation. Consequently, we, Tenaris, hereby represent and warrant that the steel products covered by this certificate, as listed in Annex XVII of Council Regulation (EU) No 833/2014 of 31 July 2014 and its subsequent amendments, do not originate from Russia. Furthermore, we confirm that the steel products covered by this certificate, as listed in Annex XVII of Council Regulation (EU) No 833/2014 of 31 July 2014 and its subsequent amendments, as required under article 39(1)(d) (as amended) and related guidelines do not incorporate any steel or iron products as listed in the same Annex XVII originating in Russia when having been processed in a third country. We also acknowledge the equivalent restrictions as per Clause 17e of Norway's Russia Regulations of 15 August 2014 No. 1076 (FOR-2014-08-15-1076) and Regulations 46A and 46B of the UK Russia (Sanctions) (EU Exit) Regulations 2019, and confirm that our company is compliant with these laws as well.		CUSTOMER - THIRD PARTY		TENARIS QUALITY DEPARTMENT SIGNATURE	
INSPECTION COMPANY COMPANIA DE INSPECCION		QUALITY CERTIFICATION DEPT.		CHIEF OF QUALITY CERTIFICATION DEPT.	
Company Name: N/A Employee Name: N/A		Francisco G. Pinilla Portales		Kyle McCarthy	

This Certificate is issued by a computerized system and it is valid with electronic signature. On the original certificate the trade-mark green colored "Tenaris" is stamped. In case the owner of the original certificate would release a copy of it, he must attest its conformity to the original one taking upon himself the responsibility for any unlawful or not allowed use. Any alteration and/or falsification will be subjected to the law.