


LEARNING HELM



Explore the docs »

Main Page - Code Page - Report Bug - Request Feature

Summary

▶ TABLE OF CONTENT

About Project



Getting Started

This is an example of how you may give instructions on setting up your project locally. To get a local copy up and running follow these simple example steps.

Prerequisites

This is an example of how to list things you need to use the software and how to install them.

- git
- · kubernetes cluster up

Installation

Clone repository

git clone https://github.com/marcossilvestrini/learning-helm.git

Usage

Use this repository for get learning about helm exam

(back to top)

Roadmap

- Create repository
- Create a kubernetes cluster
- Install helm
- Add Examples of helm charts

(back to roadmap)

(back to top)

Create Kubernetes Cluster

Minikube

```
# install
curl -Lo minikube https://storage.googleapis.com/minikube/releases/latest/minikube-li
chmod +x ./minikube
sudo mv ./minikube /usr/local/bin/minikube
# get version
minikube version
# set hypervisor
minikube config set driver <YOUR_HYPERVISOR>
# up without hypervisor
minikube start --driver=hyperkit
# create cluster
minikube start --nodes 3 -p multinode-cluster
# get status of cluster
minikube status
# get ip address
minikube ip
# access minikube host
minikube ssh
# dashboard
minikube dashboard
# logs
minikube logs
# delete cluster
minikube delete
minikube delete --purge
```

Kind

```
# Install
curl -Lo ./kind https://kind.sigs.k8s.io/dl/v0.14.0/kind-linux-amd64
chmod +x ./kind
sudo mv ./kind /usr/local/bin/kind
# create cluster
```

```
Lark kind create cluster
   kind create cluster --name silvestrini
  # get clusters
   kind get clusters
  # delete clusters
   kind delete clusters $(kind get clusters)
  ## create yaml
  cat << EOF > $HOME/kind-3nodes.yaml
   kind: Cluster
  apiVersion: kind.x-k8s.io/v1alpha4
  nodes:
     - role: control-plane
     - role: worker
     - role: worker
  EOF
  # create cluster
   kind create cluster --name kind-multinodes --config $HOME/kind-3nodes.yaml
```

(back to create-cluster)

(back to top)

Kubectl

Install

```
# install
curl -L0 https://storage.googleapis.com/helm-release/release/`curl -s \
https://storage.googleapis.com/helm-release/release/stable.txt`/bin/linux/amd64/kubec
chmod +x ./kubectl
mv ./kubectl /usr/local/bin/kubectl

# get version
kubectl version --output=yaml --client

# kubectl autocomplete
source <(kubectl completion bash)

# kubectl alias
alias k=kubectl
complete -F __start_kubectl k</pre>
```



Install Helm

curl https://raw.githubusercontent.com/helm/helm/main/scripts/get-helm-3 | bash
helm version

(back to install-helm)

(back to top)

Helm Repositories

```
# list available repositories
helm repo list

# add repositories
helm repo add bitnami https://charts.bitnami.com/bitnami

# update repositories
helm repo update

# remove repositories
helm repo remove bitnami
```

(back to helm-repo)

(back to top)

Helm Packages

```
# list available packages
helm list
helm list -n silvestrini
helm list -A

# install package
helm install silvestrini-phpmyadmin bitnami/phpmyadmin
helm upgrade --install silvestrini-phpmyadmin bitnami/phpmyadmin
```

```
# install package in specified namespace
helm install --namespace silvestrini silvestrini-phpmyadmin bitnami/phpmyadmin

# upgrade packages
helm upgrade silvestrini-phpmyadmin bitnami/phpmyadmin

# uninstall package
helm uninstall silvestrini-phpmyadmin
```

(back to helm-packages)

(back to top)

Helm Charts

Chart structure

```
wordpress/
                      # A YAML file containing information about the chart
 Chart.yaml
 LICENSE
                      # OPTIONAL: A plain text file containing the license for the ch
 README.md
                      # OPTIONAL: A human-readable README file
                      # The default configuration values for this chart
 values.yaml
 values.schema.json # OPTIONAL: A JSON Schema for imposing a structure on the value
 charts/
                      # A directory containing any charts upon which this chart depen
 crds/
                      # Custom Resource Definitions
  templates/
                      # A directory of templates that, when combined with values,
                      # will generate valid Kubernetes manifest files.
  templates/NOTES.txt # OPTIONAL: A plain text file containing short usage notes
```

Helm Chart - Commands

```
# generate chart
helm create mychart

# get chart information
helm get manifest mychart

# Install chart
helm install mychart-v1 ./examples/mychart

# Simulate \ Debug install
helm install --debug --dry-run mychart-v3 ./examples/mychart

# get chart resources \ manifest
```

```
belm get manifest mychart-v1

# remove chart
helm uninstall mychart-v1
```



File

(back to helm-packages)

(back to top)

Contributing

Contributions are what make the open source community such an amazing place to learn, inspire, and create. Any contributions you make are **greatly appreciated**.

If you have a suggestion that would make this better, please fork the repo and create a pull request. You can also simply open an issue with the tag "enhancement". Don't forget to give the project a star! Thanks again!

- 1. Fork the Project
- 2. Create your Feature Branch (git checkout -b feature/AmazingFeature)
- Commit your Changes (git commit -m 'Add some AmazingFeature')
- 4. Push to the Branch (git push origin feature/AmazingFeature)
- 5. Open a Pull Request

License

This project is licensed under the MIT License * see the LICENSE.md file for details

Contact

Marcos Silvestrini - marcos.silvestrini@gmail.com

X Follow @mrsilvestrini

Project Link: https://github.com/marcossilvestrini/learning-helm

(back to top)

Acknowledgments

Dark Helm Oficial Doc

• Artifact Hub

