

☐ Light



Create Release passing

Translate README passing

Deploy GitHub Pages passing

Generate HTML and PDF passing

PSScriptAnalyzer passing

Slack Notification passing

LICENSE MIT

FORKS 0

STARS 0

CONTRIBUTORS 2

ISSUES 0 OPEN

LINKEDIN

# LEARNING LPIC-3 305-300



[Explore the docs »](#)

[Web Site](#) - [Code Page](#) - [Report Bug](#) - [Request Feature](#)

## Summary

► [TABLE OF CONTENT](#)

## About Project

This project aims to help students or professionals to learn the main concepts of GNU/Linux and free software

- **Light** Some GNU/Linux distributions like Debian and RPM will be covered
- Installation and configuration of some packages will also be covered
- By doing this you can give the whole community a chance to benefit from your changes.
- Access to the source code is a precondition for this.
- Use vagrant for up machines and execute labs and practice content in this article.
- I have published in folder Vagrant a Vagrantfile with what is necessary
- for you to upload an environment for studies



[\(back to top\)](#)

## Getting Started

For starting the learning, see the documentation above.

## Prerequisites

- Git

## Installation

Clone the repo

```
git clone https://github.com/marcossilvestrini/learning-lpic-3-305-300.git
```

## Usage

Use this repository for get learning about LPIC2 202-450 exam

[\(back to top\)](#)

## Roadmap

- ☒ Create repository
- ☐ Create examples about Topic 351
- ☐ Create examples about Topic 352
- ☐ Create examples about Topic 353
- ☐ Upload simulated itexam

# Four Essential Freedoms



- 0.The freedom to run the program as you wish, for any purpose (freedom 0).
- 1.The freedom to study how the program works, and change it so it does your computing as you wish (freedom 1).  
Access to the source code is a precondition for this.
- 2.The freedom to redistribute copies so you can help others (freedom 2).
- 3.freedom to distribute copies of your modified versions to others (freedom 3).

## Inspect commands

```
type COMMAND
apropos COMMAND
whatis COMMAND --long
whereis COMMAND
COMMAND --help, --h
man COMMAND
```

[\(back to top\)](#)

## Topic 351: Full Virtualization



The difference between type-1 and type-2 hypervisors

### 351.1 Virtualization Concepts and Theory

Weight: 6

**Description:** Candidates should know and understand the general concepts, theory and terminology of virtualization. This includes Xen, QEMU and libvirt terminology.



### Key Knowledge Areas:

- Understand virtualization terminology
- Understand the pros and cons of virtualization
- Understand the various variations of Hypervisors and Virtual Machine Monitors
- Understand the major aspects of migrating physical to virtual machines
- Understand the major aspects of migrating virtual machines between host systems
- Understand the features and implications of virtualization for a virtual machine, such as snapshotting, pausing, cloning and resource limits
- Awareness of oVirt, Proxmox, systemd-machined and VirtualBox
- Awareness of Open vSwitch

### 351.1 Cited Objects

Hypervisor  
Hardware Virtual Machine (HVM)  
Paravirtualization (PV)  
Emulation and Simulation  
CPU flags  
/proc/cpuinfo  
Migration (P2V, V2V)

## Hypervisors

### Type 1 Hypervisor (Bare-Metal Hypervisor)

#### Type 1 Definition

Runs directly on the host's physical hardware, providing a base layer to manage VMs without the need for a host operating system.

#### Type 1 Characteristics

- High performance and efficiency.
- Lower latency and overhead.
- Often used in enterprise environments and data centers.

#### Type 1 Examples

- VMware ESXi: A robust and widely used hypervisor in enterprise settings.
- Microsoft Hyper-V: Integrated with Windows Server, offering strong performance and management features.

- Xen: An open-source hypervisor used by many cloud service providers.
- KVM (Kernel-based Virtual Machine): Integrated into the Linux kernel, providing high performance for Linux-based systems.



## **Type 2 Hypervisor (Hosted Hypervisor)**

### **Type 2 Definition**

Runs on top of a conventional operating system, relying on the host OS for resource management and device support.

### **Type 2 Characteristics**

- Easier to set up and use, especially on personal computers.
- More flexible for development, testing, and smaller-scale deployments.
- Typically less efficient than Type 1 hypervisors due to additional overhead from the host OS.

### **Type 2 Examples**

- VMware Workstation: A powerful hypervisor for running multiple operating systems on a single desktop.
- Oracle VirtualBox: An open-source hypervisor known for its flexibility and ease of use.
- Parallels Desktop: Designed for Mac users to run Windows and other operating systems alongside macOS.
- QEMU (Quick EMUlator): An open-source emulator and virtualizer, often used in conjunction with KVM.

## **Key Differences Between Type 1 and Type 2 Hypervisors**

- Deployment Environment:
  - Type 1 hypervisors are commonly deployed in data centers and enterprise environments due to their direct interaction with hardware and high performance.
  - Type 2 hypervisors are more suitable for personal use, development, testing, and small-scale virtualization tasks.
- Performance:
  - Type 1 hypervisors generally offer better performance and lower latency because they do not rely on a host OS.
  - Type 2 hypervisors may experience some performance degradation due to the overhead of running on top of a host OS.
- Management and Ease of Use:
  - Type 1 hypervisors require more complex setup and management but provide advanced features and scalability for large-scale deployments.
  - Type 2 hypervisors are easier to install and use, making them ideal for individual users and smaller projects.

## Migration Types

Light



In the context of hypervisors, which are technologies used to create and manage virtual machines, the terms P2V migration and V2V migration are common in virtualization environments.

They refer to processes of migrating systems between different types of platforms.

### P2V (Physical to Virtual) - Physical to Virtual Migration

P2V migration refers to the process of migrating a physical server to a virtual machine.

In other words, an operating system and its applications, running on dedicated physical hardware, are "converted" and moved to a virtual machine that runs on a hypervisor (such as VMware, Hyper-V, KVM, etc.).

- **Example:** You have a physical server running a Windows or Linux system, and you want to move it to a virtual environment, like a cloud infrastructure or an internal virtualization server. The process involves copying the entire system state, including the operating system, drivers, and data, to create an equivalent virtual machine that can run as if it were on the physical hardware.

### V2V (Virtual to Virtual) - Virtual to Virtual Migration

V2V migration refers to the process of migrating a virtual machine from one hypervisor to another. In this case, you already have a virtual machine running in a virtualized environment (like VMware), and you want to move it to another virtualized environment (for example, to Hyper-V or to a new VMware server).

- **Example:** You have a virtual machine running on a VMware virtualization server, but you decide to migrate it to a Hyper-V platform. In this case, the V2V migration converts the virtual machine from one format or hypervisor to another, ensuring it can continue running correctly.

## HVM and Paravirtualization

### Hardware-assisted Virtualization (HVM)

#### HVM Definition

HVM leverages hardware extensions provided by modern CPUs to virtualize hardware, enabling the creation and management of VMs with minimal performance overhead.

#### HVM Key Characteristics

- **Hardware Support:** Requires CPU support for virtualization extensions such as Intel VT-x or AMD-V.
- **Full Virtualization:** VMs can run unmodified guest operating systems, as the hypervisor provides a complete emulation of the hardware environment.

- **Performance:** Typically offers near-native performance because of direct execution of code on the CPU.
- **Isolation:** Provides strong isolation between VMs since each VM operates as if it has its own dedicated hardware.

### HVM Examples

VMware ESXi, Microsoft Hyper-V, KVM (Kernel-based Virtual Machine).

### HVM Advantages

- **Compatibility:** Can run any operating system without modification.
- **Performance:** High performance due to hardware support.
- **Security:** Enhanced isolation and security features provided by hardware.

### HVM Disadvantages

- **Hardware Dependency:** Requires specific hardware features, limiting compatibility with older systems.
- **Complexity:** May involve more complex configuration and management.

### Paravirtualization

#### Paravirtualization Definition

Paravirtualization involves modifying the guest operating system to be aware of the virtual environment, allowing it to interact more efficiently with the hypervisor.

#### Paravirtualization Key Characteristics

- **Guest Modification:** Requires changes to the guest operating system to communicate directly with the hypervisor using hypercalls.
- **Performance:** Can be more efficient than traditional full virtualization because it reduces the overhead associated with emulating hardware.
- **Compatibility:** Limited to operating systems that have been modified for paravirtualization.

### Paravirtualization Examples

Xen with paravirtualized guests, VMware tools in certain configurations, and some KVM configurations.

### Paravirtualization Advantages

- **Efficiency:** Reduces the overhead of virtualizing hardware, potentially offering better performance for certain workloads.
- **Resource Utilization:** More efficient use of system resources due to direct communication between the guest OS and hypervisor.

## Paravirtualization Disadvantages

Light



- **Guest OS Modification:** Requires modifications to the guest OS, limiting compatibility to supported operating systems.
- **Complexity:** Requires additional complexity in the guest OS for hypercall implementations.

### Key Differences

#### Guest OS Requirements

- **HVM:** Can run unmodified guest operating systems.
- **Paravirtualization:** Requires guest operating systems to be modified to work with the hypervisor.

#### Performance

- **HVM:** Typically provides near-native performance due to hardware-assisted execution.
- **Paravirtualization:** Can offer efficient performance by reducing the overhead of hardware emulation, but relies on modified guest OS.

#### Hardware Dependency

- **HVM:** Requires specific CPU features (Intel VT-x, AMD-V).
- **Paravirtualization:** Does not require specific CPU features but needs modified guest OS.

#### Isolation

- **HVM:** Provides strong isolation using hardware features.
- **Paravirtualization:** Relies on software-based isolation, which may not be as robust as hardware-based isolation.

#### Complexity

- **HVM:** Generally more straightforward to deploy since it supports unmodified OS.
- **Paravirtualization:** Requires additional setup and modifications to the guest OS, increasing complexity.


## NUMA (Non-Uniform Memory Access)

NUMA (Non-Uniform Memory Access) is a memory architecture used in multiprocessor systems to optimize memory access by processors.

In a NUMA system, memory is distributed unevenly among processors, meaning that each processor has faster access to a portion of memory (its "local memory") than to memory that is physically further away (referred to as "remote memory") and associated with other processors.

### Key Features of NUMA Architecture



- 
1. **Local and Remote Memory:** Each processor has its own local memory, which it can access more quickly. However, it can also access the memory of other processors, although this takes longer.
  2. **Differentiated Latency:** The latency of memory access varies depending on whether the processor is accessing its local memory or the memory of another node. Local memory access is faster, while accessing another node's memory (remote) is slower.
  3. **Scalability:** NUMA architecture is designed to improve scalability in systems with many processors. As more processors are added, memory is also distributed, avoiding the bottleneck that would occur in a uniform memory access (UMA) architecture.

### Advantages of NUMA

- **Better Performance in Large Systems:** Since each processor has local memory, it can work more efficiently without competing as much with other processors for memory access.
- **Scalability:** NUMA allows systems with many processors and large amounts of memory to scale more effectively compared to a UMA architecture.

### Disadvantages

- **Programming Complexity:** Programmers need to be aware of which regions of memory are local or remote, optimizing the use of local memory to achieve better performance.
- **Potential Performance Penalties:** If a processor frequently accesses remote memory, performance may suffer due to higher latency. This architecture is common in high-performance multiprocessor systems, such as servers and supercomputers, where scalability and memory optimization are critical.

### Opensource Solutions

- oVirt: <https://www.ovirt.org/>
- Proxmox: <https://www.proxmox.com/en/proxmox-virtual-environment/overview>
- Oracle VirtualBox: <https://www.virtualbox.org/>
- Open vSwitch: <https://www.openvswitch.org/>

### Types of Virtualization

#### Hardware Virtualization (Server Virtualization)

##### HV Definition

Abstracts physical hardware to create virtual machines (VMs) that run separate operating systems and applications.

##### HV Use Cases

□ Data centers, cloud computing, server consolidation.



## **HV Examples**

VMware ESXi, Microsoft Hyper-V, KVM.

## **Operating System Virtualization (Containerization)**

### **Containerization Definition**

Allows multiple isolated user-space instances (containers) to run on a single OS kernel.

### **Containerization Use Cases**

Microservices architecture, development and testing environments.

### **Containerization Examples**

Docker, Kubernetes, LXC.

## **Network Virtualization**

### **Network Virtualization Definition**

Combines hardware and software network resources into a single, software-based administrative entity.

### **Network Virtualization Use Cases**

Software-defined networking (SDN), network function virtualization (NFV).

### **Network Virtualization Examples**

VMware NSX, Cisco ACI, OpenStack Neutron.

## **Storage Virtualization**

### **Storage Virtualization Definition**

Pools physical storage from multiple devices into a single virtual storage unit that can be managed centrally.

### **Storage Virtualization Definition Use Cases**

Data management, storage optimization, disaster recovery.

### **Storage Virtualization Definition Examples**

IBM SAN Volume Controller, VMware vSAN, NetApp ONTAP.

## **Desktop Virtualization**

## **Desktop Virtualization Definition**

Light



Allows a desktop operating system to run on a virtual machine hosted on a server.

### **Desktop Virtualization Definition Use Cases**

Virtual desktop infrastructure (VDI), remote work solutions.

### **Desktop Virtualization Definition Examples**

Citrix Virtual Apps and Desktops, VMware Horizon, Microsoft Remote Desktop Services.

## **Application Virtualization**

### **Application Virtualization Definition**

Separates applications from the underlying hardware and operating system, allowing them to run in isolated environments.

### **Application Virtualization Definition Use Cases**

Simplified application deployment, compatibility testing.

### **Application Virtualization Definition Examples**

VMware ThinApp, Microsoft App-V, Citrix XenApp.

## **Data Virtualization**

### **Data Virtualization Definition**

Integrates data from various sources without physically consolidating it, providing a unified view for analysis and reporting.

### **Data Virtualization Definition Use Cases**

Business intelligence, real-time data integration.

### **Data Virtualization Definition Examples**

Denodo, Red Hat JBoss Data Virtualization, IBM InfoSphere.

## **Benefits of Virtualization**

- Resource Efficiency: Better utilization of physical resources.
- Cost Savings: Reduced hardware and operational costs.
- Scalability: Easy to scale up or down according to demand.
- Flexibility: Supports a variety of workloads and applications.
- Disaster Recovery: Simplified backup and recovery processes.
- Isolation: Improved security through isolation of environments.

## 351.2 Xen

**Weight:** 3

**Description:** Candidates should be able to install, configure, maintain, migrate and troubleshoot Xen installations. The focus is on Xen version 4.x.

### Key Knowledge Areas:

- Understand architecture of Xen, including networking and storage
- Basic configuration of Xen nodes and domains
- Basic management of Xen nodes and domains
- Basic troubleshooting of Xen installations
- Awareness of XAPI
- Awareness of XenStore
- Awareness of Xen Boot Parameters
- Awareness of the xm utility

### Xen

Xen is an open-source type-1 (bare-metal) hypervisor, which allows multiple operating systems to run concurrently on the same physical hardware.

Xen provides a layer between the physical hardware and virtual machines (VMs), enabling efficient resource sharing and isolation.

- **Architecture:** Xen operates with a two-tier system where Domain 0 (Dom0) is the privileged domain with direct hardware access and manages the hypervisor. Other virtual machines, called Domain U (DomU), run guest operating systems and are managed by Dom0.
- **Types of Virtualization:** Xen supports both paravirtualization (PV), which requires modified guest OS, and hardware-assisted virtualization (HVM), which uses hardware extensions (e.g., Intel VT-x or AMD-V) to run unmodified guest operating systems. Xen is widely used in cloud environments, notably by Amazon Web Services (AWS) and other large-scale cloud providers.

### XenSource

XenSource was the company founded by the original developers of the Xen hypervisor at the University of Cambridge to commercialize Xen.

Light The company provided enterprise solutions based on Xen and offered additional tools and support to enhance Xen's capabilities for enterprise use.



- **Acquisition by Citrix:** In 2007, XenSource was acquired by Citrix Systems, Inc. Citrix used Xen technology as the foundation for its Citrix XenServer product, which became a popular enterprise-grade virtualization platform based on Xen.
- **Transition:** After the acquisition, the Xen project continued as an open-source project, while Citrix focused on commercial offerings like XenServer, leveraging XenSource technology.

## Xen Project

Xen Project refers to the open-source community and initiative responsible for developing and maintaining the Xen hypervisor after its commercialization.

The Xen Project operates under the Linux Foundation, with a focus on building, improving, and supporting Xen as a collaborative, community-driven effort.

- **Goals:** The Xen Project aims to advance the hypervisor by improving its performance, security, and feature set for a wide range of use cases, including cloud computing, security-focused virtualization (e.g., Qubes OS), and embedded systems.
- **Contributors:** The project includes contributors from various organizations, including major cloud providers, hardware vendors, and independent developers.
- **XAPI and XenTools:** The Xen Project also includes tools such as XAPI (XenAPI), which is used for managing Xen hypervisor installations, and various other utilities for system management and optimization.

## Xen Summary

- **Xen:** The core hypervisor technology enabling virtual machines to run on physical hardware.
- **XenSource:** The company that commercialized Xen, later acquired by Citrix, leading to the development of Citrix XenServer.
- **Xen Project:** The open-source initiative and community that continues to develop and maintain the Xen hypervisor under the Linux Foundation.

## 351.2 Cited Objects

```
Domain0 (Dom0), DomainU (DomU)
PV-DomU, HVM-DomU
/etc/xen/
xl
xl.cfg
xl.conf
xentop
```

## 351.2 Important Commands



[\(back to sub Topic 351.2\)](#)

[\(back to Topic 351\)](#)

[\(back to top\)](#)

## 351.3 QEMU

**Weight:** 4

**Description:** Candidates should be able to install, configure, maintain, migrate and troubleshoot QEMU installations.

### Key Knowledge Areas:

- Understand the architecture of QEMU, including KVM, networking and storage
- Start QEMU instances from the command line
- Manage snapshots using the QEMU monitor
- Install the QEMU Guest Agent and VirtIO device drivers
- Troubleshoot QEMU installations, including networking and storage
- Awareness of important QEMU configuration parameters

### 351.3 Cited Objects

```
Kernel modules: kvm, kvm-intel and kvm-amd
/dev/kvm
QEMU monitor
qemu
qemu-system-x86_64
ip
brctl
tunctl
```

### 351.3 Important Commands

**ip**

```
# list links
ip link show
```

## 351.4 Libvirt Virtual Machine Management

**Weight:** 9

**Description:** Candidates should be able to manage virtualization hosts and virtual machines ('libvirt domains') using libvirt and related tools.

### Key Knowledge Areas:

- Understand the architecture of libvirt
- Manage libvirt connections and nodes
- Create and manage QEMU and Xen domains, including snapshots
- Manage and analyze resource consumption of domains
- Create and manage storage pools and volumes
- Create and manage virtual networks
- Migrate domains between nodes
- Understand how libvirt interacts with Xen and QEMU
- Understand how libvirt interacts with network services such as dnsmasq and radvd
- Understand libvirt XML configuration files
- Awareness of virtlogd and virtlockd

### 351.4 Cited Objects

```
libvirtd  
/etc/libvirt/  
virsh (including relevant subcommands)
```

### 351.4 Important Commands

foo

```
foo
```

## 351.5 Virtual Machine Disk Image Management

**Weight:** 3

**Description:** Candidates should be able to manage virtual machines disk images. This includes converting disk images between various formats and hypervisors and accessing data stored within an image.

### Key Knowledge Areas:

- Understand features of various virtual disk image formats, such as raw images, qcow2 and VMDK
- Manage virtual machine disk images using qemu-img
- Mount partitions and access files contained in virtual machine disk images using libguestfish
- Copy physical disk content to a virtual machine disk image
- Migrate disk content between various virtual machine disk image formats
- Awareness of Open Virtualization Format (OVF)

### 351.5 Cited Objects

```
qemu-img
guestfish (including relevant subcommands)
guestmount
guestumount
virt-cat
virt-copy-in
virt-copy-out
virt-diff
virt-inspector
virt-filesystems
virt-rescue
virt-df
virt-resize
virt-sparsify
virt-p2v
virt-p2v-make-disk
virt-v2v
virt-sysprep
```

### 351.5 Important Commands

**foo**

```
foo
```



## Topic 352: Container Virtualization

### 352.1 Container Virtualization Concepts

**Weight:** 7

**Description:** Candidates should understand the concept of container virtualization. This includes understanding the Linux components used to implement container virtualization as well as using standard Linux tools to troubleshoot these components.

#### Key Knowledge Areas:

- Understand the concepts of system and application container
- Understand and analyze kernel namespaces
- Understand and analyze control groups
- Understand and analyze capabilities
- Understand the role of seccomp, SELinux and AppArmor for container virtualization
- Understand how LXC and Docker leverage namespaces, cgroups, capabilities, seccomp and MAC
- Understand the principle of runc
- Understand the principle of CRI-O and containerd
- Awareness of the OCI runtime and image specifications
- Awareness of the Kubernetes Container Runtime Interface (CRI)
- Awareness of podman, buildah and skopeo
- Awareness of other container virtualization approaches in Linux and other free operating systems, such as rkt, OpenVZ, systemd-nspawn or BSD Jails

#### 352.1 Cited Objects

nsenter  
unshare  
ip (including relevant subcommands)  
capsh  
/sys/fs/cgroups



## 352.1 Important Commands

foo

foo

[\(back to sub topic 352.1\)](#)

[\(back to topic 352\)](#)

[\(back to top\)](#)

## 352.2 LXC

**Weight:** 6

**Description:** Candidates should be able to use system containers using LXC and LXD. The version of LXC covered is 3.0 or higher.

### Key Knowledge Areas:

- Understand the architecture of LXC and LXD
- Manage LXC containers based on existing images using LXD, including networking and storage
- Configure LXC container properties
- Limit LXC container resource usage
- Use LXD profiles
- Understand LXC images
- Awareness of traditional LXC tools

### 352.2 Cited Objects

lxd  
lxc (including relevant subcommands)

## 352.2 Important Commands

foo

foo

## 352.3 Docker

**Weight:** 9

**Description:** Candidate should be able to manage Docker nodes and Docker containers. This include understand the architecture of Docker as well as understanding how Docker interacts with the node's Linux system.

### Key Knowledge Areas:

- Understand the architecture and components of Docker
- Manage Docker containers by using images from a Docker registry
- Understand and manage images and volumes for Docker containers
- Understand and manage logging for Docker containers
- Understand and manage networking for Docker
- Use Dockerfiles to create container images
- Run a Docker registry using the registry Docker image

### 352.3 Cited Objects

```
dockerd
/etc/docker/daemon.json
/var/lib/docker/
docker
Dockerfile
```

### 352.3 Important Commands

**docker**

```
# Examples of docker
```



## 352.4 Container Orchestration Platforms

**Weight:** 3

**Description:** Candidates should understand the importance of container orchestration and the key concepts Docker Swarm and Kubernetes provide to implement container orchestration.

**Key Knowledge Areas:**

- Understand the relevance of container orchestration
- Understand the key concepts of Docker Compose and Docker Swarm
- Understand the key concepts of Kubernetes and Helm
- Awareness of OpenShift, Rancher and Mesosphere DC/OS

[\(back to sub topic 352.4\)](#)

[\(back to topic 352\)](#)

[\(back to top\)](#)

## Topic 353: VM Deployment and Provisioning

### 353.1 Cloud Management Tools

**Weight:** 2

**Description:** Candidates should understand common offerings in public clouds and have basic feature knowledge of commonly available cloud management tools.

**Key Knowledge Areas:**

- Understand common offerings in public clouds
- Basic feature knowledge of OpenStack
- Basic feature knowledge of Terraform
- Awareness of CloudStack, Eucalyptus and OpenNebula

#### 353.1 Cited Objects

IaaS, PaaS, SaaS  
OpenStack  
Terraform

## 353.1 Important Commands

Light



foo

# examples

[\(back to sub topic 353.1\)](#)

[\(back to topic 353\)](#)

[\(back to top\)](#)

## 353.2 Packer

**Weight:** 2

**Description:** Candidates should be able to use Packer to create system images. This includes running Packer in various public and private cloud environments as well as building container images for LXC/LXD.

### Key Knowledge Areas:

- Understand the functionality and features of Packer
- Create and maintain template files
- Build images from template files using different builders

### 353.2 Cited Objects

packer

### 353.2 Important Commands

packer

# examples

[\(back to sub topic 353.2\)](#)

[\(back to topic 353\)](#)

[\(back to top\)](#)

## 353.3 cloud-init

Weight: 3



**Description:** Candidates should be able to use cloud-init to configure virtual machines created from standardized images. This includes adjusting virtual machines to match their available hardware resources, specifically, disk space and volumes.

Additionally, candidates should be able to configure instances to allow secure SSH logins and install a specific set of software packages.

Furthermore, candidates should be able to create new system images with cloud-init support.

#### Key Knowledge Areas:

- Understanding the features and concepts of cloud-init, including user-data, initializing and configuring cloud-init
- Use cloud-init to create, resize and mount file systems, configure user accounts, including login credentials such as SSH keys and install software packages from the distribution's repository
- Integrate cloud-init into system images
- Use config drive datasource for testing

#### 353.3 Cited Objects

```
cloud-init
user-data
/var/lib/cloud/
```

#### 353.3 Important Commands

foo

```
# examples
```

[\(back to sub topic 353.3\)](#)

[\(back to topic 353\)](#)

[\(back to top\)](#)

### 353.4 Vagrant

Weight: 3

**Description:** Candidate should be able to use Vagrant to manage virtual machines, including provisioning of the virtual machine.

## Key Knowledge Areas:



- Understand Vagrant architecture and concepts, including storage and networking
- Retrieve and use boxes from Atlas
- Create and run Vagrantfiles
- Access Vagrant virtual machines
- Share and synchronize folder between a Vagrant virtual machine and the host system
- Understand Vagrant provisioning, i.e. File and Shell provisioners
- Understand multi-machine setup

### 353.4 Cited Objects

vagrant  
Vagrantfile

### 353.4 Important Commands

**vagrant**

# examples

[\(back to sub topic 353.4\)](#)

[\(back to topic 353\)](#)

[\(back to top\)](#)

## Contributing

Contributions are what make the open source community such an amazing place to learn, inspire, and create. Any contributions you make are **greatly appreciated**.

If you have a suggestion that would make this better, please fork the repo and create a pull request. You can also simply open an issue with the tag "enhancement". Don't forget to give the project a star! Thanks again!

1. Fork the Project
2. Create your Feature Branch ( `git checkout -b feature/AmazingFeature` )
3. Commit your Changes ( `git commit -m 'Add some AmazingFeature'` )
4. Push to the Branch ( `git push origin feature/AmazingFeature` )
5. Open a Pull Request

# License



- This project is licensed under the MIT License \* see the LICENSE.md file for details

## Contact

Marcos Silvestrini - marcos.silvestrini@gmail.com

 Follow @mrsilvestrini

Project Link: <https://github.com/marcossilvestrini/learning-lpic-3-305-300>

(back to top)

## Acknowledgments

- Richard Stallman's
- GNU/Linux FAQ by Richard Stallman
- GNU
- GNU Operating System
- GCC Compiler
- GNU Tar
- GNU Make
- GNU Emacs
- GNU Packages
- GNU/Linux Collection
- GNU Grub Bootloader
- GNU Hurd
- Kernel
- Linux Kernel Man Pages
- Linux Standard Base
- Filesystem Hierarchy Standard
- File Hierarchy Structure
- FSF
- Free Software Directory
- Free Software
- Copyleft



## ◻ Light



- GPL
- GNU Lesser General Public License
- BSD
- Open Source Initiative
- Creative Commons
- License LTS
- Debian Free Software Guidelines
- X11 Org
- Wayland
- GNU GNOME
- GNOME
- XFCE
- KDE Plasma
- Harmony
- xRDP
- NTP
- Bourne Again Shell
- Shebang
- Environment Variables
- GNU Globbing
- Globbing
- Quoting
- Regular Expressions
- List Linux Distribution
- Distro Watch
- Comparison Linux Distributions
- Download Packages
- Install Packages
- Guide Install Packages
- Bugzilla
- Command Not Found
- DistroTest
- Bash RC Generator
- Explainshell
- Vim Tutorial
- Linux Shell Scripting Tutorial
- Github Badges



## • Commands Examples

- Compile Your Kernel
- Bind
- Bind Logging
- List of DNS record types
- List of DNS record types
- W3Techs
- Apache
- Apache Directives
- HTTP Status Codes
- Strong Ciphers for Apache, nginx and Lighttpd
- SSL Tutorials
- SSL Config Mozilla
- Virtualization Definitions
  - Red Hat
  - AWS
  - IBM
  - OpenSource.com
- KVM(Kernel Virtual Machines)
- KVM Management Tools
- Xen
  - XenServer
  - Wiki XenProject
- LPI Blog: Xen Virtualization and Cloud Computing #01: Introduction
- Openstack Docs
  - RedHat
- LPIC-3 305-300 Objectives
- LPIC-3 305-300 Wiki
- LPIC-3 305-300 Learning Material
- LPIC-3 305-300 Simulated Exam By ITexams

(back to top)