

Title undertext

Marcus Allen Denslow

Contents

Chapter 1	Chapter Title	Page 2
1.1	Section Title	2
Chapter 2	oppgaver	Page 3

Chapter 1

Chapter Title

1.1 Section Title

$$\sin^2 x + \frac{1}{2} \sin x = \frac{1}{2} \quad (\sin x)^2 = \sin^2 x.$$

$$\begin{aligned} u^2 + \frac{1}{2}u - \frac{1}{2} &= 0 \\ \sin x &= \frac{\pm \sqrt{(\frac{1}{2}) - 4 \cdot 1 \cdot (-\frac{1}{2})}}{2 \cdot 1} \\ &= \frac{1}{2} \pm \sqrt{\frac{4}{4}} \\ &= \frac{-\frac{1}{2} + \frac{3}{2}}{2}. \end{aligned}$$

$$\sin x = \frac{1}{2} \quad \cup \quad \sin x = -1.$$

$$x = \frac{\pi}{6} + k \cdot 2\pi \cup x = \frac{5\pi}{6} + k \cdot 2\pi \cup x = \frac{3\pi}{2} + k \cdot 2\pi.$$

Chapter 2

oppgaver

$$\left(\sin x + \frac{1}{2}\right)\left(\sin x - \frac{\sqrt{3}}{2}\right) = 0 \text{ når } x \in [0, 360 > \quad (2.1)$$

når likningen går mot 0 må en av faktorene være lik null. denne kan være

$$\sin x + \frac{1}{2} \rightarrow \sin x = -\frac{1}{2}.$$