



Select a definition

apiToDo v1

apiToDo v1 OAS3

/swagger/v1/swagger.json

Tarefas



GET /Tarefas/1stTarefas

Parameters

Cancel

No parameters

Execute Clear

Responses

Curl

```
curl -X GET "https://localhost:44319/Tarefas/1stTarefas" -H "accept: text/plain"
```

Request URL

https://localhost:44319/Tarefas/1stTarefas

Server response

Code Details

200

Response body

```
[
  {
    "id_TAREFA": 1,
    "ds_TAREFA": "Fazer Compras"
  },
  {
    "id_TAREFA": 2,
    "ds_TAREFA": "Fazer Atividade Faculdade"
  },
  {
    "id_TAREFA": 3,
    "ds_TAREFA": "Subir Projeto de Teste no GitHub"
  }
]
```

Response headers

Download

Code

Details

content-type: application/json; charset=utf-8
date: Tue04 Apr 2023 17:20:14 GMT
server: Microsoft-IIS/10.0
x-powered-by: ASP.NET

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example Value

Schema

```
[  
  {  
    "iD_TAREFA": 0,  
    "dS_TAREFA": "string"  
  }  
]
```

GET

/Tarefas/PesquisarTarefas/{ID_TAREFA}

Parameters

Cancel

Name	Description
<div>ID_TAREFA * required integer(\$int32) (path)</div>	<div>2</div>

Execute

Clear

Responses

Curl

curl -X GET "https://localhost:44319/Tarefas/PesquisarTarefas/2" -H "accept: text/plain"

Request URL

https://localhost:44319/Tarefas/PesquisarTarefas/2

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{ "iD_TAREFA": 2, "dS_TAREFA": "Fazer Atividade Faculdade"}</pre></div><div>Download</div></div> <div><div>Response headers</div><div><pre>content-length: 54content-type: application/json; charset=utf-8date: Tue04 Apr 2023 17:21:31 GMTserver: Microsoft-IIS/10.0x-powered-by: ASP.NET</pre></div></div>
Responses	
Code	DescriptionLinks
200	<div>Success</div> <div><div>Media type</div><div>text/plain</div><div>Controls Accept header.</div><div><div>Example Value</div><div>Schema</div><div><pre>{ "iD_TAREFA": 0, "dS_TAREFA": "string"}</pre></div></div></div> <div>No links</div>

POST

/Tarefas/InserirTarefas

Parameters

Cancel

No parameters

Request body

application/json

```
{
  "iD_TAREFA": 4,
  "dS_TAREFA": "Texto placeholder"
}
```

Execute

Clear

Responses

Curl

```
curl -X POST "https://localhost:44319/Tarefas/InserirTarefas" -H "accept: text/plain" -H "Content-Type: application/json" -d "{\"iD_TAREFA\":4,\"dS_TAREFA\":\"Texto placeholder\"}"
```

Request URL

https://localhost:44319/Tarefas/InserirTarefas

Server response

Code	Details
200	<div><div>Response body</div><div><pre>[{ "iD_TAREFA": 1, "dS_TAREFA": "Fazer Compras" }, { "iD_TAREFA": 2, "dS_TAREFA": "Fazer Atividade Faculdade" }, { "iD_TAREFA": 3, "dS_TAREFA": "Subir Projeto de Teste no GitHub" }, { "iD_TAREFA": 4, "dS_TAREFA": "Texto placeholder" }]</pre></div><div><div>Response headers</div><div><pre>content-length: 211</pre></div></div></div> <div>Download</div>

Code

Details

content-type: application/json; charset=utf-8

date: Tue04 Apr 2023 17:22:54 GMT

server: Microsoft-IIS/10.0

x-powered-by: ASP.NET

Responses

Code

Description

Links

200

Success

No links

Media type

text/plain

Controls Accept header.

Example Value

Schema

[

{

"id_TAREFA": 0,

"ds_TAREFA": "string"

}

]

PUT

/Tarefas/AtualizarTarefa/{ID_TAREFA}

Parameters

Cancel

Name

Description

ID_TAREFA * required

string

(path)

2

Request body

application/json

```
{
  "iD_TAREFA": 2,
  "dS_TAREFA": "Nova String"
}
```

Execute

Clear

Responses

Curl

```
curl -X PUT "https://localhost:44319/Tarefas/AtualizarTarefa/2" -H "accept: text/plain" -H "Content-Type: application/json" -d "{\"iD_TAREFA\":2,\"dS_TAREFA\":\"Nova String\"}"
```

Request URL

https://localhost:44319/Tarefas/AtualizarTarefa/2

Server response

Code	Details
200	<div><div>Response body</div><div><pre>[{ "iD_TAREFA": 1, "dS_TAREFA": "Fazer Compras" }, { "iD_TAREFA": 3, "dS_TAREFA": "Subir Projeto de Teste no GitHub" }, { "iD_TAREFA": 2, "dS_TAREFA": "Nova String" }]</pre></div><div><div>Download</div></div></div> <div><div>Response headers</div><div><pre>content-length: 150 content-type: application/json; charset=utf-8 date: Tue04 Apr 2023 17:23:53 GMT server: Microsoft-IIS/10.0</pre></div></div>

Code

Details

x-powered-by: ASP.NET

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example Value Schema

[
 {
 "iD_TAREFA": 0,
 "dS_TAREFA": "string"
 }
]

DELETE /Tarefas/DeletarTarefa

Parameters

Cancel

Name	Description
ID_TAREFA integer(\$int32) (query)	<div>3</div>

ExecuteClear

Responses

Curl

curl -X DELETE "https://localhost:44319/Tarefas/DeletarTarefa?ID_TAREFA=3" -H "accept: text/plain"

Request URL

https://localhost:44319/Tarefas/DeletarTarefa?ID_TAREFA=3

Server response

Code

Details

200

Response body

```
[
  {
    "iD_TAREFA": 1,
    "dS_TAREFA": "Fazer Compras"
  },
  {
    "iD_TAREFA": 2,
    "dS_TAREFA": "Fazer Atividade Faculdade"
  }
]
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Tue04 Apr 2023 17:24:03 GMT
server: Microsoft-IIS/10.0
x-powered-by: ASP.NET
```

Responses

Code	Description	Links
200	<div>Success</div> <div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div><div><pre>[{ "iD_TAREFA": 0, "dS_TAREFA": "string" }]</pre></div></div>	

 No links |

Schemas

▼

TarefaDTO