Module 3

Writing SELECT Queries

Module Overview

- Writing Simple SELECT Statements
- Eliminating Duplicates with DISTINCT
- Using Column and Table Aliases
- Writing Simple CASE Expressions

Lesson 1: Writing Simple SELECT Statements

- Elements of the SELECT Statement
- Retrieving Columns from a Table or View
- Displaying Columns
- Using Calculations in the SELECT Clause
- Demonstration: Writing Simple SELECT Statements

Elements of the SELECT Statement

Clause	Expression
SELECT	<select list>
FROM	<table or view>
WHERE	<search condition>
GROUP BY	<group by list>
ORDER BY	<order by list>

Retrieving Columns from a Table or View

- Use SELECT with column list to show columns
- Use FROM to specify the source table or view
  - Specify both schema and object names
- Delimit names if necessary
- End all statements with a semicolon

Keyword	Expression
SELECT	<select list>
FROM	<table or view>

```
SELECT companyname, country
FROM Sales.Customers;
```

Displaying Columns

- Displaying all columns
  - This is not best practice in production code!

```
SELECT *
FROM Sales.Customers;
```

- Displaying only specified columns

```
SELECT companyname, country
FROM Sales.Customers;
```

Using Calculations in the SELECT Clause

- Calculations are scalar, returning one value per row

Operator	Description
+	Add or concatenate
-	Subtract
*	Multiply
/	Divide
%	Modulo

- Using scalar expressions in the SELECT clause

```
SELECT unitprice, qty, (qty * unitprice)
FROM Sales.OrderDetails;
```

Demonstration: Writing Simple SELECT Statements

In this demonstration you will see how to:

- Use simple SELECT queries

Lesson 3: Using Column and Table Aliases

- Use Aliases to Refer to Columns
- Use Aliases to Refer to Tables
- The Impact of Logical Processing Order on Aliases
- Demonstration: Using Column and Table Aliases

Use Aliases to Refer to Columns

- Column aliases using AS

```
SELECT orderid, unitprice, qty AS quantity
FROM Sales.OrderDetails;
```

- Column aliases using =

```
SELECT orderid, unitprice, quantity = qty
FROM Sales.OrderDetails;
```

- Accidental column aliases

```
SELECT orderid, unitprice quantity
FROM Sales.OrderDetails;
```

The Impact of Logical Processing Order on Aliases

- FROM, WHERE, and HAVING clauses processed before SELECT
- Aliases created in SELECT clause only visible to ORDER BY
- Expressions aliased in SELECT clause may be repeated elsewhere in query

Demonstration: Using Column and Table Aliases

In this demonstration, you will see how to:

- Use column and table aliases

Lesson 4: Writing Simple CASE Expressions

- Using CASE Expressions in SELECT Clauses
- Forms of CASE Expressions
- Demonstration: Simple CASE Expressions

Using CASE Expressions in SELECT Clauses

- T-SQL CASE expressions return a single (scalar) value
- CASE expressions may be used in:
  - SELECT column list
  - WHERE or HAVING clauses
  - ORDER BY clause
- CASE returns result of expression
  - Not a control-of-flow mechanism
- In SELECT clause, CASE behaves as calculated column requiring an alias

Forms of CASE Expressions

- Two forms of T-SQL CASE expressions:
- Simple CASE
  - Compares one value to a list of possible values
  - Returns first match
  - If no match, returns value found in optional ELSE clause
  - If no match and no ELSE, returns NULL
- Searched CASE
  - Evaluates a set of predicates, or logical expressions
  - Returns value found in THEN clause matching first expression that evaluates to TRUE

Demonstration: Simple CASE Expressions

In this demonstration, you will see how to:

- Use a simple CASE expression