

FICHE N°1 – Structures & Génie civil (1) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The structural engineer analyzes the load distribution on each support beam before signing off.
2. The chief architect drew the preliminary plans for the new suspension bridge.
3. The company is currently developing a new lightweight precast concrete system.
4. The inspection crew was working inside the north pylon when the fault was detected.
5. The research team has identified a new type of stress fracture in the alloy samples.
6. An external consultant had reviewed all load calculations before the structure was approved.
7. The new bridge will span over eight hundred meters between the main pylons.
8. The construction team is going to install the final deck sections at the northern end of the site.
9. The engineers would use a different foundation design if the ground conditions were more stable.
10. A specialist waterproofing contractor would have resolved the issue if the defect had been found earlier.
11. The structural assessment team has been monitoring this bridge section for over four months.
12. Concrete bridges withstand heavy loads by distributing weight across a network of reinforced beams.
13. The testing team conducted the full load trial at the outdoor structural testing facility in Metz.
14. The site engineer is reviewing the latest survey data before approving the next phase.
15. The crew was laying the final section of the reinforced concrete deck when the client arrived.
16. Engineers have installed over two hundred monitoring sensors along the entire structure.
17. By the time the auditors arrived, the team had already repaired all the identified structural defects.
18. The regional infrastructure authority will commission an independent safety review next month.
19. The engineers would build the new test lab at the eastern edge of the campus if planning permission were granted.
20. The bridge required additional reinforcement because the original design had not accounted for seismic loads.

FICHE N°2 – Structures & Génie civil (2) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The foundation was laid three meters below the river bed.
2. The lead geotechnical engineer identified the subsidence risk long before excavation began.
3. The team is currently testing the tensile strength of the new steel-fiber composite.
4. The crane operator was positioning the beam when a strong gust of wind exceeded the safe limit.
5. The department has approved a new seismic retrofit program for all pre-1980 buildings.
6. The independent inspector had flagged the corrosion issue two years before the collapse.
7. The renovation will cost approximately four million euros.
8. The principal structural consultant is going to lead the design review next Tuesday.
9. The engineers would use prestressed concrete because it significantly reduces long-term deflection.
10. The structure would have passed the inspection if the protective coating had been properly applied.
11. The project team has been working at the offshore platform for three months.
12. The pylon was constructed using a slip-forming technique that reduced build time by thirty percent.
13. The drainage engineers installed the culverts along the full length of the embankment.
14. The supervising engineer is checking the reinforcement spacing before the concrete pour.
15. Surveyors were mapping the terrain when they discovered the unexploded ordnance.
16. The team has published a landmark study on the long-term creep behavior of high-performance concrete.
17. The investigation had already begun before the client formally requested an independent audit.
18. The new footbridge will be opened at the end of next spring.
19. The arch would carry far more load if the span-to-rise ratio were optimised.
20. The pier was monitored continuously because it showed signs of differential settlement.

FICHE N°3 – Informatique & Systèmes (1) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The algorithm sorts the data by efficiency index before displaying the results.
2. The network administrator reconfigured the entire server cluster after the security breach.
3. The team is currently debugging a critical flaw in the data acquisition module.
4. The software was running an automated backup when the power cut occurred.
5. The department has developed a machine learning model for predictive structural maintenance.
6. The senior software architect had designed the entire API framework before the project was contracted out.
7. The new platform will process over ten thousand sensor readings per second.
8. The team is going to migrate all services to the new cloud infrastructure next month.
9. The system would perform far better if the database queries were properly indexed.
10. The response time would have been much shorter if the server had not been overloaded.
11. The developers have been refining the control algorithm for over five months.
12. The firmware communicates with the sensors via a low-power wireless mesh network.
13. The IT team installed the new monitoring software on all machines in the main server room.
14. The cybersecurity specialist is auditing all external access points this week.
15. The system was processing a large dataset when an unexpected memory overflow was triggered.
16. The company has integrated a real-time digital twin of the entire production line.
17. By the time support arrived, the engineers had already isolated the faulty module.
18. The automation team will deploy the updated version of the control software on Friday night.
19. The engineers would migrate to the new architecture if the legacy system could be decommissioned safely.
20. The dashboard was not updated because the synchronization script had been inadvertently disabled.

FICHE N°4 – Informatique & Systèmes (2) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The embedded system communicates with the central server every five seconds.
2. The lead developer rewrote the entire signal processing library from scratch.
3. The team is integrating a reinforcement learning module into the control framework.
4. The robot was executing the assembly sequence when a sensor calibration error was detected.
5. The department has launched an open-source toolkit for structural health monitoring.
6. The chief data scientist had trained the model on three years of operational data before deployment.
7. The new computing cluster will reduce simulation time from eight hours to under twenty minutes.
8. The IT department is going to roll out the new cybersecurity framework across all campuses.
9. The system would recover faster if a secondary failover server were available.
10. The error would not have propagated if the input validation routine had been properly implemented.
11. The research team has been collecting telemetry data for two and a half years.
12. The drone navigates autonomously using a combination of LiDAR and computer vision.
13. The IT team migrated the database to the new cloud infrastructure over a single weekend.
14. The systems engineer is configuring the redundant communication pathways this afternoon.
15. Engineers were testing the interface when a fatal conflict between the two software modules was discovered.
16. The laboratory has acquired a high-performance GPU cluster for large-scale neural network training.
17. The team had already written over three hundred automated test cases before the beta release.
18. The new version will be deployed as soon as the final security audit is complete.
19. The system would generate far more accurate predictions if the training dataset were larger.
20. The algorithm failed because the feature normalization step had been omitted.

FICHE N°5 – Énergie & Environnement (1) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The wind farm generates enough electricity to power forty thousand homes.
2. The environmental impact coordinator submitted the full report to the planning authority.
3. The team is installing the final row of offshore photovoltaic panels this week.
4. The turbine was spinning at reduced speed because the wind direction had shifted unexpectedly.
5. The company has reduced its total carbon footprint by thirty-five percent over the past two years.
6. The regional energy regulator had approved the grid connection before the first turbine was commissioned.
7. The new hydrogen storage facility will be built on the former industrial site near Dunkirk.
8. The department is going to publish its new zero-carbon campus strategy next spring.
9. The output would double if the rotor diameter were increased by twenty percent.
10. The project would have qualified for additional subsidies if the emissions target had been reached in year one.
11. Researchers have been monitoring the aquifer levels for over six years.
12. The solar cells generate electricity by converting photons from sunlight into a direct current.
13. Engineers installed the tidal generators at the narrowest point of the estuary.
14. The offshore wind technician is carrying out a full inspection of the nacelle this morning.
15. The reservoir was losing water because a micro-fracture had developed in the northern dam wall.
16. The institute has published a major review of battery storage technologies for grid applications.
17. The regulator had already issued a warning before the incident at the substation was reported.
18. The new tidal barrage will generate around eight hundred megawatts at peak flow.
19. The engineers would recommend solar if the site received more than five peak sun-hours per day.
20. The emissions rose sharply because the backup diesel generators ran for ten consecutive days.

FICHE N°6 – Énergie & Environnement (2) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The geothermal plant supplies heat to over twelve thousand residential units.
2. The lead hydrogeologist mapped all the underground aquifer connections before drilling.
3. The team is conducting an air quality impact assessment for the new incinerator site.
4. The wind speed was exceeding safe limits when the turbines were automatically shut down.
5. The energy cooperative has installed solar panels on three hundred community buildings.
6. The national grid operator had rerouted the power supply before the scheduled maintenance window.
7. The offshore wind park will produce five hundred megawatts at full operational capacity.
8. The authority is going to impose a thirty percent renewable energy quota from next year.
9. The project would meet the 2030 targets if the construction schedule were maintained.
10. The contamination would not have spread if the drainage system had been properly lined.
11. Scientists have been tracking atmospheric methane concentrations for over a decade.
12. The plant cools the condenser using a closed-loop seawater circuit.
13. Technicians replaced the failed transformer at the substation near the coast.
14. The environmental enforcement officer is investigating the cause of the river contamination.
15. The biofuel reactor was operating at half capacity because the feedstock supply had been interrupted.
16. The authority has approved a new offshore wind zone covering six hundred square kilometers.
17. The engineers had already decommissioned the old panels before the new ones were delivered.
18. The inspection team will arrive on the morning of the fourteenth.
19. The investment would be justified because the levelized cost of energy would fall below forty euros per megawatt-hour.
20. The flood defenses failed because the peak discharge had exceeded the original design threshold.

FICHE N°7 – Matériaux & Essais (1) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The tensile strength of the specimen reaches eight hundred megapascals under axial loading.
2. The materials scientist discovered that the alloy degraded far faster than expected.
3. The lab is testing a new class of bio-based structural adhesive for civil engineering applications.
4. The fracture was propagating along the grain boundary of the heat-affected zone.
5. The team has characterized over fifty different surface coatings for corrosion resistance.
6. The senior research engineer had conducted three hundred fatigue cycles before the crack appeared.
7. The new composite will replace conventional steel in a range of aerospace components.
8. The laboratory is going to acquire a next-generation scanning electron microscope.
9. The material would perform better if the fiber volume fraction were increased to sixty percent.
10. The sample would not have fractured if the curing temperature had been carefully controlled.
11. The team has been running creep tests on this polymer for eighteen months.
12. The sensor measures micro-deformation using a fiber Bragg grating embedded in the matrix.
13. The engineers characterized the material at temperatures ranging from minus forty to two hundred degrees Celsius.
14. The laboratory technician is preparing the next batch of test specimens for the impact campaign.
15. The X-ray diffractometer was scanning the sample when a power surge corrupted the results.
16. The research group has identified a new failure mechanism under combined thermal and mechanical loading.
17. The engineers had already selected the composite before the competing material data became available.
18. The results will be presented at the international materials congress in Vienna.
19. The adhesive bond would survive longer if the surface preparation protocol were more rigorous.
20. The test was repeated because the first set of results showed an unexplained statistical outlier.

FICHE N°8 – Matériaux & Essais (2) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The coating reduces corrosion by forming an impermeable barrier on the metal surface.
2. The PhD candidate published two landmark papers on carbon nanotube reinforcement.
3. The tribology lab is characterizing the wear behavior of three new ceramic coatings.
4. The specimen was undergoing thermal cycling when the delamination was first observed.
5. The institute has validated a new non-destructive testing protocol for composite panels.
6. The equipment supplier had delivered a faulty calibration certificate for the load cell.
7. The university will open a state-of-the-art tribology and surface engineering laboratory next September.
8. The team is going to submit the final material selection report before the design freeze.
9. The polymer matrix would exhibit less creep if the operating temperature stayed below sixty degrees.
10. The failure would have been prevented if the heat treatment parameters had been verified.
11. The team has been immersing specimens in saline solution for twelve weeks.
12. The alloy is produced using a powder metallurgy process followed by hot isostatic pressing.
13. The technician conducted the hardness tests at room temperature and at minus twenty degrees Celsius.
14. The visiting professor from the University of Manchester is giving a seminar on smart materials.
15. Engineers were analyzing the fracture surface when they noticed the fatigue striations.
16. The company has delivered a full-scale demonstrator of the fire-resistant structural panel.
17. The team had documented every test parameter before starting the final validation campaign.
18. The new standard will require a minimum of five replicate specimens per test condition.
19. The researchers would obtain more reliable data if the scatter in the raw measurements could be reduced.
20. The experiment failed initially because the environmental chamber had not reached thermal equilibrium.

FICHE N°9 – Recherche & Innovation (1) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The research center publishes around sixty peer-reviewed papers every year.
2. The project director secured a major EU Horizon grant for the next four years.
3. The team is validating a new methodology for real-time structural health monitoring.
4. The doctoral student was analyzing the data when the unexpected correlation was first observed.
5. The group has submitted a patent application for the new self-healing concrete formulation.
6. The previous research team had laid the theoretical foundations before the experimental phase began.
7. The institute will host the international symposium on smart materials and structures next October.
8. The department is going to recruit three new associate professors in the coming academic year.
9. The findings would be more conclusive if the sample size were at least doubled.
10. The patent would have generated considerable licensing revenue if it had been filed earlier.
11. The PhD student has been working on this characterization technique for over three years.
12. The team collaborates with industry through a dedicated joint laboratory agreement.
13. The researchers conducted the field study at three monitoring stations along the river basin.
14. The laboratory director is presenting the preliminary findings to the funding committee this afternoon.
15. The theoretical model was predicting a different outcome because a key boundary condition had been incorrectly set.
16. The faculty has established a new chair in sustainable structural engineering.
17. The engineers had already filed the patent before the competing team published their paper.
18. The consortium will release an open-access dataset of over two million sensor readings.
19. The university would attract far more doctoral applicants if the bursary levels were increased.
20. The study was extended by one year because the initial results raised more questions than they answered.

FICHE N°10 – Recherche & Innovation (2) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The research group meets every Monday afternoon to review the week's experimental results.
2. The visiting professor from Stanford delivered an outstanding keynote on topology optimisation.
3. The team is building a full-scale demonstrator for the new vibration isolation system.
4. The sensors were transmitting data continuously when the main server failed.
5. The institute has been awarded a five-year strategic research grant by the national science foundation.
6. The research ethics committee had validated the experimental protocol before any tests began.
7. The group will present its findings on self-healing polymers at the next IABSE congress.
8. The team is going to publish its results in three high-impact open-access journals.
9. The discovery would reshape the entire theoretical framework for fracture mechanics.
10. The collaboration would have produced more results if both teams had been co-located.
11. The laboratory has been developing this technique for nearly seven years.
12. The simulation reproduces the experiment with an accuracy of over ninety-eight percent.
13. The conference took place at the campus of the Technical University of Munich.
14. The two doctoral students are comparing their datasets before writing the joint paper.
15. The experiment was running on a forty-eight-hour cycle when the cooling system failed.
16. The team has developed a novel sensor fusion algorithm for heterogeneous structural data.
17. The first prototype had been tested under simulated in-service conditions before the design was frozen.
18. The results will be peer-reviewed and published within the next six months.
19. The method would be adopted universally if it could be applied without specialist equipment.
20. The funding application was rejected because the proposed impact pathway was insufficiently detailed.

FICHE N°11 – Industrie & Production (1) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The factory produces around fifteen thousand precision components per day at full capacity.
2. The production manager redesigned the entire assembly line to eliminate bottlenecks.
3. The company is piloting a fully automated quality inspection system on the main production line.
4. The robotic welder was operating at full speed when a programming error caused a collision.
5. The manufacturer has reduced scrap rates by forty percent since the lean transformation.
6. The process engineer had recalibrated all the CNC machines before the new batch began.
7. The new facility will produce its first commercial batch by the end of next quarter.
8. The company is going to introduce a just-in-time supply chain model for all critical components.
9. The throughput would increase by twenty percent if the changeover time were reduced.
10. The defect rate would have been much lower if the incoming material inspection had been more rigorous.
11. The quality team has been tracking this particular defect mode for over eight months.
12. The casting mold is cooled using a temperature-controlled water circuit embedded in the tooling.
13. The engineers validated the new welding procedure at the in-house qualification laboratory.
14. The shift supervisor is checking the torque values on all fasteners before the next production run.
15. The lathe was cutting the titanium components when a tool tip fractured unexpectedly.
16. The department has implemented a statistical process control framework across all critical operations.
17. The engineers had already replaced the worn tooling before the scheduled maintenance window.
18. The new production line will be commissioned in the first quarter of next year.
19. The yield would improve considerably if the oven temperature were more precisely regulated.
20. The batch was rejected because the hardness values were consistently below the minimum specification.

FICHE N°12 – Industrie & Production (2) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The assembly line runs continuously for sixteen hours a day.
2. The quality control technician identified the source of the surface contamination.
3. The company is upgrading its stamping presses with servo-electric drives.
4. Operators were loading the press when the safety interlock system triggered an emergency stop.
5. The firm has installed a real-time energy monitoring system across all production areas.
6. The maintenance engineer had replaced the worn seals before the pressure test was performed.
7. The plant will achieve ISO 50001 certification by the end of this calendar year.
8. The team is going to install a second robotic welding cell to double throughput.
9. The OEE score would reach ninety percent if unplanned downtime were eliminated.
10. The audit would have been passed if the documentation had been up to date.
11. The production team has been running continuous improvement workshops for three months.
12. The plant heats the steel billets in an induction furnace before forming.
13. The logistics team received the components at the main goods-in bay on the south side of the plant.
14. The tool and die engineer is designing a new progressive stamping die for the bracket.
15. The conveyor was running too slowly because the tension had not been adjusted after the belt replacement.
16. The company has won the national award for manufacturing excellence for the third consecutive year.
17. The operators had completed all pre-shift checks before the production run began.
18. The new scheduling software will reduce lead times by around twenty-five percent.
19. The output would be higher if the raw material quality were more consistent.
20. The machine was shut down because a bearing temperature had exceeded the permitted threshold.

FICHE N°13 – Université & Formation (1) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The department offers five distinct specialization tracks at the master's degree level.
2. The professor of thermodynamics introduced an innovative project-based learning approach.
3. The faculty is redesigning the entire second-year mechanics curriculum this semester.
4. The student was preparing her presentation when her laptop unexpectedly crashed.
5. The university has signed a dual-degree agreement with TU Delft and Politecnico di Milano.
6. The academic director had restructured the internship program before the accreditation visit.
7. The new research building will open at the start of the next academic year.
8. The faculty is going to introduce a compulsory module on engineering ethics and sustainability.
9. The degree would be more attractive if it included a mandatory semester abroad.
10. The course would have received better evaluations if the workload had been more evenly distributed.
11. The admissions team has been processing applications for over six weeks.
12. The students submit their reports via the secure online portal by Friday at noon.
13. The examination took place in the main auditorium on the ground floor.
14. The international relations officer is coordinating the Erasmus exchange program for next year.
15. The jury was deliberating when the last student defended her project.
16. The program has produced over three hundred industrial PhD graduates in the past decade.
17. The committee had already reviewed the syllabus before the new regulations were published.
18. The results will be published on the student portal within forty-eight hours.
19. The retention rate would improve if the academic support system were more accessible.
20. The student failed the module because she had missed too many compulsory laboratory sessions.

FICHE N°14 – Université & Formation (2) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The engineering school accepts around five hundred new students every September.
2. The head of the industrial partnerships office negotiated a landmark five-year agreement with Airbus.
3. The team is developing a new virtual reality lab for immersive engineering training.
4. The professor was giving a lecture on fluid-structure interaction when the fire alarm went off.
5. The faculty has launched a new short course on digital fabrication for practising engineers.
6. The director of studies had already approved the new assessment framework before the meeting.
7. The graduation ceremony will take place in the main hall on the twenty-third of June.
8. The department is going to hire two visiting professors from Germany and Sweden next semester.
9. More students would choose this program if the financial support for international placements were improved.
10. The cohort would have achieved better overall results if the project briefs had been clearer.
11. Students have been attending the weekly English workshop for over two months.
12. The school delivers its postgraduate courses in a hybrid online and face-to-face format.
13. The delegation visited the laboratories at the Polytechnic School campus in Lille.
14. The examination board is reviewing borderline cases before the results are officially released.
15. Students were completing their practical assessments when the network connection to the server failed.
16. The faculty has been awarded an additional forty PhD positions by the ministry.
17. The professor had designed the project brief before she knew the industrial partner had changed.
18. The conference on engineering pedagogy will be hosted at this campus next spring.
19. Attendance rates would be higher if the timetable were more flexible for working students.
20. The seminar series was very successful because it featured real industry case studies each week.

FICHE N°15 – Gestion de projet (1) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The project management office reviews progress every two weeks.
2. The steering committee approved the revised scope and reallocated the contingency budget.
3. The team is mapping all dependencies in the critical path before updating the schedule.
4. The project was running three weeks behind schedule because a key supplier had failed to deliver.
5. The risk register has been updated to include a new category for cybersecurity vulnerabilities.
6. The project sponsor had signed off on the change request before the contractor was notified.
7. The contract will be awarded at the end of the competitive dialogue phase.
8. The client is going to request a formal schedule recovery plan within the next two weeks.
9. The schedule would be met if all teams worked to the agreed milestones without exception.
10. The budget overrun would have been avoided if the initial risk assessment had been more thorough.
11. The project team has been working against tight deadlines for over a year.
12. The team manages quality by applying a rigorous stage-gate review process.
13. The handover meeting was held at the client's headquarters in Brussels.
14. The contract manager is finalizing the terms and conditions for the subcontract package.
15. Stakeholders were voicing serious concerns when the cost escalation figures were first revealed.
16. The PMO has issued a formal non-conformance notice to the main contractor.
17. The team had completed the lessons-learned review before the project was officially closed.
18. The kick-off meeting will take place at the client's offices in Lyon.
19. The timeline would be more realistic if the procurement lead times were included in the baseline.
20. The decision was escalated to the steering committee because the project team could not reach consensus.

FICHE N°16 – Gestion de projet (2) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The project team reports progress formally at every monthly governance meeting.
2. The deputy project manager discovered the scheduling conflict three weeks before the deadline.
3. The client is reviewing the final deliverable for technical compliance.
4. The contractor was mobilizing resources when the client issued a major scope change notice.
5. The programme has delivered three of its five major infrastructure milestones ahead of schedule.
6. The external auditor had flagged the procurement irregularity before the contract was signed.
7. The final inspection will be conducted on the last working day of the month.
8. The team is going to escalate the unresolved defect list to the executive board.
9. The project would recover the delay if two additional engineers were seconded to the site team.
10. The dispute would not have arisen if the contract had included a clear variation clause.
11. The risk team has been monitoring the supply chain disruption for six weeks.
12. The scope was defined through a series of structured workshops with all key stakeholders.
13. The commissioning team completed the final tests at the new processing plant in Normandy.
14. The programme director is presenting the updated business case to the investment committee.
15. The team was carrying out the readiness review when the client announced a five-week delay to the start date.
16. The project has overcome three major technical risks in the past quarter alone.
17. The baseline schedule had already been agreed before the unforeseen ground contamination was discovered.
18. Approvals will be sought as soon as the design freeze is confirmed.
19. The cost model would be more accurate if historical unit rates from similar projects were used.
20. The project stalled because the key decision-maker was unavailable for three consecutive weeks.

FICHE N°17 – Offshore & Hydraulique – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The offshore platform processes around fifty thousand barrels of oil per day.
2. The diving superintendent coordinated the entire subsea pipe-laying operation.
3. The vessel is carrying out a detailed acoustic survey of the pipeline route.
4. The subsea robot was inspecting the riser when it lost communication with the surface controller.
5. The team has completed the first phase of the geophysical survey ahead of schedule.
6. The platform installation engineer had verified all lifting spreader calculations before the load-out.
7. The floating production unit will be moored thirty kilometers off the coast.
8. The operations team is going to perform a full integrity inspection of the wellhead next week.
9. The wave loads would be significantly higher if the platform were located in shallower water.
10. The riser failure would not have occurred if the cathodic protection system had been properly maintained.
11. The monitoring buoys have been transmitting real-time data for fourteen months.
12. The tidal energy device generates power by harnessing the kinetic energy of fast-flowing tidal currents.
13. The divers inspected the submarine cable at a depth of forty meters.
14. The offshore installation manager is conducting a toolbox talk before the crane lift.
15. Waves were hitting the deck structure when the emergency shutdown procedure was activated.
16. The project has installed eighteen subsea pipeline spools without a single leak.
17. The engineers had already completed the fatigue analysis before the detailed design was issued.
18. The vessel will depart as soon as the weather window opens.
19. Maintenance costs would be lower if the coating system were upgraded to a higher durability specification.
20. Production was halted because an unscheduled pressure test revealed a significant leak.

FICHE N°18 – Transport & Infrastructure (1) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The high-speed rail line runs between Paris and Brussels in under one and a half hours.
2. The transport planner modeled three alternative route alignments before the preferred option was selected.
3. The contractor is currently building the new viaduct over the motorway interchange.
4. The traffic management system was rerouting vehicles when the accident blocked the main carriageway.
5. The authority has allocated two billion euros to the urban regeneration transport scheme.
6. The rail safety inspector had identified the defective track section weeks before the incident.
7. The motorway extension will open to traffic in the autumn of next year.
8. The city is going to introduce a congestion charging zone in the historic center.
9. Journey times would fall by twenty minutes if the new bypass were completed.
10. The project would have stayed on budget if the ground investigation had been comprehensive.
11. Planners have been consulting communities along the route for over two years.
12. The tunnel is ventilated by a longitudinal jet fan system installed at three-hundred-meter intervals.
13. Engineers resurfaced the runway during the two-week scheduled closure of the airport.
14. The project lead for the eastern bypass is presenting the traffic modelling results to the council.
15. Road users were being diverted when the sinkholes appeared beneath the road surface.
16. The project has delivered four new interchanges and thirty kilometers of dual carriageway.
17. The traffic forecast model had underestimated demand before the new logistics park was announced.
18. The crossing will be upgraded to a four-lane flyover within three years.
19. Rail freight capacity would double if the electrification of the northern line were completed.
20. The lane closure was extended because unexpected drainage issues were found beneath the carriageway.

FICHE N°19 – Transport & Infrastructure (2) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The metro line carries around three hundred thousand passengers every weekday.
2. The bridge inspection engineer discovered significant spalling on the underside of the deck.
3. The team is modelling the impact of autonomous vehicles on motorway capacity.
4. The maintenance crew was replacing the expansion joints when the lane had to be reopened urgently.
5. The authority has approved a new cycling and pedestrian bridge over the ring road.
6. The tunnelling superintendent had completed a full inspection of the lining before breakthrough.
7. The new airport terminal will handle thirty million passengers per year.
8. The city is going to trial an electric bus rapid transit system on the main arterial route.
9. Fuel consumption would fall by fifteen percent if the traffic signal timing were optimised.
10. The collision would have been avoided if the lane markings had been visible in wet conditions.
11. Engineers have been trialling the adaptive traffic system for eight months.
12. The smart motorway uses variable speed limits to regulate traffic flow and prevent shock waves.
13. The tunnel was bored using a fourteen-meter diameter TBM over a period of twenty-two months.
14. The regional transport director is negotiating the operating concession for the new tram line.
15. Commuters were facing severe delays when a signalling failure affected the central station.
16. The project has reduced average journey times by eighteen minutes on the main corridor.
17. The team had already modelled the noise impact before the public consultation was launched.
18. The revised scheme will be submitted for planning approval in the first half of next year.
19. The project would deliver greater benefits if bus and rail services were fully integrated.
20. The signal failed because a power supply fault had gone undetected for several weeks.

FICHE N°20 – Bâtiment & Génie urbain (1) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The building's energy consumption is measured by an integrated building management system.
2. The lead MEP engineer redesigned the entire ventilation system after the fire safety review.
3. The contractor is fitting triple-glazed curtain wall panels on the upper floors.
4. The facade was being cleaned when a worker noticed the hairline cracking in the cladding.
5. The development has achieved a BREEAM Outstanding rating for its environmental performance.
6. The building control officer had issued a defects notice before the certificate of occupancy was granted.
7. The mixed-use tower will stand over two hundred meters tall.
8. The design team is going to submit the planning application within the next three weeks.
9. The building would be more energy-efficient if the rooftop photovoltaic array were doubled in size.
10. The structural failure would not have occurred if the basement retaining wall had been adequately propped.
11. The project team has been coordinating the multi-disciplinary design for over eighteen months.
12. The passive cooling system works by drawing fresh air through buried earth pipes beneath the building.
13. The survey team mapped all underground utilities before any foundation excavation began.
14. The party wall surveyor is inspecting the boundary condition before the party wall award is served.
15. Residents were being evacuated when the structural survey revealed unsafe floor loading.
16. The city has approved a comprehensive social housing regeneration program for the northern district.
17. Engineers had tested the natural ventilation concept before the detailed design was finalised.
18. The cladding system will be inspected every five years as part of the planned maintenance schedule.
19. The EPC rating would improve to an A if the insulation were upgraded to meet the new standard.
20. The project ran over budget because an unexpected layer of made ground was found during piling.

FICHE N°21 – Bâtiment & Génie urbain (2) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The smart building monitors occupancy using infrared sensors and a centralised data platform.
2. The specialist heritage engineer identified the deterioration mechanism in the Victorian brickwork.
3. The team is conducting thermal imaging surveys of all flat roofs across the campus.
4. Contractors were fixing the leaking roof when a second defect was discovered in the parapet wall.
5. The council has granted planning permission for a fourteen-storey residential tower.
6. The building services engineer had coordinated the M&E interfaces before the structural steel was erected.
7. The communal heating system will be converted to low-carbon district heating within two years.
8. The developer is going to refurbish the entire ground floor retail area over the summer.
9. The building would comply with the new fire code if the sprinkler system were extended to cover the basement.
10. The condensation problem would not have occurred if the vapour control layer had been correctly installed.
11. The maintenance team has been replacing the flat roof membranes for four weeks.
12. The lift system serves all thirty floors using a destination dispatch algorithm.
13. The inspection was carried out in the heavily insulated cold store on the third basement level.
14. The approved building inspector is checking the fire compartmentation before the handover.
15. Residents were complaining about noise while the mechanical plant on the roof was being serviced.
16. The project has installed over eight hundred smart meters across the residential development.
17. The design team had already resolved all clash detection issues before the structural steel was ordered.
18. The new community center will be formally opened by the mayor next March.
19. The stairwell pressurisation system would perform better if the duct leakage were reduced.
20. The project was paused because asbestos was discovered behind the original wall linings.

FICHE N°22 – Géotechnique & Fondations – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The bearing capacity of the soil reaches two hundred and fifty kilonewtons per square meter at three meters depth.
2. The principal geotechnical engineer interpreted the borehole logs before recommending the foundation type.
3. The team is carrying out a series of cone penetration tests across the site.
4. The excavation was progressing normally when a buried stream channel was unexpectedly encountered.
5. The ground investigation has revealed a significant clay layer at eight meters below ground level.
6. The piling contractor had mobilised the full rig before the design drawings were issued.
7. The pile load tests will be completed before the end of the month.
8. The team is going to install a network of inclinometers to monitor slope movement.
9. The retaining wall would have a longer design life if it were constructed in stainless steel.
10. The settlement would have been within limits if a raft foundation had been adopted.
11. Engineers have been recording groundwater levels at this site for over three years.
12. The ground anchors are stressed using a hydraulic jack at regular intervals.
13. Geotechnical engineers drilled the boreholes at the four corners of the proposed building footprint.
14. The site investigation manager is correlating the laboratory test results with the field data.
15. Water was infiltrating the excavation when pumping operations were temporarily suspended.
16. The investigation has confirmed the presence of deep peat deposits across the northern half of the site.
17. The site had been used as a landfill before it was acquired for the housing development.
18. The piling will commence as soon as the obstruction clearance is complete.
19. The slope would remain stable if drainage improvements were made at the crest.
20. The unexpected artesian pressure caused problems because the design had assumed hydrostatic conditions.

FICHE N°23 – Eau & Assainissement – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The water treatment plant processes around two hundred thousand cubic meters per day.
2. The catchment management engineer designed the new flood attenuation scheme.
3. The team is installing a smart flow metering system across the entire distribution network.
4. The pumping station was operating at maximum capacity when the storm event exceeded the design standard.
5. The authority has detected microplastic contamination in three of the monitored boreholes.
6. The hydraulic modeller had run over fifty scenario simulations before presenting the preferred scheme.
7. The new desalination plant will produce fifty million liters of potable water every day.
8. The utility company is going to replace all lead service pipes in the residential zone by next year.
9. Flood damage would be reduced by sixty percent if the upstream attenuation storage were built.
10. The reservoir would not have overflowed if the spillway capacity had matched the revised hydrology.
11. Environmental scientists have been sampling the river for over five years.
12. The wastewater treatment plant removes nitrogen through a biological nitrification and denitrification process.
13. Technicians flushed the contaminated pipe section at the connection point on the main distribution ring.
14. The senior catchment planner is chairing the stakeholder workshop on the flood management strategy.
15. The sluice gate was stuck open because the actuator motor had seized during the frost.
16. The project has reduced leakage rates by thirty percent across the pilot distribution zone.
17. The engineers had assessed the pipe condition before the main repair contract was let.
18. The interceptor sewer will be commissioned in the autumn.
19. The scheme would improve resilience significantly if a second reservoir were added to the supply system.
20. The network failed because a valve had been left in the closed position after maintenance.

FICHE N°24 – Sécurité industrielle & HSE – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The safety officer inspects all emergency exits once a week.
2. The COSHH coordinator updated the chemical risk register after a new solvent was introduced.
3. The company is implementing a behaviour-based safety programme across all sites.
4. The incident investigation was underway when a second near-miss was reported.
5. The HSE team has issued a formal improvement notice to the main contractor.
6. The permit-to-work authority had not issued clearance before the team entered the confined space.
7. The new risk assessment procedure will be mandatory from the first of next month.
8. The company is going to conduct a full process hazard analysis on the new reactor unit.
9. Injuries would fall significantly if the manual handling training were refreshed annually.
10. The explosion would not have occurred if the hot work permit had been properly checked.
11. The safety team has been reviewing all lone-working procedures for six weeks.
12. The ATEX zone is protected by a continuous gas monitoring system linked to the site alarm.
13. Workers carried out the confined space entry in pairs with a dedicated stand-by person outside.
14. The site HSE manager is presenting the accident statistics to the board next Friday.
15. The crane was being slewed into position when the signal from the banks person was misinterpreted.
16. The company has achieved one million hours without a lost-time incident.
17. The engineers had completed all pre-task risk assessments before the demolition work began.
18. The safety training will be delivered by an accredited external provider.
19. The incident rate would be lower if the near-miss reporting culture were stronger.
20. The fatality occurred because the isolation procedure had not been followed correctly.

FICHE N°25 – Robotique & Automatismes – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The robot executes the assembly sequence in under three seconds per cycle.
2. The controls engineer programmed the entire welding path in a single shift.
3. The team is integrating a six-axis force-torque sensor into the end-effector of the robot.
4. The automated guided vehicle was navigating the corridor when a forklift truck crossed unexpectedly.
5. The factory has deployed twenty-four collaborative robots on the final assembly line.
6. The automation project manager had validated the safety distances before the cell was commissioned.
7. The new cobot will assist operators in lifting components weighing up to forty kilograms.
8. The team is going to upgrade all pneumatic actuators to servo-electric drives.
9. Cycle time would fall by a third if the path-planning algorithm were further optimised.
10. The collision would not have happened if the area scanner had been correctly calibrated.
11. The development team has been testing the perception system for four months.
12. The drone maps the warehouse by flying a pre-programmed zigzag pattern at three meters altitude.
13. Engineers deployed the inspection robot inside the cooling water pipe.
14. The robotics application engineer is carrying out the risk assessment for the new press-loading cell.
15. The gripper was failing to pick the component because the suction cups had become contaminated.
16. The system has logged over one million successful pick-and-place cycles without intervention.
17. The team had simulated the full robot motion before the mechanical installation began.
18. The next firmware version will improve obstacle avoidance by twenty percent.
19. The accuracy would meet the specification if the backlash in the wrist joints were eliminated.
20. The production halt was caused because an undocumented collision recovery sequence had triggered a deadlock.

FICHE N°26 – Thermique & Fluides – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The heat exchanger transfers around five hundred kilowatts at full operating load.
2. The thermal engineer optimised the fin geometry to minimise pressure drop.
3. The team is simulating the flow field inside the new mixing vessel using CFD software.
4. The fluid was bypassing the control valve because the seat had become eroded.
5. The laboratory has validated a new compact heat exchanger design for waste heat recovery.
6. The process engineer had identified the hot spot in the reactor before the thermal runaway.
7. The pump will deliver two hundred liters per minute at the new duty point.
8. The team is going to replace the existing shell-and-tube exchanger with a plate type.
9. The condensation losses would be negligible if the pipe insulation were upgraded.
10. The boiler would have met the efficiency target if the burner had been properly tuned.
11. The engineers have been monitoring the coolant temperature at this point for eight months.
12. The refrigeration system maintains the storage temperature using a cascade two-stage compression cycle.
13. The technician replaced the impeller at the pump house on the eastern side of the plant.
14. The fluid mechanics specialist is running the validation case for the new solver version.
15. The pipe was vibrating excessively because the natural frequency coincided with the pump pulsation.
16. The project has reduced heat losses by twenty-two percent after the insulation upgrade.
17. Engineers had recorded the baseline performance before the heat exchanger fouling became critical.
18. The new manifold will distribute flow evenly across all twelve parallel circuits.
19. The system COP would exceed four if the evaporator fouling were controlled more effectively.
20. The leak was not found earlier because the pressure test had been conducted at insufficient duration.

FICHE N°27 – Électronique & Capteurs – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The sensor array measures strain at fifty points simultaneously.
2. The instrumentation engineer designed a custom signal conditioning circuit for the load cell.
3. The team is calibrating a distributed acoustic sensing system along the pipeline.
4. The data logger was recording at ten hertz when the acquisition board overheated.
5. The company has developed a wireless structural monitoring node with a ten-year battery life.
6. The electronics designer had identified the EMC issue before the first field trial.
7. The new MEMS sensor will detect accelerations as small as one micro-g.
8. The team is going to deploy a self-powered vibration harvesting sensor network on the bridge.
9. The signal quality would improve if the grounding of the measurement chassis were upgraded.
10. The sampling rate would have been sufficient if a higher-specification ADC had been specified.
11. The laboratory has been developing this embedded sensing technology for over six years.
12. The piezoelectric transducer converts mechanical vibration into a measurable electrical signal.
13. Technicians installed the sensors at the most stressed locations on the main truss.
14. The signal processing specialist is filtering the raw time-series data to remove environmental noise.
15. The sensor node was draining its battery faster than expected because the transmission interval had been set too short.
16. The monitoring system has transmitted over four billion data points since it was switched on.
17. Engineers had validated the sensor placement using a finite element sensitivity analysis.
18. The new firmware will extend battery life by switching to event-triggered transmission.
19. The sensitivity would be adequate if the noise floor were reduced by ten decibels.
20. The anomaly was not detected earlier because the alert threshold had been set too high.

FICHE N°28 – Conception mécanique – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The design team optimises components using topology optimisation and finite element analysis.
2. The senior design engineer replaced the bolted joint with an integrated machined feature.
3. The CAD team is modelling the assembly tolerance stack-up for the precision gear housing.
4. The prototype was failing at the fillet radius because the stress concentration factor had been underestimated.
5. The department has completed a full design for manufacture review of the new gearbox housing.
6. The design authority had issued a formal concession before the non-conforming parts were used.
7. The new rotor will weigh only four kilograms despite its increased power output.
8. The team is going to conduct a formal design review before releasing the drawings for manufacture.
9. The fatigue life would double if the surface roughness were reduced to Ra 0.4.
10. The stress concentration would not have caused failure if the corner radius had been specified at two millimeters.
11. The design team has been iterating on the bracket geometry for three months.
12. The gearbox transfers torque using a compound planetary arrangement.
13. Engineers validated the interference fit by measuring the bore and shaft diameters at five axial positions.
14. The CAE specialist is running the non-linear dynamic simulation of the impact event.
15. The bearing was running hotter than expected because the initial press fit had caused excessive preload.
16. The project has created a fully parametric digital twin of the mechanism.
17. The team had frozen the design before the material properties from the new supplier were received.
18. The first articles will be inspected on the CMM at the manufacturing partner's facility.
19. The assembly would be far easier if the number of unique fastener types were reduced.
20. The seal leaked because the groove depth had been machined to the wrong dimension.

FICHE N°29 – Télécommunications & Réseaux – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The 5G network provides coverage over a radius of approximately three kilometers in urban areas.
2. The RF engineer identified the source of the interference affecting the control link.
3. The team is deploying a private LTE network across the industrial site.
4. The base station was operating at reduced power because the cooling fan had failed.
5. The project has connected forty-two remote monitoring stations to the central control room.
6. The telecommunications director had negotiated the fibre routing agreement before the civil works began.
7. The new satellite link will provide a one-gigabit connection to the offshore platform.
8. The company is going to roll out its long-range IoT sensor network across the entire region.
9. The latency would be under five milliseconds if the edge computing nodes were positioned closer to the sensors.
10. The outage would not have lasted so long if a redundant path had been provisioned.
11. Engineers have been trialling the new antenna design for seven months.
12. The microwave link hops across four relay stations between the remote site and the operations center.
13. Technicians installed the new switches in the main distribution frame room on the second floor.
14. The network architect is redesigning the core topology to improve resilience.
15. The link was dropping packets because the alignment of the parabolic dish had drifted.
16. The system has maintained 99.99 percent uptime over the past twelve months.
17. The team had tested the failover mechanism before the primary link was decommissioned.
18. The capacity upgrade will be complete within eight weeks.
19. The throughput would meet requirements if multi-carrier aggregation were enabled.
20. The connection failed because a firmware update had inadvertently altered the routing table.

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The reactor operates continuously at six hundred degrees Celsius.
2. The process safety engineer identified a runaway reaction hazard in the preliminary HAZOP.
3. The team is optimising the catalyst regeneration cycle to reduce downtime.
4. The reaction was running exothermically when the cooling water supply was interrupted.
5. The plant has achieved a yield of ninety-four percent on the new synthesis route.
6. The senior process chemist had developed the new catalyst formulation over two years.
7. The distillation column will separate the mixture into four distinct product streams.
8. The team is going to install a continuous emissions monitoring system on the main stack.
9. The conversion rate would increase by eight percent if the residence time were extended by ninety seconds.
10. The contamination would not have occurred if the sampling valve had been correctly purged.
11. Process engineers have been monitoring catalyst deactivation for fourteen months.
12. The polymer is synthesised through a controlled free-radical polymerisation at forty degrees.
13. Engineers took a representative sample from the mid-point of the blending vessel.
14. The shift process engineer is adjusting the reflux ratio to improve separation efficiency.
15. The distillate was off-specification because the feed composition had changed without warning.
16. The site has reduced solvent emissions by sixty percent following the plant upgrade.
17. The engineers had validated the new operating procedure before the plant restarted.
18. The batch will be tested for purity before it is released to the packaging line.
19. The selectivity would be higher if the reaction temperature were more tightly controlled.
20. The process was stopped because the pressure relief valve had lifted unexpectedly.

FICHE N°31 – Bilan 1 – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The project manager assigns tasks to the team every Monday morning.
2. The team has been developing the prototype for over eight months.
3. The sensor was transmitting incorrect values because the calibration had drifted.
4. The lead structural engineer will present the seismic retrofit proposal to the board.
5. Engineers installed the monitoring equipment at the base of each support column.
6. The department would fund more projects if the grant success rate were higher.
7. The system is currently processing over five thousand readings per minute.
8. The company had already signed the contract before the design change was requested.
9. The engineers chose this alloy because of its exceptional resistance to fatigue.
10. A team of twelve specialists is going to assess the structural integrity of the dam.
11. The software would automatically detect any deviation from the target frequency.
12. The bridge has been inspected every three years since its inauguration.
13. The failure occurred at the welded joint between the main girder and the cross-beam.
14. The department head was reviewing the applications when the funding deadline passed.
15. The prototype would have reached the performance target if the power supply had been stable.
16. The university has partnered with seventeen industrial companies for applied research.
17. The team had completed all pre-tests before the formal verification campaign began.
18. The project will generate three commercial spin-off products by the end of the decade.
19. The engineers are currently validating the new fatigue testing methodology.
20. The contamination spread because the containment bund had not been properly sealed.

FICHE N°32 – Bilan 2 – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The laboratory runs its most demanding tests in the climate-controlled facility on the third floor.
2. The research director published the findings in three high-impact journals this year.
3. The team is retrofitting all the street lighting in the district with smart LED units.
4. The operator was performing routine maintenance when a pressurised line was accidentally opened.
5. The company has reduced energy use by forty percent since the efficiency programme began.
6. The panel of external reviewers had evaluated the program before accreditation was renewed.
7. The new standard will require all pressure vessels to be tested every four years.
8. The authority is going to mandate a carbon intensity certificate for all new construction.
9. The design would comply with the regulations if the wall thickness were increased by two millimeters.
10. The accident would have been avoided if the correct personal protective equipment had been worn.
11. Researchers have been collecting ground motion data for twelve years.
12. The instruments communicate wirelessly using the 868 megahertz licence-exempt band.
13. The engineers conducted the night-time survey to avoid disrupting daytime traffic.
14. The specialist corrosion consultant is recommending a sacrificial anode protection system.
15. The team was analysing the crack morphology when the second sample also failed.
16. The project has attracted three industrial partners from Germany and the Netherlands.
17. Engineers had modelled the worst-case flood scenario before the barrier height was decided.
18. The inspection results will be communicated formally within seventy-two hours of completion.
19. Output would improve considerably if the workflow between design and fabrication were streamlined.
20. The data was lost because the backup routine had not been tested for over a year.

FICHE N°33 – Bilan 3 – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The engineering team meets for a project review every fortnight.
2. The geotechnical specialist redesigned the slope stabilisation scheme after the initial failure.
3. The operators are reconfiguring the entire process control architecture this week.
4. The pump was delivering only half its rated flow because the impeller had been installed backwards.
5. The faculty has received a substantial endowment to create a new chair in digital engineering.
6. The client's technical representative had inspected the welds before the closure pour was made.
7. The data centre will consume only a fraction of the energy of the building it replaces.
8. The company is going to exhibit its latest autonomous inspection robot at the Paris innovation fair.
9. The model would predict failure accurately if the creep parameters were properly calibrated.
10. The explosion would not have occurred if the gas detection system had been properly maintained.
11. The monitoring team has been tracking this deformation for over two years.
12. The composite panels are bonded to the substrate using a structural epoxy film adhesive.
13. The site was chosen because of its proximity to the existing transport infrastructure.
14. The procurement officer is negotiating final terms with the preferred equipment supplier.
15. Workers were demolishing the partition walls when asbestos-containing material was discovered.
16. The consortium has successfully delivered four of the six contracted deliverables.
17. The team had verified the grounding of all electrical equipment before the energisation took place.
18. The formal handover will happen at the end of the commissioning and testing phase.
19. The system would be far more resilient if a secondary communication path were added.
20. The pipeline was shut down because an acoustic emission signal indicated a developing crack.

FICHE N°34 – Bilan 4 – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The faculty trains around five hundred engineers every year across all its programmes.
2. The chief technology officer authorised the emergency software patch at two in the morning.
3. The design team is finalising the mechanical interface between the new module and the existing structure.
4. The students were preparing their final presentations when the examiner arrived thirty minutes early.
5. The company has launched a flagship programme for upskilling its entire engineering workforce.
6. The international regulatory authority had already published the new standard before the product was designed.
7. The autonomous vehicle will cover the distance from the depot to the site in under twenty minutes.
8. The maintenance team is going to carry out a major overhaul of the compressor train during the August shutdown.
9. The process would be more efficient if the raw material feed were pre-dried before entering the reactor.
10. The project would have qualified for the sustainability award if the lifecycle carbon calculation had been completed.
11. The research team has been investigating corrosion-inhibiting coatings for over five years.
12. The tunnel is illuminated by a programmable LED lighting system that adapts to ambient conditions.
13. The technician performed the pressure test at four times the working pressure.
14. The senior corrosion engineer is reviewing the cathodic protection readings from the subsea pipeline.
15. The vibration levels were increasing steadily because one of the balance weights had fallen off the rotor.
16. The organisation has completed its transition to an entirely paperless engineering document management system.
17. The team had already submitted the variance report before the client raised the issue formally.
18. The revised drawings will be issued as soon as the structural check is signed off.
19. Traffic modelling shows that delays would be reduced if the roundabout were converted to traffic signals.
20. Production was interrupted for seven hours while the broken actuator was replaced.

FICHE N°35 – Bilan 5 – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The energy systems engineer monitors the grid frequency every second.
2. The company gained certification because it demonstrated full traceability of all critical components.
3. The contractor is constructing a new covered test bay for full-scale structural testing.
4. The technician was replacing the sensor when a small fire started in the control cabinet.
5. The team has designed a novel passive fire protection system for composite structures.
6. The specialist fatigue analyst had reviewed the weld classifications before the design was released.
7. The satellite will be launched into a sun-synchronous orbit at an altitude of five hundred kilometers.
8. The engineering school is going to open a new executive education centre on campus next year.
9. The prototype would last far longer if an improved lubrication system were incorporated.
10. The incident would not have escalated if the emergency shutdown had been activated immediately.
11. The team has been reviewing the construction programme for three weeks.
12. The drone surveys the pipeline route using a multispectral camera to detect vegetation stress.
13. The concrete was poured during the coolest hours of the night to prevent premature hydration.
14. The process validation engineer is completing the final IQ OQ PQ documentation.
15. The motor was overheating because the cooling fins were blocked with accumulated dust.
16. The research network has published over ninety collaborative papers in the past three years.
17. Engineers had already decommissioned the legacy system before the new platform was switched on.
18. The joint venture will be formally announced at a press conference next Thursday.
19. The aerodynamic performance would improve significantly if the surface finish were polished to a mirror quality.
20. The project ran into difficulties because the project manager and the client's engineer had different expectations.

FICHE N°36 – Bilan 6 – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The research center publishes its findings through open-access peer-reviewed journals.
2. The specialist in non-destructive evaluation discovered hidden porosity in the critical weld.
3. The team is currently preparing a detailed cost-benefit analysis for the retaining wall replacement.
4. The students were defending their final-year projects when the industrial jury asked a particularly challenging question.
5. The authority has commissioned an independent review of the ageing bridge stock across the region.
6. The structural health monitoring specialist had analysed three months of baseline data before the alarm threshold was set.
7. The new hydrogen electrolyser will produce one tonne of green hydrogen per day.
8. The company is going to partner with two leading universities for a joint doctoral training programme.
9. The pipeline would have a longer service life if the wall thickness were increased at the bends.
10. The system would have flagged the anomaly earlier if the detection threshold had been correctly calibrated.
11. The team has been collecting crack growth data at this temperature for twenty months.
12. The passive fire protection material is applied by spraying it directly onto the structural steel.
13. The contractor worked through the night to complete the critical pour before the frost arrived.
14. The foundation design engineer is checking the pile layout against the updated column load schedule.
15. Machines were operating at maximum throughput when a batch of out-of-tolerance raw material entered the line.
16. The project has delivered all twelve contracted milestones on time and within budget.
17. The engineers had already requested an extension before the force majeure event was officially declared.
18. The wind farm will be formally handed over when all turbines have passed their individual performance tests.
19. The noise level would be acceptable if a two-meter earth bund were constructed along the site boundary.
20. The bearing failed unexpectedly because the lubricant had become contaminated with water.

FICHE N°37 – Bilan 7 – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The quality systems manager audits every subcontractor once a year.
2. The company invested in the new press because its old one was no longer capable of the required tolerances.
3. The team is running a twenty-four-hour fatigue campaign on the full-scale specimen.
4. The engineer was checking the torque values when she noticed an incorrect fastener had been used.
5. The department has been awarded a prestigious national prize for engineering education.
6. The lead commissioning engineer had written the full commissioning test procedure before mobilising the team.
7. The facility will achieve net-zero operational carbon by 2030.
8. The consortium is going to publish a joint position paper on digital twin standards.
9. The maintenance costs would be lower if condition-based monitoring replaced the fixed-interval approach.
10. The tender would have been won if the commercial offer had been more competitive.
11. The company has been investing in green hydrogen technology for seven years.
12. The software predicts when a component will fail by combining real-time sensor data with a physics-based model.
13. The engineers mobilised for the emergency repair within three hours of the initial call.
14. The external technical advisor is reviewing the contractor's proposed construction sequence.
15. The temperature in the server room was rising because the air conditioning had tripped on a fault.
16. The institute has developed an internationally recognised framework for assessing smart city infrastructure.
17. The team had tested all the instruments under simulated in-service conditions before the field deployment.
18. The design will be finalised after the next round of computational optimisation.
19. The yield would meet the target if the temperature profile were more uniform across the furnace.
20. The audit was triggered because discrepancies had been found in the quality records.

FICHE N°38 – Bilan 8 – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The site investigation team collects samples at one-meter intervals down each borehole.
2. The principal designer revised the overall layout after reviewing the structural analysis.
3. The company is trialling a fully electric heavy goods vehicle on the main distribution route.
4. The laser was scanning the weld bead profile when the tracking head lost lock.
5. The faculty has accepted applications from over forty different countries this year.
6. The deputy head of the structures department had co-authored the paper before leaving for a visiting professorship.
7. The national infrastructure fund will allocate three billion euros to rail modernisation.
8. The agency is going to require a full digital information model for all publicly funded projects above fifty million euros.
9. The energy intensity would fall below the sector average if all low-cost efficiency measures were implemented.
10. The contract dispute would have been avoided if the scope had been more precisely defined at the outset.
11. The safety team has been reviewing the management of change process for two months.
12. The engineers communicate test results via a shared cloud-based data platform accessible to all partners.
13. The main cable was pulled through the conduit over a single twelve-hour overnight operation.
14. The access and inclusion officer is reviewing the laboratory layout to improve wheelchair access.
15. The boiler was consuming more fuel than expected because the economiser tubes had become fouled.
16. The project has generated fourteen technical reports and two patent applications to date.
17. The engineers had finalised the design before the updated wind loading standard was issued.
18. The product will be commercially available in less than eighteen months.
19. The simulation would match the experiment more closely if the boundary conditions were updated.
20. The tunnel collapsed locally because the groundwater pressure had not been relieved before excavation.

FICHE N°39 – Bilan 9 – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The satellite downlink transfers data at one gigabit per second.
2. The chief operations officer streamlined the maintenance scheduling process.
3. The team is completing the last set of full-scale burst pressure tests.
4. The excavation machine was operating six meters below the water table when the earth collapsed.
5. The company has filed a patent for a new type of self-monitoring pipeline joint.
6. The specialist in digital twins had built the complete virtual replica of the plant before commissioning.
7. The new research vessel will carry a crew of forty and a science team of twenty.
8. The department is going to establish a dedicated centre for infrastructure resilience.
9. The maintenance interval would double if the lubricant quality were upgraded.
10. The structure would have survived the earthquake if the seismic detailing had met the current code.
11. The team has been mapping subsidence in this area for four years.
12. The water treatment plant removes pharmaceuticals using an advanced oxidation process.
13. The foundation was reinforced because the original design had not considered the additional live load.
14. The innovation manager is presenting three new technology investment proposals to the board.
15. The robot was welding the final seam when a power fluctuation caused a quality defect.
16. The institute has published a roadmap for zero-emission construction.
17. The engineers had compiled all the sensor data before the performance review meeting.
18. The new satellite constellation will provide broadband connectivity to over a billion people.
19. The cost would decrease by a quarter if the number of fabrication steps were reduced.
20. The project was transferred to another team because the original lead engineer had resigned.

FICHE N°40 – Bilan 10 – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The test bench replicates service conditions with a precision of better than one percent.
2. The head of the applied acoustics group developed a low-frequency vibration isolation platform.
3. The company is refurbishing its entire fleet of diagnostic inspection vehicles.
4. The pipe was corroding from the inside because the inhibitor dosage had fallen below the effective level.
5. The faculty has invested in a new high-fidelity flight simulation facility for aerospace students.
6. The peer review committee had requested two additional datasets before recommending publication.
7. The urban heat island will be reduced by up to two degrees Celsius after the green roof programme.
8. The team is going to validate the new traffic assignment model against observed counts.
9. The emissions would fall below the regulatory limit if the low NOx burner were retrofitted.
10. The prototype would have met the specification if the tolerance on the contact geometry had been tighter.
11. The engineers have been coordinating across three time zones for over a year.
12. The smart grid balances supply and demand by aggregating thousands of distributed storage units.
13. The maintenance was carried out without shutting down the main production line.
14. The external verifier is reviewing the carbon accounting methodology before signing it off.
15. The team was celebrating a milestone when the news of the project extension arrived.
16. The laboratory has achieved full ISO 17025 accreditation for its structural testing activities.
17. The engineers had assessed three alternative sites before recommending the current location.
18. The plant will be fully operational by the fourth quarter of next year.
19. The overall cost would be fifteen percent lower if the design were standardised across all sites.
20. The commissioning was delayed because a major component arrived with the wrong specification.

FICHE N°41 – Révision finale (1) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The control room monitors over three hundred parameters simultaneously in real time.
2. The lead project engineer identified the vibration source during a night-time inspection.
3. The team is completing the final thermal performance tests before the handover.
4. The excavator was working near the gas main when a locating error caused a rupture.
5. The institute has signed a memorandum of understanding with four Asian universities.
6. The graduate researcher had completed the literature synthesis before meeting her supervisor.
7. The new laboratory annex will be inaugurated by the rector next autumn.
8. The team is going to run an extended fatigue campaign at cryogenic temperatures.
9. The model would predict damage accumulation more accurately if variable amplitude loading were included.
10. The explosion would not have reached the adjacent plant if the blast wall had been correctly specified.
11. Engineers have been observing progressive settlement at this site for three years.
12. The engineers designed the pressure vessel to operate safely at twice its normal working pressure.
13. The team conducted the field test in the early morning to avoid thermal noise.
14. The commissioning supervisor is verifying all interlock logic before the first live test.
15. The algorithm was misclassifying events because its training set had not included wet weather data.
16. The project has advanced faster than any comparable programme in the department's history.
17. The engineers had corrected the wiring error before the system was energised for the first time.
18. The annual lecture series will resume on the first Tuesday of October.
19. The schedule would be met if the material procurement issues were resolved within the week.
20. The cracks appeared suddenly because the thermal gradient had exceeded the material's strain tolerance.

FICHE N°42 – Révision finale (2) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The production facility operates around the clock throughout the year.
2. The head of sustainability restructured the entire supply chain carbon accounting process.
3. The team is deploying a distributed fibre optic sensing system along the new tunnel.
4. The level sensor was giving a false reading when the tank was being filled.
5. The company has cut its water consumption by fifty percent through process optimisation.
6. The chief inspector had submitted the final report before the public inquiry was launched.
7. The new wind farm will generate enough power for one hundred thousand homes.
8. The department is going to offer a new professional development certificate in BIM management.
9. The stress levels would be acceptable if the peak loads were redistributed through a more flexible joint.
10. The test would have been conclusive if the loading rate had been correctly controlled.
11. The team has been running continuous environmental monitoring for eleven months.
12. The engineers communicate using a secure project extranet accessible only to authorised users.
13. The site team worked through the night to complete the concrete pour before the temperature dropped.
14. The technical review panel is assessing the three competing design concepts.
15. The turbine was vibrating abnormally because a blade had sustained impact damage during a storm.
16. The university has established a new chair in structural resilience and climate adaptation.
17. The engineers had simulated the worst-case loading scenario before finalising the thickness of the cladding.
18. The facility will be decommissioned at the end of its forty-year operational design life.
19. Results would be more reproducible if the test fixtures were more precisely manufactured.
20. The pipeline shutdown was necessary because the cathodic protection survey had revealed extensive corrosion.

FICHE N°43 – Révision finale (3) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The maintenance window lasts approximately three weeks each summer.
2. The specialist in concrete durability diagnosed the alkali-silica reaction in the affected structure.
3. The laboratory is benchmarking six alternative non-destructive testing methods.
4. Welders were completing the final closure joints when the ultrasonic examination revealed unacceptable defects.
5. The project has delivered a new framework for assessing the seismic resilience of existing buildings.
6. The environmental consultant had submitted the ecological survey results before the public hearing.
7. The production rate will increase to twenty-five thousand units per month after the new press is installed.
8. The faculty is going to introduce a new double degree program with a partner school in South Korea.
9. The abutment settlement would have been negligible if the fill had been compacted in thinner layers.
10. The instrument would have retained its calibration if it had been stored in a temperature-controlled environment.
11. The sensing network has been operational without interruption for over two years.
12. The bridge deck is waterproofed using a torch-applied bituminous membrane covered with asphalt.
13. The engineers performed all high-voltage tests in the fully screened Faraday cage laboratory.
14. The hydraulic modelling team is running the flood routing simulations for the catchment study.
15. The sensors were drifting because condensation had entered the terminal connection box.
16. The consortium has received unanimous approval from all four national funding agencies.
17. The team had rehearsed the emergency shutdown procedure before the plant went live.
18. The building will be connected to the district heating network within six months.
19. The output power would double if the collector area were increased from two to four square meters.
20. The joint cracked prematurely because insufficient allowance had been made for thermal expansion.

FICHE N°44 – Révision finale (4) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The engineering faculty enrolls students from over sixty different countries.
2. The principal investigator co-authored the definitive text on bridge aerodynamics.
3. The team is currently calibrating the new ultrasonic phased array probe.
4. The engineers were conducting the seismic survey when a spontaneous rockfall occurred on the slope above.
5. The institute has been selected to lead a major European project on infrastructure digitalisation.
6. The technical authority had issued the engineering change notice before the parts were manufactured.
7. The urban rail network will carry an additional two hundred thousand passengers per day after the extension opens.
8. The company is going to trial a bio-based lubricant in its highest-speed spindles.
9. The noise emission would be below the threshold if silencers were fitted to all outdoor air handling units.
10. The fire would not have spread so quickly if the smoke control system had activated correctly.
11. Researchers have been studying the long-term behaviour of this polymer for twelve years.
12. The sensors detect the presence of hydrogen gas using a palladium-doped metal oxide semiconductor.
13. The team tested the emergency generator for a minimum of four hours under full load.
14. The senior inspector from the national safety agency is reviewing the site risk assessment.
15. The concrete was losing workability because the admixture dosage had been incorrectly calculated.
16. The project has secured funding for three additional PhD studentships.
17. The team had completed all commissioning tests before the client took over the facility.
18. The next maintenance cycle will begin immediately after the winter production peak.
19. Fuel consumption would decrease by twelve percent if the aerodynamic drag of the vehicle were reduced.
20. Production stopped completely because a critical component had been omitted from the inspection checklist.

FICHE N°45 – Révision finale (5) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The engineering department handles over three hundred student enquiries each semester.
2. The failure analyst traced the root cause to an undetected void in the casting.
3. The team is validating the revised dynamic loading model using field-measured data.
4. The divers were repairing the pontoon moorings when the tidal current became too strong to work safely.
5. The company has achieved zero landfill waste across all its European manufacturing sites.
6. The offshore operations manager had briefed all personnel before the crane maintenance began.
7. The test campaign will conclude at the end of the first week of next month.
8. The university is going to construct a new carbon-neutral engineering laboratory block.
9. The long-term drift would be negligible if the sensors were temperature-compensated.
10. The subsidence would not have been so severe if the dewatering had been carried out more gradually.
11. The project team has been working across four countries for over two years.
12. The control valve modulates flow by adjusting the position of a variable orifice.
13. The construction team worked on a rotating twenty-four-hour shift pattern to meet the deadline.
14. The senior research fellow is chairing a session on corrosion in extreme environments.
15. The mixing bowl was overflowing because the level sensor had been incorrectly zeroed after calibration.
16. The project has reduced its scope by removing three non-critical work packages.
17. Engineers had identified the thermal bridge during the energy modelling stage.
18. The new connector will be available commercially within twelve months.
19. The reaction rate would double if the temperature were raised by ten degrees Celsius.
20. The shutdown was prolonged because a replacement part had to be manufactured specially.

FICHE N°46 – Révision finale (6) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The remote sensing platform surveys the pipeline corridor every fortnight.
2. The head of structural maintenance launched a ten-year bridge renewal programme.
3. The company is manufacturing its first batch of solid-state battery modules.
4. The instrument technician was inserting the thermocouple when the furnace overheated.
5. The team has published a comprehensive atlas of failure modes in offshore structures.
6. The design engineer had checked the critical weld details before the material was ordered.
7. The autonomous inspection vessel will be deployed in waters up to two hundred meters deep.
8. The laboratory is going to develop a standardised protocol for testing fire-resistant glazing.
9. Vibration amplitudes would be smaller if the resonance frequency were shifted away from the excitation frequency.
10. The data would have been far more useful if a denser sensor network had been installed from the outset.
11. The interdisciplinary team has been working on the hybrid material concept for nearly four years.
12. The gearbox reduces the shaft speed by a ratio of one to sixty.
13. The engineers tested the anchor system at loading conditions three times the design value.
14. The full-scale fatigue testing specialist is interpreting the crack growth measurements.
15. The crane was swinging the load into position when the slew brake failed.
16. The company has obtained regulatory approval for a new class of structural adhesive.
17. The team had already completed the cold-climate trials before the contract for the Arctic project was signed.
18. The second phase of the project will begin once the detailed design review is complete.
19. The thermal efficiency would reach ninety percent if the heat recovery from the flue gas were optimised.
20. The concrete spalled prematurely because chloride ingress had initiated rebar corrosion.

FICHE N°47 – Révision finale (7) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The sensor network transmits structural health data via satellite to the control room.
2. The independent review board concluded that the design was not fit for purpose.
3. The institute is building a new wind tunnel capable of testing at Mach 0.8.
4. A team of geologists was mapping the fault lines when an aftershock occurred.
5. The consortium has delivered the first fully automated structural inspection drone for commercial use.
6. The senior reliability engineer had determined the dominant failure mode before the redesign.
7. The green hydrogen plant will supply the entire industrial cluster by 2030.
8. The company is going to certify its entire product range to the new EU construction standard.
9. The thermal stresses would be manageable if the expansion joints were spaced more closely.
10. The injury would not have occurred if the correct height-adjustable platform had been used.
11. Planners have been consulting residents about the bypass route for over a year.
12. The robot inspects the inner surface of the pipe using a rotating magnetic flux leakage sensor.
13. The engineers surveyed the soil profile to a depth of thirty meters.
14. The specialist in pavement engineering is recommending a recycled aggregate base course.
15. The anchor bolt was corroding because the grout cap had cracked and allowed water ingress.
16. The research group has received the most competitive grant in the faculty's history.
17. The team had reviewed all welding procedure qualifications before the critical structural welds were made.
18. The next generation of sensors will operate reliably for over twenty years without maintenance.
19. The emissions standard would be met if the combustion chamber were redesigned.
20. The landslide occurred because a prolonged period of heavy rain had saturated the slope.

FICHE N°48 – Révision finale (8) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The laboratory requalifies its reference standards once every two years.
2. The director of the national infrastructure authority reviewed the inspection protocol after the incident.
3. The team is trialling a new electrochemical corrosion inhibitor for prestressed concrete.
4. The lifting operation was in progress when the load oscillated unexpectedly in the crosswind.
5. The university has been ranked among the top ten engineering schools in Europe.
6. The lead design engineer had updated the finite element model before the design freeze.
7. The test rig will be capable of applying loads of up to five meganewtons.
8. The company is going to tender for a large offshore wind operation and maintenance contract.
9. The column would remain stable if the effective buckling length were reduced by intermediate bracing.
10. The contamination would not have been so widespread if the secondary containment had been in place.
11. The research partnership has been producing results for over six years.
12. The laser tracker measures position with an accuracy of twenty micrometers over ten meters.
13. The engineers conducted the proof test at one and a half times the design working pressure.
14. The resident engineer is monitoring the excavation face for signs of ground movement.
15. The oscillation was self-excited because the aerodynamic damping had become negative at that wind speed.
16. The programme has created over two hundred new skilled jobs in the region.
17. The team had documented all design deviations before the independent audit took place.
18. The first hydrogen-powered locomotive will enter service before the end of the decade.
19. The noise would drop to acceptable levels if the machine were mounted on anti-vibration pads.
20. The concrete cracked prematurely because the curing compound had been applied unevenly.

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The condition monitoring system generates an alert whenever the vibration amplitude exceeds the set threshold.
2. The principal bridge engineer solved the aerodynamic flutter problem by adding a central slot to the deck.
3. The company is rolling out an enterprise-wide digital asset management system.
4. The structure was being dismantled when a previously undetected load-bearing element was damaged.
5. The research group has won back-to-back national awards for innovation in construction.
6. The quality manager had verified every weld procedure before the fabrication started.
7. The next generation of composite wind turbine blades will be over one hundred meters long.
8. The team is going to validate the upgraded seismic isolation system on the shake table.
9. The structural performance would be fully compliant if the diagonal bracing were extended to every floor.
10. The leakage rate would have been within limits if the O-ring material had been selected for that temperature range.
11. The team has been pushing the boundaries of non-destructive testing for over a decade.
12. The compressor maintains pressure by continuously recycling a portion of the outlet flow back to the inlet.
13. The engineers assembled the module in the climate-controlled assembly bay.
14. The new professor of smart structures is presenting her inaugural lecture next Thursday.
15. The robot was stalled on the track because a temporary object had been placed inside the safety zone.
16. The company has exported its flagship inspection platform to twenty-three countries.
17. The team had benchmarked the algorithm against five published methods before submission.
18. The commercial launch will be announced at the international trade fair in the spring.
19. The retrofit would pay back in under five years if electricity prices remain at current levels.
20. The failure was attributed to stress corrosion cracking because both tensile stress and a corrosive environment were present.

FICHE N°50 – Révision finale (10) – Tous WH / Tous temps

Consigne : Pose la question portant sur le segment souligné. Formule : WH + auxiliaire + sujet + verbe + complément.

1. The engineering faculty awards degrees to around five hundred graduates every year.
2. The chief structural engineer approved the final design drawings after the last iteration.
3. The team is testing the thermal performance of the new building envelope in the climate simulator.
4. The inspection drone was hovering above the pylon when its battery gave a low-charge warning.
5. The institute has delivered its most ambitious research programme to date.
6. The external peer reviewer had identified a methodological error before the paper was submitted.
7. The new high-speed test track will open to researchers from across Europe.
8. The company is going to open its first dedicated hydrogen refuelling hub next year.
9. The project would have met all its targets if a single contractor had managed the full scope.
10. The accident would have been avoided if the change management procedure had been followed correctly.
11. The team has been monitoring crack propagation at elevated temperature for over thirty months.
12. The smart traffic management system adapts signal timings using real-time data from over five thousand sensors.
13. The engineers strengthened the column by adding a welded steel plate on each flange.
14. The head of the doctoral school is presenting the annual research output report.
15. The motor was consuming thirty percent more energy than expected because the drive shaft was slightly misaligned.
16. The project has been recognised as a flagship example of international engineering collaboration.
17. The team had already submitted the technical proposal before the deadline was extended.
18. The final system test will be conducted in the presence of the client and the regulatory authority.
19. The life-cycle cost would be substantially lower if the maintenance-free design option were chosen.
20. The pipe failed at less than sixty percent of its design pressure during the hydrostatic test.