

Xolotl: An Intuitive and Approachable Neuron & Network Simulator in MATLAB

Alec Hoyland 1†, Srinivas Gorur-Shandilya 1†, and Eve Marder 1*

¹Volen Center for Complex Systems and Biology Department Brandeis University Waltham, MA

† These authors have equally contributed to this article.

Correspondence*:

Eve Marder

Marder Lab, Brandeis University, Biology Department and Volen Center for Complex Systems, Waltham, MA, USA, marder@brandeis.edu

An Intuitive Neuronal Simulator

ABSTRACT

<code>xolotl</code> is a free and open-source neuronal simulator written in <code>C++</code> with <code>MATLAB</code> wrappers. Biophysically-detailed models of networks can be designed efficiently using an intuitive language tightly coupled to the object-based architecture of the underlying <code>C++</code> code. Models can be specified by adding conductances to compartment objects. The structure is modular, serialized, and searchable, permitting high-level programmatic control over nearly all features of the models. <code>C++</code> templates are provided for developing new conductances, compartments, and integration schemata. It also includes a customizable graphical user interface (GUI) for rapid prototyping and hand-tuning conductances in real-time. The modular structure and accessibility to all parameters, variables, and dynamics of the model network in <code>MATLAB</code> facilitate rapid construction and assessment of model networks. <code>xolotl</code> is freely available at <code>https://github.com/marderlab/xolotl</code>. This tool provides straightforward implementation and fast simulation of neuronal models while permitting full control over every aspect of the network and integration.

Keywords: simulator, MATLAB, C++, conductance-based, neuron, network, keyword

1 INTRODUCTION

xolotl (https://github.com/marderlab/xolotl) is a fast single-compartment and multi-compartment simulator in C++ with MATLAB wrappers. Written with an emphasis on ease-of-use, xolotl can simulate single-compartment conductance-based models, networks of these, and detailed multi-compartment models. xolotl exploits a novel automatic type system, cpplab, which binds MATLAB code to C++ header files, creating objects and classes ad libitum in MATLAB which reflect the underlying object-oriented code. xolotl implements cpplab to represent the nested structure of conductance-based models, and exploits the computational efficiency of the low-level programming language to quickly integrate models. For this reason, models can be implemented entirely in MATLAB with a few lines of code.

Models are specified in MATLAB by a nested structure. The xolotl object contains compartments which themselves contain conductances. Synapses belong to the xolotl object and connect compartments together. The high-level specification supports arbitrarily large network and multi-compartment morphologies.

The software has been implemented in MATLAB due to its ease-of-use and popularity among neuroscientists. cpplab provides a powerful backend for specifying and integrating models without relying on the significantly slower and limiting MATLAB codegen. While automated C++ transpiling from MATLAB using the proprietary codegen can drastically improve performance over loops through strong typing and memory pre-allocation, supervenience of MATLAB over C++ prevents efficient use of low-level features, such as passing by reference and object-oriented programming. Minimal experience with MATLAB is required to use xolotl, and all equations and integration methods are provided transparently to the end user. No string parsing of equations is required (Sherfey et al. 2018; Stimberg, D F M Goodman, et al. 2014; Stimberg, D F Goodman, et al. 2013)

xolotl comes packaged with visualization functions and a graphical user interface (GUI) for real-time manipulation of model parameters. Plotting of voltage, intracellular calcium, conductance gating functions, and time constants is provided by built-in xolotl methods. The GUI permits real-time tuning of any network parameters using numerical sliders in a graphical interface which displays the resultant membrane potential and intracellular calcium traces. The ease-of-use of these tools lends them to pedagogical applications and rapid exploration of toy models. This tool aims to simplify the investigation of dynamics of complex neural network models, facilitate collaborative modeling, and complement other tools being developed in the neuroinformatics community.

2 WORKED EXAMPLES

Using xolotl in MATLAB, users create a xolotl object and populate it with cpplab objects which describe compartments, conductances, synapses, and controllers. The model is integrated with the integrate function where the membrane potential, intracellular calcium concentration, controller states, intrinsic currents, and synaptic currents can be outputs.

xolotl comes packaged with a library of pre-existing conductance and synapse objects which greatly simplify the task of constructing model neurons. These objects can be referenced by name and added directly to a compartment. Novel conductance dynamics can be easily written by modifying a template header file contained in the xolotl distribution, or designed entirely from scratch.

2.1 SIMULATING A HODGKIN-HUXLEY MODEL

The seminal Hodgkin-Huxley model of action potentials in the squid giant axon (Hodgkin and Huxley 1952; Hodgkin, Huxley, and Katz 1952) contains a fast inactivating sodium conductance (NaV), a non-inactivating delayed rectifier (Kd), and a passive leak current (1A). A compartment, HH, with membrane capacitance (Cm) and surface area (A) can be specified by 1B. Network properties can be set during construction or afterwards using dot-notation in MATLAB (e.g. \times .HH.Cm). 1C shows the MATLAB command prompt after invoking the xolotl object \times , displaying the hierarchical structure inherent in conductance-based treatments of neurodynamics.

This model was constructed using conductances from Liu et al. 1998 based on electrophysiological recordings from the lobster stomatogastric ganglion (Turrigiano, LeMasson, and Marder 1995) In the absence of applied positive current, the model is quiescent. When 0.2 nA is injected, the model tonically spikes (1D). The integrate function takes the applied current as an argument (e.g. x.integrate (Iapp)), so that the xolotl object is agnostic to integration-specific perturbations. The plot function generates voltage and intracellular calcium traces, where the voltage trace is colored by the dominant current. If the membrane potential is increasing, the strongest instantaneous inward current colors the

trace. Conversely, if the membrane potential is decreasing, the strongest outward current colors the trace instead. 1F-I display the results of the show function. Activation and inactivation steady-states and the voltage-dependent time constants of these gating variables describe the conductance dynamics in absence of other channel types.

2.2 PERFORMING A VOLTAGE CLAMP EXPERIMENT IN-SILICO

xolotl can recapitulate the results of voltage clamp experiments (Destexhe and Bal 2009; Swensen and Marder 2000, 2001; Turrigiano, LeMasson, and Marder 1995) Figure 2 displays steps in the procedure to clamp the membrane potential of a cell with delayed rectifier potassium conductance. During an *in-vitro* experiment, confounding currents would be pharmacologically-blocked and two-electrode voltage clamp used to record tail currents at fixed membrane potential (Connor and Stevens 1971a,b)

A single-compartment model with a delayed-rectifier conductance is simulated at stepped membrane potentials. The model is simulated using the integrate function. The second argument determines the clamped voltage and the fourth output is the current trace.

```
[V, Ca, ~, I] = x.integrate([], clamped_voltage)
```

Currents under voltage clamp approach the steady-state holding current (2D-E). The current-voltage relation is the steady-state current over the clamped voltage, and the effective conductance is the derivative of that relation (2F-G). Since the effective conductance is the product of the maximal conductance and the gating variables (Dayan and Abbott 2001; Turrigiano, LeMasson, and Marder 1995) and the tail current is monotonically-increasing with time under voltage clamp, the current can be represented as non-inactivating. Fitting a sigmoid to various powers yields a model for the current dynamics (2H-I). These figures describe graphically the theoretical underpinnings of current analysis through voltage clamp and can serve as an effective pedagogical tool for computational and quantitative neuroscience.

2.3 SIMULATING NETWORK MODELS

Network models in xolotl consist of compartment objects connected by synapses. Synapses are stored in a vector array as a field of the xolotl object in MATLAB. Presynaptic and postsynaptic labels indicate the connectivity of the synapse. Figure 3 implements a model of the triphasic pyloric rhythm in the stomatogastric ganglion of crustaceans. The pyloric model contains three compartments and seven synapses (3A). This structure is reciprocated in the hierarchy of the xolotl object, where conductances are contained within compartments (3B).

Representing the network in xolotl requires constructing three compartments and eight conductances in each using the add function.

```
x.add('AB', 'compartment', 'Cm', 10, 'A', 0.628, ...)
x.AB.add('prinz/NaV', 'gbar', 1000, 'E', 50)
```

Synapses are upper-level properties of the network which point between two compartments (3C). This exploits vectorized operations in MATLAB and does not require each synapse to possess a unique name. The connect function adds synapses to the network.

```
x.connect('AB', 'LP', 'Chol', 'gbar', 30)
```

2.4 SIMULATING INTEGRAL CONTROL

xolotl can implement homeostatic tuning rules as integral control. The controller computes an error signal (typically a function of intracellular calcium concentration), and adjusts the conductance or synapse

it controls accordingly (O'Leary et al. 2013) In xolotl, integral controllers are cpplab objects added to the conductance or synapse they regulate.

In a demonstration adapted from O'Leary et al. 2013, integral control changes maximal conductances to bring a neuron from quiescence into a bursting regime. Calcium sensors supervene on maximal conductance density (4) to change neuronal activity. Each conductance in the xolotl structure contains a calcium-sensitive controller (4B-C). Maximal conductances increase from random initial conditions to a set which elicits the desired network output by minimizing the error signal (4D-F).

3 TECHNICAL DETAILS

3.1 MODELING

Models are specified by adding compartments and synapses to the xolotl object. Conductances are added to compartments and controllers can be added to conductances. This modular structure recapitulates the biophysics of the Hodgkin-Huxley formalism and obviates the need to explicitly write out equations, which in xolotl are contained within the conductance header files.

xolotl relies on cpplab constructions, which allow the user to exploit the efficiency of low-level C++ code. MATLAB treats cpplab objects as fully-typed variables allowing for symbolic manipulation using only the high-level programming language and graphical interfaces. xolotl is fast because all time-intensive code is written in C++. While automated C++ transpiling from MATLAB using the proprietary codegen can drastically improve performance over loops through strong typing and memory pre-allocation, supervenience of MATLAB over C++ prevents efficient use of low-level features, such as passing by reference and object-oriented programming.

C++ provides speed improvements beyond the benefits of translating MATLAB features into low-level code. For this reason, cpplab has been designed to provide an interface for constructing, transpiling, and compiling C++ code to be called from within MATLAB. xolotl simulations are run entirely from C++ executables.

xolotl automatically uses the MD5 algorithm to hash the network and compile a new binary and MEX bridge file only if needed. MATLAB provides a high level programmatic and graphical interface for implementing, manipulating, and visualizing models without sacrificing the enhancements of the underlying C++ code.

3.1.1 Using the cpplab Framework The add function will construct a cpplab object and affix it to as a field in the xolotl structure. All compartments, conductances, synapses, and controllers are cpplab. Compartments add to the xolotl object and conductances add to compartments. Specific properties can be specified using key-value pair arguments (e.g. 1A).

cpplab comes with several features which simplify the handling of complexly-nested models. The find function acquires a cell array of all properties of the network which satisfy a search condition. For example, one can find all paths to maximal conductances within the 'HH' compartment by:

```
x.find('HH*gbar');
```

To extract a vector of the maximal conductances:

```
gbars = x.get(x.find('HH*gbar'));
```

To set the maximal conductances all at once:

```
x.set(x.find('HH*gbar'), gbars)
```

MATLAB can easily control the cpplab objects using the standard, flexible data structure notation popular in high-level scripting languages.

- 3.1.2 Compartments and Synapses A model neuron consists of one or more compartments, each representing a section of membrane with capacitance and surface area. Isopotential models require one compartment, whereas models with multiple neurons, units, or non-trivial morphology require multiple compartments. All specifiable properties of compartments are shown in Supplementary Table 1.
- xolotl provides some features for generating complex models. Synapses can be added with the connect function. At minimum synapses possess identifiers to presynaptic and postsynaptic compartments and default to electrical synapses. All specifiable properties of synapses are shown in Supplementary Table 2. To create axons or transport chains, the slice function splits a compartment into n discrete segments and adds these compartments to the network connected by electrical synapses.
- 3.1.3 Conductances and Controllers All conductances contain fields for maximal conductance and reversal potential. Conductances with activation and inactivation variables include them as m and h respectively. Gating functions and their respective time constants are contained within the conductance header file. xolotl comes packaged with conductances from several dozen papers (Supplementary Table 3).
- 3.1.4 Creating Custom cpplab Objects xolotl contains template header files for producing custom conductances. The template contains instructions on how to design novel conductances with arbitrary specifications.

3.2 SIMULATION

Models are simulated in xolotl with the integrate function which outputs as time series the membrane potentials, intracellular calcium concentrations, controller states, intrinsic currents, and synaptic currents. The integrate function also accepts an argument which specifies injected current or clamped voltage.

xolotl uses the exponential Euler method for single compartment models, forward Euler for gating variables, and a Crank-Nicholson regime for electrically-coupled compartments (Butcher 2016; Dayan and Abbott 2001; Oh and French 2006) These defaults provide a mix of speed, accuracy, and stability, and are built into the cpplab header files. Custom cpplab header files can be customized with any iterative integration method. The simulation time-resolution can be specified to target arbitrary precision, and an output time step can be selected to support automatic down-sampling for memory considerations.

Simulations can be run in 'closed-loop' mode where each simulation begins by resetting all dynamical variables to their initial conditions at instantiation, or 'open-loop' mode which begins simulation with the current network state.

3.3 USING THE GRAPHICAL INTERFACE TO MANIPULATE PARAMETERS

xolotl comes packaged with a graphical user interface for visualizing parameter changes in real-time. The manipulate function opens the GUI, which displays a figure plotting the membrane potential and intracellular calcium concentration of all compartments as time series, and a dialog box with customizable sliders for all parameters of the model, much like the Manipulate function in Wolfram Mathematica . Moving the sliders integrates the model in 'open-loop' mode with the new parameters. The parameters available in the sliders can be customized by passing a cell array to manipulate. For example, to only see sliders for maximal conductances of the HH compartment, call x.manipulate(x.find('HH*gbar')). Closing the GUI saves the network state of the model to the xolotl object. This is particularly helpful for rapid prototyping of models.

3.4 BENCHMARKING

To assess speed and accuracy, xolotl, DynaSim (Sherfey et al. 2018) and NEURON (Hines and Carnevale 1997) were compared in simulations over varied time-resolution and simulation time (5). A single-compartment Hodgkin-Huxley-like model was generated using conductance dynamics from Liu et al. 1998 in xolotl and DynaSim. To assess speed and accuracy over time-resolution, these models were simulated over varied time-steps for a total real-time of 5 s. The speed factor was defined as the ratio between the real-time (5 s) and the runtime of the simulation (simulation-time). Therefore, the speed factor represents how many times faster the simulation is than a real-time observation. Accuracy was computed by establishing a canonical voltage trace at dt = 0.001 ms and performing r^2 correlations between voltage traces with greater time-steps and the canonical trace.

xolotl uses the exponential euler method for integrating membrane potential (Dayan and Abbott 2001) DynaSim was implemented with a 2nd-order Runge-Kutta integration scheme as recommended for high-performance in the documentation.

xolotl and DynaSim performed with comparable accuracy at high time-resolution. At low time-resolution, xolotl significantly outperforms DynaSim in both accuracy and speed.

To test whether transient overhead effects had a significant effect on performance, xolotl and DynaSim were tested with time-step dt = 0.1 ms for varied lengths of time. xolotl and DynaSim both performed best during longer simulations, approaching maximal performance at $> 10^5$ time steps. xolotl is about 20 times faster for short simulation times and 3.5 times faster for arbitrarily large ones.

CONFLICT OF INTEREST STATEMENT

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

AUTHOR CONTRIBUTIONS

SG-S designed and implemented the core of the xolotl toolbox. AH contributed to the code base, created the online user documentation, and wrote the manuscript. EM supervised the project. All authors reviewed the paper.

FUNDING

AH received funding from National Institute on Drug Abuse (NIDA) through the undergraduate training grant in computational neuroscience (1R90DA033463-01).

ACKNOWLEDGMENTS

The authors would like to thank Mara CP Rue and Hillary Rodgers for beta-testing the xolotl software.

SUPPLEMENTAL DATA

Tables including all conductances packaged with xolotl should be put in the supplementary material.

DATA AVAILABILITY STATEMENT

The code to generate all figures is available at (https://github.com/marderlab/xolotl-paper). xolotlis frely available at (https://github.com/marderlab/xolotl).

REFERENCES

- Butcher, J. C. (2016) "Numerical Differential Equation Methods". In: *Numerical Methods for Ordinary Differential Equations*. Wiley-Blackwell, pp. 55–142. ISBN: 978-1-119-12153-4. DOI: 10.1002/9781119121534.ch2. URL: https://onlinelibrary.wiley.com/doi/abs/10.1002/9781119121534.ch2 (visited on 05/29/2018)
- Connor, J. A. and C. F. Stevens (Feb. 1971a) "Inward and Delayed Outward Membrane Currents in Isolated Neural Somata under Voltage Clamp". In: *The Journal of Physiology* 213.1, pp. 1–19. ISSN: 0022-3751. pmid: 5575338. URL: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1331719/ (visited on 05/26/2018)
- (1971b) "Voltage Clamp Studies of a Transient Outward Membrane Current in Gastropod Neural Somata". In: *The Journal of Physiology* 213.1, pp. 21–30. ISSN: 1469-7793. DOI: 10.1113/jphysiol. 1971.sp009365. URL: https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/jphysiol.1971.sp009365 (visited on 05/26/2018)
- Dayan, Peter and L. F. Abbott (2001) *Theoretical Neuroscience*. Computational neuroscience. Cambridge, Mass.: Massachusetts Institute of Technology Press. xv+460. ISBN: 978-0-262-04199-7.
- Destexhe, Alain and Thierry Bal (Mar. 11, 2009) *Dynamic-Clamp: From Principles to Applications*. Springer Science & Business Media. 428 pp. ISBN: 978-0-387-89279-5.
- Hines, M. L. and N. T. Carnevale (Aug. 1, 1997) "The NEURON Simulation Environment". In: *Neural Computation* 9.6, pp. 1179–1209. ISSN: 0899-7667. DOI: 10.1162/neco.1997.9.6.1179. URL: https://doi.org/10.1162/neco.1997.9.6.1179 (visited on 04/30/2018)
- Hodgkin, A. L. and A. F. Huxley (Apr. 1952) "The Components of Membrane Conductance in the Giant Axon of Loligo". In: *The Journal of Physiology* 116.4, pp. 473–496. ISSN: 0022-3751. pmid: 14946714.
- Hodgkin, A. L., A. F. Huxley, and B. Katz (Apr. 28, 1952) "Measurement of Current-Voltage Relations in the Membrane of the Giant Axon of Loligo". In: *The Journal of Physiology* 116.4, pp. 424–448. ISSN: 0022-3751. pmid: 14946712. URL: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1392219/ (visited on 11/16/2017)
- Liu, Z. et al. (1998) "A Model Neuron with Activity-Dependent Conductances Regulated by Multiple Calcium Sensors". In: *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience* 18.7, pp. 2309–2320. ISSN: 0270-6474. pmid: 9502792.
- O'Leary, Timothy et al. (July 9, 2013) "Correlations in Ion Channel Expression Emerge from Homeostatic Tuning Rules". In: *Proceedings of the National Academy of Sciences* 110.28, E2645–E2654. ISSN: 0027-8424, 1091-6490. DOI: 10.1073/pnas.1309966110. pmid: 23798391. URL: http://www.pnas.org/content/110/28/E2645 (visited on 02/14/2018)
- Oh, Jiyeon and Donald A. French (Jan. 1, 2006) "Error Analysis of a Specialized Numerical Method for Mathematical Models from Neuroscience". In: *Applied Mathematics and Computation* 172.1, pp. 491-507. ISSN: 0096-3003. DOI: 10.1016/j.amc.2005.02.028. URL: http://www.sciencedirect.com/science/article/pii/S0096300305002183 (visited on 05/29/2018)
- Sherfey, Jason S. et al. (2018) "DynaSim: A MATLAB Toolbox for Neural Modeling and Simulation". In: Frontiers in Neuroinformatics 12. ISSN: 1662-5196. DOI: 10.3389/fninf.2018.00010. URL: https://www.frontiersin.org/articles/10.3389/fninf.2018.00010/full (visited on 04/30/2018)
- Stimberg, Marcel, Dan F. M. Goodman, et al. (2014) "Equation-Oriented Specification of Neural Models for Simulations". In: *Frontiers in Neuroinformatics* 8. ISSN: 1662-5196. DOI: 10.3389/fninf.

2014.00006. URL: https://www.frontiersin.org/articles/10.3389/fninf. 2014.00006/full(visited on 05/01/2018)

Stimberg, Marcel, Dan FM Goodman, et al. (July 8, 2013) "Brian 2 - the Second Coming: Spiking Neural Network Simulation in Python with Code Generation". In: *BMC Neuroscience* 14 (Suppl 1) P38. ISSN: 1471-2202. DOI: 10.1186/1471-2202-14-S1-P38. pmid: null. URL: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3704840/(visited on 05/01/2018)

Swensen, A. M. and E. Marder (Sept. 15, 2000) "Multiple Peptides Converge to Activate the Same Voltage-Dependent Current in a Central Pattern-Generating Circuit". In: *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience* 20.18, pp. 6752–6759. ISSN: 0270-6474. pmid: 10995818.

— (June 1, 2001) "Modulators with Convergent Cellular Actions Elicit Distinct Circuit Outputs". In: *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience* 21.11, pp. 4050–4058. ISSN: 1529-2401. pmid: 11356892.

Turrigiano, G., G. LeMasson, and E. Marder (May 1995) "Selective Regulation of Current Densities Underlies Spontaneous Changes in the Activity of Cultured Neurons". In: *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience* 15 (5 Pt 1) pp. 3640–3652. ISSN: 0270-6474. pmid: 7538565.

FIGURE CAPTIONS




Figure 1: xolotl can quickly set up and simulate conductance-based models. (A) Cartoon of a Hodgkin-Huxley single-compartment neuron model with fast sodium, delayed rectifier, and leak currents. (B) Code snippet in MATLAB used to implement D, F-I. (C) xolotl schematic displayed in the MATLAB command prompt. (D) Simulated voltage trace of a Hodgkin-Huxley model with three conductances and 0.2 nA of injected current. Colors indicate the dominant current (gold is fast sodium, blue is delayed rectifier, red is leak). (E) Firing rate-input relation displaying firing rate as a function of injected current current. (F-G) Steady-state gating functions for activation (m) and inactivation (h) gating variables. (H-I) Voltage-dependence of time constants for activation (m) and inactivation (h) gating variables. Variables not plotted are unity for all voltage.




Figure 2: Simulating a voltage-clamp experiment. (A) Cartoon of a cell with delayed rectifier potassium conductance (Liu et al. 1998) with experimentally-fixed voltage. (B) Structure of xolotl object in A. (C) Code snippet depicting integration under voltage clamp. (D-E) Current response to steps in voltage from a holding potential of $V_m = -60$ mV. (F) Current-voltage relation of the steady-state current (t = 400 ms) indicating a reversal potential of E = -80 mV and no inactivation. (G) Conductance-voltage relation at steady-state takes the form of a sigmoid. (H) Sigmoids m fit to the model as m^n data indicating that n = 4 is the best fit. (I) Goodness of fit vs. exponent n, suggesting n = 4 as the best fit to the data.




Figure 3: Simulating a network of conductance-based model neurons. (A) Diagram of a network model of the pyloric rhythm in the crustacean stomatogastric ganglion (Prinz *et al.* 2004). (B) Hierarchical structure of a neuronal network considers compartments as components of the network and conductances and synapses as components of compartments. (C) *xolotl* implements conductances as fields of compartments and synapses as connections between compartments. (D-F) Simulated voltage trace of a model network for the three compartments. (G) Time series of synaptic currents in the simulated network are outputs of the integration. Two cholinergic (chol) current traces are plotted.




Figure 4: Simulating neurons under homeostatic regulation. (A) Cartoon of a model neuron (Liu et al. 1998) with integral control (O'Leary et al. 2013) (B) Hierarchical structure of a neuronal network considers controllers as components of compartments which act on conductances. (C) xolotl implements controllers XYZ. (D) Calcium sensors change maximal conductances to move a neuron from quiescence to a bursting state. (E) Voltage trace shows regular bursting activity after integral control.




Figure 5: xolotl benchmarked against DynaSim.