

Payoff of having children

Do elderly parents of more children live in a nursing home less often?

Katarína Gömöryová

Charles University
Faculty of Social Sciences
Institute of Economic Studies


June 9, 2021

Overview

- 1 Motivation
- 2 Research Question
- 3 Hypothesis
- 4 Literature Review
- 5 Data
- 6 Methodology
- 7 Results
- 8 Conclusion

Motivation

Population pyramids, EU-27, 2019 and 2050
(% share of total population)



Research Question

- population is getting grey [Eurostat, 2020]
- possible higher costs of providing adequate health and long-term care

Research Question

Do elderly parents of more children live in a nursing home less often?

- broadening existing research on this topic and also examining other factors which could possibly influence the probability of elderly being put in a nursing home

Hypothesis

Having more children lowers the probability of living in a nursing home when old.

- one of the closest relationships and their naturally reversing roles as children are becoming adults and parents become fragile [Fingerman and Birditt, 2003]

- informal caregiving
 - relatively inexpensive and mainly provided by relatives [Matthews and Rosner, 1988]
 - spouse, children, siblings [Agree and Glaser, 2009]
- formal caregiving
 - institutionalisation - short term vs long term [Coughlin et al., 1990]
- natural caregivers, family diversity, cultural background, employment of children, health status of parents, residency

- easySHARE dataset
- crossectional data
- wave 6, 2015
- 17 European of states
- 34 457 respondents
- 3 dependent variables

Dependent variables




Figure: Distribution of residents and non-residents

Children




Figure: Distribution of number of children

Other independent variables

- age
- gender
- marital status
- household size
- partner in a household
- geographical location
- residential proximity of children
- external help
- number of grandchildren
- self-perceived health
- physical disability
- hospital stays
- mental disability
- retired

Variables

- Dependent variables - NH, NHLS, NHSS
- Independent variables - demographics, household composition, social network, health, job situation, functional and cognitive limitations
- logit models
- step-wise procedure
- average marginal effects
- predicted probabilities

Results

	<i>Dependent variable:</i>			
	NH		NHLS	NHSS
	(1)	(2)	(3)	(4)
Constant	-9.482*** (1.727)	-10.060*** (1.739)	-13.789*** (2.597)	-12.498*** (1.981)
age	0.081*** (0.016)	0.080*** (0.016)	0.093*** (0.026)	0.090*** (0.018)
female	0.315 (0.232)	0.347 (0.232)	0.092 (0.363)	0.338 (0.261)
children	-0.495*** (0.191)	-0.491** (0.191)	0.018 (0.143)	-0.429** (0.209)
nevermarried	-0.600 (1.058)	-0.587 (1.071)	-	-
hhsz	-1.064*** (0.346)	-1.051*** (0.346)	-1.339*** (0.360)	-0.727** (0.363)
physical_dis	0.047 (0.151)	0.043 (0.151)	0.836*** (0.098)	0.128 (0.178)
hosp_stays	1.088*** (0.208)	1.072*** (0.209)	-0.351 (0.385)	1.331*** (0.236)
health	0.234* (0.121)	0.229* (0.122)	0.120 (0.187)	0.367** (0.144)
retired	0.087 (0.348)	0.259 (0.340)	1.569 (1.038)	0.009 (0.373)
helpout_hh	0.288 (0.226)	0.319 (0.225)	-0.966*** (0.362)	0.601** (0.259)
child_km	-0.770*** (0.241)	-0.849*** (0.239)	-1.269*** (0.429)	-0.649** (0.262)
mental_dis	-0.659*** (0.130)	-0.646*** (0.130)	-	-0.483*** (0.163)
south	-0.806** (0.322)	-	-1.175** (0.554)	-0.534 (0.334)
central	-	0.565*** (0.216)	-	-
physical_dis:mental_dis	0.134*** (0.048)	0.138*** (0.048)	-	0.097* (0.055)
children:hhsz	0.337*** (0.097)	0.330*** (0.097)	-	0.311*** (0.100)
Observations	28,020	28,020	29,250	27,998
Count of dependent variable	102	102	41	80
McFadden R ²	0.2042	0.2042	0.2804	0.2139
Nagelkerke R ²	0.2081	0.2081	0.2825	0.2172
Log Likelihood	-536.856	-536.879	-223.322	-431.172

Note:

* p<0.1; ** p<0.05; *** p<0.01

Table: Predicted probabilities for children*hhsz for Model (1)

children	hhsz			
	1	2	3	4
0	0.002157	0.000745	0.000257	0.000089
1	0.001842	0.000892	0.000431	0.000209
2	0.001574	0.001067	0.000723	0.00049
3	0.001345	0.001277	0.001212	0.001151
4	0.001149	0.001527	0.002031	0.002699
5	0.000981	0.001827	0.0034	0.006318
6	0.000838	0.002186	0.005688	0.014717

Table: Predicted probabilities for children*hhsz for Model (4)

children	hhsz			
	1	2	3	4
0	0.001072	0.000518	0.000251	0.000121
1	0.000952	0.000628	0.000415	0.000274
2	0.000847	0.000762	0.000686	0.000617
3	0.000752	0.000924	0.001134	0.001393
4	0.000669	0.00112	0.001876	0.003139
5	0.000594	0.001358	0.0031	0.007059
6	0.000528	0.001646	0.005118	0.015798

Results

	<i>Dependent variable:</i>			
	NH		NHLS	NHSS
	(1)	(2)	(3)	(4)
Constant	-9.642*** (1.613)	-10.190*** (1.623)	-14.503*** (2.488)	-12.111*** (1.884)
age	0.074*** (0.016)	0.073*** (0.016)	0.085*** (0.026)	0.082*** (0.018)
female	0.200 (0.242)	0.234 (0.242)	-0.073 (0.373)	0.243 (0.274)
children	-0.173 (0.122)	-0.182 (0.122)	0.019 (0.144)	-0.184 (0.142)
nevermarried	-0.696 (1.054)	-0.687 (1.066)	-	-
partnerinh	-1.926*** (0.503)	-1.929*** (0.502)	-1.505*** (0.428)	-1.855*** (0.560)
physical_dis	0.059 (0.151)	0.053 (0.151)	0.800*** (0.098)	0.153 (0.180)
hosp_stays	1.076*** (0.209)	1.061*** (0.209)	-0.330 (0.385)	1.304*** (0.236)
health	0.228* (0.120)	0.223* (0.122)	0.100 (0.187)	0.365** (0.144)
retired	0.027 (0.348)	0.195 (0.339)	1.757* (1.043)	-0.061 (0.373)
helpout_hh	0.260 (0.223)	0.290 (0.222)	-0.796** (0.351)	0.548** (0.255)
child_km	-0.847*** (0.237)	-0.921*** (0.235)	-1.677*** (0.434)	-0.638** (0.256)
mental_dis	-0.659*** (0.131)	-0.646*** (0.131)	-	-0.477*** (0.165)
south	-0.779** (0.323)	-	-1.262** (0.556)	-0.499 (0.335)
central	-	0.561*** (0.216)	-	-
children:partnerinh	0.562*** (0.173)	0.564*** (0.173)	-	0.644*** (0.191)
physical_dis:mental_dis	0.131*** (0.048)	0.136*** (0.048)	-	0.094* (0.056)
Observations	28,020	28,020	29,250	27,998
Count of dependent variable	102	102	41	80
McFadden R ²	0.2076	0.2079	0.2751	0.2169
Nagelkerke R ²	0.2115	0.2119	0.2772	0.2202
Log Likelihood	-535.175	-534.376	-224.982	-430.964

Note:

* p<0.1; ** p<0.05; *** p<0.01

Table: Predicted probabilities children*partnerinh for Model (1)

children	partnerinh	
	0	1
0	0.002608	0.000381
1	0.002195	0.000562
2	0.001848	0.00083
3	0.001556	0.001225
4	0.001309	0.001808
5	0.001102	0.002668
6	0.000928	0.003934

Table: Predicted probabilities children*partnerinh for Model (4)

children	partnerinh	
	0	1
0	0.001547	0.000242
1	0.001287	0.000384
2	0.001071	0.000608
3	0.000891	0.000963
4	0.000741	0.001524
5	0.000617	0.002412
6	0.000513	0.003817

Results

	<i>Dependent variable:</i>			
	NH	NHLS	NHSS	
	(1)	(2)	(3)	(4)
Constant	-11.572*** (1.549)	-12.288*** (1.562)	-13.143*** (2.507)	-13.573*** (1.804)
age	0.081*** (0.017)	0.080*** (0.017)	0.071*** (0.027)	0.087*** (0.019)
female	0.204 (0.253)	0.238 (0.253)	-0.006 (0.396)	0.282 (0.289)
nevermarried	-0.662 (1.059)	-0.644 (1.074)	-	-
grand_children	-0.099** (0.049)	-0.095* (0.049)	-0.056 (0.076)	-0.215*** (0.079)
partnerinh	-0.592** (0.254)	-0.587** (0.254)	-1.488*** (0.451)	-0.894* (0.459)
physical_dis	0.392*** (0.083)	0.396*** (0.084)	0.798*** (0.106)	0.402*** (0.091)
hosp_stays	1.171*** (0.217)	1.147*** (0.217)	-0.454 (0.422)	1.429*** (0.249)
health	0.297** (0.128)	0.308** (0.130)	0.131 (0.201)	0.448*** (0.155)
retired	0.058 (0.365)	0.196 (0.356)	1.528 (1.043)	0.009 (0.393)
helpout_hh	0.456** (0.232)	0.475** (0.232)	-0.606 (0.371)	0.762*** (0.269)
child_km	-0.766*** (0.244)	-0.831*** (0.242)	-1.508*** (0.442)	-0.535** (0.263)
mental_dis	-0.393*** (0.102)	-0.376*** (0.102)	-	-0.289** (0.118)
south	-0.696** (0.325)	-	-1.410** (0.627)	-0.397 (0.338)
central	-	0.627*** (0.227)	-	-
grand_children:partnerinh	-	-	-	0.195* (0.114)
Observations	26,916	26,916	28,076	26,895
Count of dependent variable	94	94	36	73
McFadden R ²	0.2029	0.2051	0.2571	0.2252
Nagelkerke R ²	0.2066	0.2089	0.2589	0.2285
Log Likelihood	-498.700	-497.281	-204.832	-390.718

Note:

*p<0.1; **p<0.05; ***p<0.01

Predicted probabilities

Table: Predicted probabilities grand_children*partnerinh for Model (4)

grand_children	partnerinh	
	0	1
0	0.001731	0.000708
2	0.001128	0.000682
4	0.000734	0.000656
7	0.000386	0.000619
9	0.000251	0.000595

Conclusion

- having kids and their number per se is a decisive factor for short term stayers
- determining factor for long term stays is the physical proximity to children rather than their number
- importance of children as caregivers
- grandchildren can be beneficial addition to caregiving team

Thank you for your attention!

Descriptive Statistics

Statistic	Mean	St. Dev.	Min	Median	Max	NA's
NH	0.0054	0.0735	0	0	1	0
NHLS	0.0015	0.0389	0	0	1	135
NHSS	0.0039	0.0625	0	0	1	52
age	74.6324	6.8042	65	73.5	95	100
female	0.544	0.4981	0	1	1	0
hhsize	1.8574	0.6562	1	2	4	665
children	2.0915	1.2048	0	2	6	340
grand_children	3.2603	2.2755	0	3	9	4700
physical_dis	0.292	0.9096	0	0	5	0
health	3.3793	1.0295	1	3	5	0
mental_dis	3.796	0.5761	0	4	4	1696
partnerinh	0.6698	0.4703	0	1	1	0
helpout_hh	0.2609	0.4391	0	0	1	0
hosp_stays	0.314	0.415	0	0	1	0
child_km	0.4109	0.4920	0	0	1	4076
nevermarried	0.0411	0.1984	0	0	1	0
retired	0.8746	0.3312	0	1	1	0
south	0.2754	0.4467	0	0	1	0
north	0.2206	0.4146	0	0	1	0
central	0.504	0.5	0	1	1	0

	<i>Dependent variable:</i>			
	NH		NHLS	NHSS
	(1)	(2)	(3)	(4)
Constant	−9.482*** (1.727)	−10.060*** (1.739)	−13.789*** (2.597)	−12.498*** (1.981)
age	0.081*** (0.016)	0.080*** (0.016)	0.093*** (0.026)	0.090*** (0.018)
female	0.315 (0.232)	0.347 (0.232)	0.092 (0.363)	0.338 (0.261)
children	−0.495*** (0.191)	−0.491** (0.191)	0.018 (0.143)	−0.429** (0.209)
nevermarried	−0.600 (1.058)	−0.587 (1.071)	-	-
hhsz	−1.064*** (0.346)	−1.051*** (0.346)	−1.339*** (0.360)	−0.727** (0.363)
physical_dis	0.047 (0.151)	0.043 (0.151)	0.836*** (0.098)	0.128 (0.178)
hosp_stays	1.088*** (0.208)	1.072*** (0.209)	−0.351 (0.385)	1.331*** (0.236)
health	0.234* (0.121)	0.229* (0.122)	0.120 (0.187)	0.367** (0.144)
retired	0.087 (0.348)	0.259 (0.340)	1.569 (1.038)	0.009 (0.373)
helpout_hh	0.288 (0.226)	0.319 (0.225)	−0.966*** (0.362)	0.601** (0.259)
child_km	−0.770*** (0.241)	−0.849*** (0.239)	−1.269*** (0.429)	−0.649** (0.262)
mental_dis	−0.659*** (0.130)	−0.646*** (0.130)	-	−0.483*** (0.163)
south	−0.806** (0.322)	-	−1.175** (0.554)	−0.534 (0.334)
central	-	0.565*** (0.216)	-	-
physical_dis:mental_dis	0.134*** (0.048)	0.138*** (0.048)	-	0.097* (0.055)
children:hhsz	0.337*** (0.097)	0.330*** (0.097)	-	0.311*** (0.100)
Observations	28,020	28,020	29,250	27,998
Count of dependent variable	102	102	41	80
McFadden R ²	0.2042	0.2042	0.2804	0.2139
Nagelkerke R ²	0.2081	0.2081	0.2825	0.2172
Log Likelihood	−536.856	−536.879	−223.322	−431.172

Note:

* p<0.1; ** p<0.05; *** p<0.01

Table: Predicted probabilities for physical_dis*mental_dis for Model (1)

physical_dis	mental_dis				
	0	1	2	3	4
0	0.012733	0.006631	0.003443	0.001785	0.000925
1	0.013338	0.00794	0.004716	0.002797	0.001658
2	0.01397	0.009504	0.006456	0.004381	0.002971
3	0.014632	0.011373	0.008833	0.006856	0.005319
4	0.015326	0.013604	0.012074	0.010713	0.009505
5	0.016051	0.016266	0.016484	0.016704	0.016928

Table: Predicted probabilities for physical_dis*mental_dis for Model (4)

physical_dis	mental_dis				
	0	1	2	3	4
0	0.004626	0.002858	0.001764	0.001088	0.000671
1	0.005254	0.003575	0.002431	0.001652	0.001123
2	0.005968	0.004471	0.003348	0.002506	0.001876
3	0.006778	0.005591	0.004611	0.003802	0.003134
4	0.007696	0.006989	0.006346	0.005762	0.005231
5	0.008739	0.008734	0.008729	0.008724	0.008719

Logistic regression without mental_dis*physical_dis

	Dependent variable:			
	NH	NHLS	NHSS	
	(1)	(2)	(3)	(4)
Constant	-11.126*** (1.645)	-11.753*** (1.661)	-13.789*** (2.597)	-13.746*** (1.867)
age	0.087*** (0.016)	0.087*** (0.016)	0.093*** (0.026)	0.094*** (0.018)
female	0.317 (0.233)	0.347 (0.233)	0.092 (0.363)	0.338 (0.261)
children	-0.492** (0.192)	-0.491** (0.191)	0.018 (0.143)	-0.426** (0.209)
nevermarried	-0.628 (1.068)	-0.613 (1.082)	-	-
hysize	-1.051*** (0.348)	-1.044*** (0.348)	-1.339*** (0.360)	-0.719** (0.365)
physical_dis	0.407*** (0.081)	0.411*** (0.082)	0.836*** (0.098)	0.402*** (0.089)
hosp_stays	1.099*** (0.208)	1.083*** (0.209)	-0.351 (0.385)	1.336*** (0.236)
health	0.262** (0.121)	0.259** (0.122)	0.120 (0.187)	0.389*** (0.144)
retired	0.118 (0.352)	0.292 (0.344)	1.569 (1.038)	0.035 (0.376)
helpout_hh	0.336 (0.225)	0.368 (0.224)	-0.966*** (0.362)	0.630** (0.258)
child_km	-0.766*** (0.242)	-0.846*** (0.240)	-1.269*** (0.429)	-0.645** (0.263)
mental_dis	-0.368*** (0.099)	-0.346*** (0.099)	-	-0.250** (0.114)
south	-0.819** (0.324)	-	-1.175** (0.554)	-0.541 (0.335)
central	-	0.559*** (0.216)	-	-
children:hysize	0.332*** (0.097)	0.326*** (0.097)	-	0.307*** (0.101)
Observations	28,020	28,020	29,250	27,998
Count of dependent variable	102	102	41	80
McFadden R ²	0.1984	0.1981	0.2804	0.2112
Nagelkerke R ²	0.2023	0.202	0.2825	0.2144
Log Likelihood	-540.767	-540.970	-223.322	-432.688

Note:

*p<0.1; **p<0.05; ***p<0.01

Logistic regression children dummy I

	<i>Dependent variable:</i>			
	NH		NHLS	NHSS
	(1)	(2)	(3)	(4)
Constant	-7.972*** (1.822)	-8.433*** (1.833)	-14.051*** (2.365)	-9.665*** (1.984)
age	0.074*** (0.014)	0.073*** (0.014)	0.096*** (0.023)	0.076*** (0.016)
female	0.212 (0.204)	0.226 (0.205)	-0.144 (0.317)	0.245 (0.233)
children_d	-2.205* (1.162)	-2.202* (1.163)	0.045 (0.422)	-2.874** (1.154)
hhsz	-2.167** (1.024)	-2.183** (1.023)	-1.509*** (0.321)	-2.075** (1.025)
nevermarried	0.745** (0.375)	0.732* (0.380)	-	-
physical_dis	0.047 (0.139)	0.039 (0.140)	0.819*** (0.089)	0.143 (0.171)
hosp_stays	1.005*** (0.189)	0.995*** (0.189)	-0.417 (0.350)	1.259*** (0.214)
health	0.194* (0.108)	0.197* (0.109)	0.084 (0.171)	0.325** (0.129)
retired	0.128 (0.318)	0.249 (0.311)	1.869* (1.029)	0.051 (0.339)
helpout_hh	0.228 (0.201)	0.246 (0.201)	-0.997*** (0.325)	0.577** (0.231)
mental_dis	-0.600*** (0.117)	-0.592*** (0.118)	-	-0.381** (0.153)
south	-0.576** (0.262)	-	-1.113** (0.454)	-0.272 (0.277)
central	-	0.459** (0.192)	-	-
children_d:hhsz	1.873* (1.032)	1.874* (1.031)	-	2.036** (1.035)
physical_dis:mental_dis	0.123*** (0.045)	0.127*** (0.045)	-	0.076 (0.053)
Observations	31,829	31,829	33,259	31,801
Count of dependent variable	125	125	50	97
McFadden R ²	0.1781	0.1784	0.2715	0.178
Nagelkerke R ²	0.1819	0.1822	0.2737	0.183
Log Likelihood	-671.672	-671.404	-273.173	-540.172

Note:

*p<0.1; **p<0.05; ***p<0.01

Predicted probabilities

Table: Predicted probabilities for children_d*hhsz for Model (1)

	hhsz			
children	1	2	3	4
0	0.002923	0.000336	0.000038	0.000004
1	0.002099	0.001566	0.001168	0.000872

Table: Predicted probabilities for children_d*hhsz for Model (4)

	hhsz			
children	1	2	3	4
0	0.002713	0.000342	0.000043	0.000005
1	0.001176	0.001132	0.00109	0.00105

Logistic regression children dummy II

	<i>Dependent variable:</i>			
	NH		NHLS	NHSS
	(1)	(2)	(3)	(4)
Constant	−9.962*** (1.419)	−10.501*** (1.427)	−15.405*** (2.271)	−11.380*** (1.629)
age	0.070*** (0.014)	0.070*** (0.014)	0.093*** (0.023)	0.070*** (0.016)
female	0.097 (0.212)	0.115 (0.212)	−0.222 (0.326)	0.108 (0.242)
children_d	0.008 (0.302)	0.011 (0.306)	−0.111 (0.420)	−0.390 (0.278)
nevermarried	0.795** (0.367)	0.784** (0.372)	-	-
partnerinh	−0.655*** (0.224)	−0.659*** (0.224)	−1.331*** (0.383)	−0.538** (0.246)
physical_dis	0.029 (0.138)	0.021 (0.138)	0.741*** (0.087)	0.125 (0.171)
hosp_stays	1.010*** (0.189)	0.997*** (0.189)	−0.378 (0.349)	1.255*** (0.214)
health	0.191* (0.107)	0.193* (0.108)	0.049 (0.171)	0.330** (0.129)
retired	0.103 (0.318)	0.239 (0.310)	2.029** (1.030)	0.015 (0.339)
helpout_hh	0.249 (0.198)	0.277 (0.197)	−0.701** (0.312)	0.558** (0.228)
mental_dis	−0.599*** (0.117)	−0.589*** (0.117)	-	−0.380** (0.153)
south	−0.630** (0.262)	-	−1.228*** (0.453)	−0.296 (0.277)
central	-	0.481** (0.192)	-	-
physical_dis:mental_dis	0.121*** (0.044)	0.124*** (0.044)	-	0.078 (0.053)
Observations	31,829	31,829	33,259	31,801
Count of dependent variable	125	125	50	97
McFadden R ²	0.1763	0.1763	0.2507	0.1776
Nagelkerke R ²	0.18	0.18	0.2528	0.1806
Log Likelihood	−673.190	−673.174	−280.970	−541.768

Note:

* p<0.1; ** p<0.05; *** p<0.01

Logistic regression grandchildren dummy

	<i>Dependent variable:</i>			
	NH	NHLS	NHSS	
	(1)	(2)	(3)	(4)
Constant	-11.523*** (1.566)	-12.231*** (1.577)	-13.086*** (2.530)	-13.506*** (1.836)
age	0.079*** (0.017)	0.078*** (0.017)	0.070*** (0.027)	0.085*** (0.019)
female	0.197 (0.253)	0.229 (0.253)	-0.012 (0.396)	0.275 (0.289)
nevermarried	-0.604 (1.056)	-0.585 (1.071)	-	-
grandchildren_d	-0.262 (0.361)	-0.237 (0.361)	-0.241 (0.550)	-0.597 (0.491)
partnerinh	-0.609** (0.254)	-0.603** (0.254)	-1.493*** (0.451)	-0.978 (0.859)
physical_dis	0.386*** (0.083)	0.389*** (0.084)	0.798*** (0.106)	0.394*** (0.091)
hosp_stays	1.161*** (0.216)	1.137*** (0.217)	-0.463 (0.422)	1.421*** (0.249)
health	0.307** (0.128)	0.316** (0.130)	0.134 (0.201)	0.458*** (0.155)
retired	0.037 (0.365)	0.175 (0.355)	1.550 (1.043)	-0.014 (0.392)
helpout_hh	0.441* (0.233)	0.459** (0.232)	-0.614* (0.371)	0.737** (0.27)
child_km	-0.769*** (0.244)	-0.835*** (0.242)	-1.503*** (0.442)	-0.544** (0.263)
mental_dis	-0.389*** (0.102)	-0.374*** (0.103)	-	-0.285** (0.118)
south	-0.686** (0.325)	-	-1.407** (0.627)	-0.369 (0.338)
central	-	0.630*** (0.227)	-	-
grandchildren_d:partnerinh	-	-	-	0.737 (0.883)
Observations	26,916	26,916	28,076	26,895
Count of dependent variable	94	94	36	73
McFadden R ²	0.1999	0.2024	0.2564	0.2183
Nagelkerke R ²	0.2036	0.2061	0.2583	0.2215
Log Likelihood	-500.554	-499.009	-205.022	-394.176

Note: *p<0.1; **p<0.05; ***p<0.01

Additional variables

- financial situation
 - people with higher income are more probable to be placed in nursing home permanently [Palmore, 1976]
 - individuals with lower incomes were more likely to use nursing homes than those with higher income [Coughlin et al., 1990]
- race
 - Blacks have a much lower rate of institutionalisation than Whites [Coughlin et al., 1990, Freedman et al., 1994]
- religion
 - religion may provide hope and motivate patients to do more things for themselves, delaying the need for nursing home placement [Koenig et al., 2004]

- more specific health condition
 - cancer, respiratory problems, nerve or muscle problems, heart trouble
- more information about caregiver
 - daughters are much more devoted caregivers than sons [Brody, 1985]
 - employment
- residency
 - predictors of institutionalisation vary for rural, small city, and urban elders [Dwyer et al., 1994]
 - people in rural areas depend more on family and less on formal home care services than people in urban areas [Freedman, 1996]

Empirical evidence

- long term care is time consuming [Polivka, 2005]
- if parents require special attention or taking care of them is challenging daughters rather stay in the job and support their parents financially as they can get more professional care [Doty et al., 1998]
- importance of the quality/type of relationship between parents and children and how children perceive filial responsibility when long term care is considered [Bromley and Blieszner, 1997]

Table: AME for Table the first set of models

	AME NH		AME NHLS	AME NHSS
	(1)	(2)	(3)	(4)
age	0.0003	0.0003	0.0001	0.0002
children	-0.002	-0.002	-	-0.001
hhsz	-0.004	-0.004	-0.002	-0.002
physical_dis	-	-	0.001	-
hosp_stays	0.004	0.004	-	0.004
health	0.001	0.0008	-	0.001
helpout_hh	-	-	-0.001	0.002
child_km	-0.003	-0.003	-0.002	-0.002
mental_dis	-0.002	-0.002	-	-0.001
south	-0.003	-	-0.002	-
central	-	0.002	-	-
children*hhsz	0.001	0.001	-	0.001
physical_dis*mental_dis	0.0005	0.0005	-	0.0003
Observations	28,020	28,020	29,250	27,998

Table: AME for Table the second set of models

	AME NH		AME NHLS	AME NHSS
	(1)	(2)	(3)	(4)
age	0.0003	0.0003	0.0001	0.0002
partnerinh	-0.007	-0.007	-0.002	-0.005
physical_dis	-	-	0.001	-
retired	-	-	0.002	-
hosp_stays	0.004	0.004	-	0.004
health	0.001	0.001	-	0.001
helpout_hh	-	-	-0.001	0.002
child_km	-0.003	-0.003	-0.002	-0.002
mental_dis	-0.002	-0.002	-	-0.001
south	-0.003	-	-0.002	-
central	-	0.002	-	-
physical_dis*mental_dis	0.0005	0.0005	-	0.0003
children*partnerinh	0.002	0.002	-	0.002
Observations	28,020	28,020	29,250	27,998

Table: AME for Table the third set of models

	AME NH		AME NHLS	AME NHSS
	(1)	(2)	(3)	(4)
age	0.0003	0.0003	0.0001	0.0002
grand_children	-0.0003	-0.0003	-	-0.0006
partnerinh	-0.002	-0.002	-0.002	-0.002
physical_dis	0.001	0.001	0.001	0.001
hosp_stays	0.004	0.004	-	0.004
health	0.001	0.001	-	0.001
helpout_hh	0.002	0.002	-	0.002
child_km	-0.003	-0.003	-0.002	-0.001
mental_dis	-0.001	-0.001	-	-0.001
south	-0.002	-	-0.002	-
central	-	0.002	-	-
grand_children*partnerinh	-	-	-	0.005
Observations	26,916	26,916	28,076	26,896

References I



Agree, Emily M and Glaser, Karen (2009)

Demography of informal caregiving

International handbook of population aging, 647–668.



Brody, Elaine M (1985)

Parent care as a normative family stress

The Gerontologist 25(1), 19–29.



Bromley, Mark C and Blieszner, Rosemary (1997)

Planning for long-term care: Filial behavior and relationship quality of adult children with independent parents

Family Relations, 155–162.



Coughlin, Teresa A and McBride, Timothy D and Liu, Korbin (1990)

Determinants of transitory and permanent nursing home admissions

Medical Care, 616–631.



Dwyer, Jeffrey W and Barton, Amy J and Vogel, W Bruce (1994)

Area of residence and the risk of institutionalization

Journal of gerontology 49(2), S75–S84.

References II



Doty, Pamela and Jackson, Mary E and Crown, William (1998)

The impact of female caregivers' employment status on patterns of formal and informal eldercare

The Gerontologist 38(3), 331–341.



Eurostat (2020): Ageing Europe - statistics on population developments. Retrieved from https://ec.europa.eu/eurostat/statistics-explained/index.php?title=Ageing_Europe_-_statistics_on_population_developments.



Fingerman, Karen L and Birditt, Kira S (2003)

Do age differences in close and problematic family ties reflect the pool of available relatives?

The Journals of Gerontology Series B: Psychological Sciences and Social Sciences 58(2), 80 – 87.



Freedman, Vicki A (1996)

Family structure and the risk of nursing home admission

The Journals of Gerontology Series B: Psychological Sciences and Social Sciences 51(2), 61–69.

References III



Freedman, Vicki A and Berkman, Lisa F and Rapp, Stephen R and Ostfeld, Adrian M (1994)

Family networks: predictors of nursing home entry.

American Journal of Public Health 84(5), 843–845.



Koenig, Harold G and George, Linda K and Titus, Patricia and Meador, Keith G (2004)

Religion, spirituality, and acute care hospitalization and long-term care use by older patients

Archives of Internal Medicine 164(14), 1579–1585.



Matthews, Sarah H and Rosner, Tena Tarle (1988)

Shared filial responsibility: The family as the primary caregiver

Journal of Marriage and the Family, 185–195.



Palmore, Erdman (1976)

Total chance of institutionalization among the aged

The Gerontologist 16(6), 504–507.



Polivka, Larry (2005)

The ethics and politics of caregiving

Oxford University Press, 557–561.