LANGUAGE REFERENCE · VERSION 0.9.4

Rogal

A small language that's easy to write, where every error *points at the problem and explains it*.

Everything the language has is in here: all 32 words and all 32 actions, with a list of the lot at the end.

32 words · 32 actions · browser or terminal
Generated 3 September 2026

Contents

Version 0.9.4 · Complete. Every word the language has is in this document.

Rogal has 32 words and 32 actions — 27 built in, and 5 that reach outside the program. That's the whole language: nothing to install and nothing to import.

Running a program

Two ways, depending on what you're doing.

IN A BROWSER

Open `rogal.html`. Nothing to install, and the examples and a short reference are built into the page.

Write a program and press **Run**, or Ctrl + Enter. **Save** downloads it as a `.rogal` file, using whatever name is in the box beside the button; **Open** loads one back in. The **blank** chip clears the editor to start from nothing. If you'd lose unsaved work, you're asked first.

A saved file runs unchanged on your computer, so the browser is a reasonable place to write something and the terminal a reasonable place to run it. One thing to remember: a program using `use "dates"` needs `dates.rogal` sitting beside it, since the browser copy travels with the page and the saved file doesn't.

This is the whole of Rogal apart from opening files by name — `read` asks you to pick one instead, and `write` hands one back as a download.

ON YOUR COMPUTER

For programs that read and write files by name, you'll need Node.js installed. Put `rogal-core.js` and `rogal.js` in a folder together, write your program beside them, and run it:

```
node rogal.js myprogram.rogal
```

This is the only way to have a program open a file it names for itself, rather than one you pick.

WHERE IT LOOKS FOR THINGS

Files are read and written **next to your program**, not next to wherever your terminal happens to be. So a program in `~/work` reading `stock.csv` looks in `~/work`, whichever folder you ran it from.

`use "dates"` looks for `dates.rogal` next to your program first, then next to Rogal itself — so a library you use everywhere can sit beside `rogal.js` instead of being copied about.

WHICH TO USE

The browser is the whole language and needs nothing at all, so start there and stay there unless a program needs to open files without being asked each time. That's the one thing it can't do, and the only reason to move to a terminal.

1. The shape of a program

A program is a list of instructions, one per line, run from top to bottom.

```
set name to "Mark"
show "Hello, " + name
```

Four rules cover all of it:

- **One instruction per line.** No semicolons.
- **Indentation is yours.** Blocks are closed by the word `end`, so spacing can never change what a program does. Indent for readability or don't.
- `#` **starts a note.** Everything after it on that line is ignored.
- **Blank lines mean nothing.** Use them freely.

```
# This is a note. The line below is not.
set total to 0
```

WHAT `END` ACTUALLY MEANS

`end` doesn't mean "the program stops here". It means **this block stops here** — and moving one changes what a program does.

```
for each word in words
  if count(word) is more than 3
    change best to word
    show "found a long one"
  end
end
```

```
for each word in words
  if count(word) is more than 3
    change best to word
  end
end
show "finished"
```

The first prints a line for every long word. The second prints one line, once, after the loop has finished. Nothing else differs — only where the `end`s sit.

Since Rogal ignores indentation, `end` is the only thing marking where a block stops. That's why `else` and `end` each need a line of their own: so the shape you see is the shape that runs.

One `end` for every opener — every `make`, `if`, `for each`, `while` and `repeat`. Ten simple actions need ten `end`s, one each. What multiplies them is nesting, not quantity:

```
make longest(words)                          ← opens
  set best to ""
  for each word in words                     ← opens
    if count(word) is more than count(best)  ← opens
      change best to word
    end                                      ← closes the if
  end                                        ← closes the for each
  give upper(best)
end                                          ← closes the make
```

Three `end`s because three things sit inside one another. Read them from the bottom up and they pair with the openers above, innermost first — the same as brackets in arithmetic.

If a program ever needs four or five levels, that's usually a sign it wants splitting into separate actions. The pile of `end`s is a useful warning rather than a nuisance.

Leave one out and Rogal says how many blocks were opened, how many `end`s it found, and which block the last one closed.

2. The six kinds of value

KIND	WRITTEN AS	NOTES
Number	`12`, `3.5`, `-8`	One kind only. No separate whole/decimal types.
Text	`"hello"`	Always double quotes.
True/false	`true`, `false`	The only things an `if` will accept.
List	`[1, 2, 3]`	**Items count from 1.**
Record	`{name: "Ada"}`	Named fields.
Nothing	`nothing`	No value yet.

There is a seventh kind you create yourself — an **action**, made with `make`. See section 9.

Inside text you can use `\n` for a new line, `\r` for a carriage return, `\t` for a tab, `\"` for a quote mark, and `\\` for a backslash.

Text is written on one line. For a block of it, put the lines in a list and join them:

```
set letter to join([
  "Dear Ada,",
  "",
  "The engine works."
], "\n")
```

That's a little longer than a block of quoted text would be, and it has the advantage of showing exactly where the line breaks are — which matters in a language that ignores indentation everywhere else.

---

3. The three kinds of bracket

Each pair does one job. Mixing them up is the most common early mistake, so it's worth a page of its own.

BRACKETS	JOB	EXAMPLE
`[ ]`	Make a list, or reach into one	`[1, 2, 3]` and `xs[1]`
`{ }`	Make a record, and look one up by name	`{name: "Ada"}` and `counts["the"]`
`( )`	Group a calculation, and hold an action's inputs	`(2 + 3) * 4` and `double(5)`

Two traps catch nearly everyone.

Round brackets don't make a list. `(1, 2, 3)` is an error, and Rogal will offer to rewrite it as `[1, 2, 3]`.

Square brackets build a new list. They don't mark where one goes. If you already have a list, hand it over as it is:

```
set a to [1, 2]
set b to [3]

show join(a + b, "-")      # 1-2-3
show join([a + b], "-")    # wrong: a list holding one list
```

`[a + b]` makes a list with a single item in it, and that item is itself a list. `count([a + b])` is 1, while `count(a + b)` is 3.

4. `set` and `change` — names and values

`set` creates a name. `change` gives an existing one a new value. They are separate on purpose, so a typo can never quietly create a second variable.

```
set total to 0          # create
change total to 5       # alter
```

Each fails clearly if used the wrong way round:

```
set total to 0
set total to 5
```

> Line 2: `total` already exists. To give it a new value, use `change total to 5`.

```
change score to 10
```

> Line 1: There's nothing called `score` to change. Create it first with `set score to 10`.

```
set total to 0
change totl to total + 5
```

> Line 2: There's nothing called `totl` to change. There is something called `total` — did you mean that?

That last one is the point of the whole design. In most languages it silently makes a second variable and the bug surfaces much later.

There is no `=` in Rogal, so `=` and `==` can never be confused.

One name means one thing. `set` fails if the name is already in use anywhere you can see it, including the built-in actions:

```
set count to 3
```

> Line 1: `count` is already the name of a built-in action.

Names start with a letter or `_` and may contain letters, digits and `_`. They are case-sensitive.

All 32 words and all 32 action names are taken, so neither `set count to 0` nor `set at to 1` will work — `at` belongs to `is at least` — `count` is already something. The error says which name clashed. Section 23 lists every one of them; `total`, `tally` and `how_many` are all free.

`change` also reaches inside lists and records:

```
set xs to [10, 20, 30]
change xs[2] to 99         # xs is now [10, 99, 30]

set p to {name: "Ada"}
change p.name to "Grace"
change p.city to "London"  # adds a new field
```

`set` only ever creates a whole new name, so it never has a `.` or `[` after it.

A NAME HOLDS A VALUE, NOT A LINK

Giving one name to another copies the value. The two are then independent:

```
set prices to [10, 20, 30]
set backup to prices

change prices[1] to 99

show prices      # [99, 20, 30]
show backup      # [10, 20, 30]
```

Numbers and text have always worked this way — `set b to a` then changing `a` never altered `b`. Lists and records work the same way, so nothing gets shared by accident.

The same is true when a value goes into an action, which is what makes an action properly sealed:

```
set data to [1, 2, 3]

make wreck(xs)
  change xs[1] to 999
  give 0
end

show wreck(data)
show data        # [1, 2, 3] — untouched
```

An action can read what you pass in and hand something back. It can't reach out and change anything.

If you want two names to match again later, say so — `change backup to prices` takes a fresh copy at that moment.

5. `show` — displaying something

```
show "Hello"
show 42
show total
```

Several values separated by commas appear on one line, with a space between:

```
set prices to [10, 20]
show "How many:", count(prices), "Total:", sum(prices)
```

```
How many: 2 Total: 30
```

`show` displays text without its quote marks. Inside a list or record, text keeps its quotes so you can see what is text and what is a number.

---

6. How things combine — the important part

This is the rule that makes everything else fit together:

> **Anywhere a value is allowed, any expression that produces a value is allowed.**

An **expression** is anything that produces a value: a number, some text, a name, a list, arithmetic, a comparison, a field, a position, or an action call. A **statement** is a whole instruction: `set`, `change`, `show`, `use`, `if`, `for each`, `repeat`, `while`, `make`, `give`, `stop`.

So `count(prices)` produces a number, and can go anywhere a number can go:

```
show count(prices)                    # in a show
set how_many to count(prices)         # in a set
if count(prices) is more than 3       # in a test
show "Items: " + count(prices)        # joined onto text
set doubled to count(prices) * 2      # in arithmetic
```

Actions can go inside other actions. Read them from the inside out:

```
show first(sort_up(prices))
# sort_up(prices) gives an ordered list
# first(...) then takes its first item
```

```
show round(sum(prices) / count(prices))
# sum gives a total, count gives how many,
# / divides them, round makes it whole
```

Nest as deeply as you like. Blocks have no limit and no special syntax. (An action calling *itself* does have one — 300 times, so a mistake stops rather than freezing.)

What doesn't combine: a statement can never go inside an expression. These are all wrong:

```
set x to show 5            # show is a statement, not a value
set x to (set y to 2)      # set is a statement, not a value
show if true               # if is a statement, not a value
```

Where each thing must produce the right kind of value:

POSITION	MUST BE
`if` and `while` tests	true or false — nothing else is accepted
`for each … in`	a list, or text
`repeat … times`	a number
`[position]`	a number, from 1 upwards

---

7. Arithmetic and joining

```
show 10 + 5      # 15
show 10 - 5      # 5
show 10 * 5      # 50
show 10 / 4      # 2.5
show 10 % 3      # 1   — the remainder after dividing
```

`+` does three jobs, depending on what is on either side:

```
show 2 + 3                 # 5          number plus number
show "a" + "b"             # ab         text joined to text
show "Total: " + 30        # Total: 30  number folded into text
show [1, 2] + [3]          # [1, 2, 3]  two lists into one
```

That third line matters: joining a number onto text needs no conversion. `"Total: " + 30` simply works.

Dividing by zero is an error, not `infinity`.

Numbers are shown tidied, so `0.1 + 0.2` displays as `0.3` rather than a long trail of digits — and they are **compared** the same way, so `0.1 + 0.2 is 0.3` is true. What you see is what you get, which isn't true in most languages.

Two numbers less than a ten-billionth apart count as the same. That's the right trade for money and measurements; it would be the wrong one for scientific work needing more precision than that.

---

8. Comparing

Comparisons are words, never symbols. Typing `>` or `==` gets you an error telling you the word to use instead.

WRITTEN	MEANS
`is`	exactly the same
`is not`	different
`is more than`	bigger
`is less than`	smaller
`is at least`	bigger or the same
`is at most`	smaller or the same

```
if score is 10
if name is not "Ada"
if age is at least 18
```

`is` compares by content, so two lists with the same items match:

```
show [1, 2] is [1, 2]      # true
```

Sizes can be compared for numbers, and for text alphabetically. **Capital letters and accents are ignored when ordering**, so text sorts the way a dictionary does:

```
show "apple" is less than "Banana"    # true
show sort_up(["banana", "Apple"])     # ["Apple", "banana"]
```

Ordering ignores capitals, but `is` doesn't — `"Apple" is "apple"` is false. Matching is exact — only ordering is forgiving.

Comparing sizes of anything else is an error, with a message pointing you at `is`.

---

9. Logic and conditions

```
and    both must be true
or     either may be true
not    turns true into false
```

```
if age is at least 18 and name is not ""
  show "Allowed"
end

if not (score is 0)
  show "Started"
end
```

Everything must be true or false. There is no truthiness — an empty list, zero, and empty text are **not** false in Rogal, they are simply not conditions:

```
if count(xs) is more than 0     # correct
if xs                           # error, with a message telling you the above
```

`IF`, `ELSE IF`, `ELSE`

```
if score is at least 9
  show "Publish"
else if score is at least 7
  show "Watch"
else
  show "Skip"
end
```

One `end` closes the whole chain. `else if` may repeat as many times as you like; `else` is optional and comes last.

---

10. Loops

`FOR EACH` — GO THROUGH A LIST

```
for each price in prices
  show price
end
```

Also works on text, one letter at a time:

```
for each letter in "abc"
  show letter
end
```

For a record, go through its field names:

```
for each field in keys(person)
  show field
end
```

`REPEAT` — A FIXED NUMBER OF TIMES

```
repeat 3 times
  show "tick"
end
```

The count must be a whole number. `repeat 2.7 times` is an error rather than a silent guess, and the message says to use `round(2.7)` if that's what you meant.

`WHILE` — UNTIL A TEST STOPS BEING TRUE

```
set n to 1
while n is at most 5
  show n
  change n to n + 1
end
```

`STOP` — LEAVE A LOOP EARLY

```
for each n in [1, 2, 3, 4]
  if n is 3
    stop
  end
  show n
end
```

```
1
2
```

`stop` works in all three loops and leaves only the innermost one.

A loop that never finishes is stopped automatically after about four million steps or five seconds, with a message saying so. It won't hang.

---

11. Actions

`make` creates an action. `give` hands a value back.

```
make double(n)
  give n * 2
end

show double(21)        # 42
```

An action sees only what you pass in. It can't read or alter anything outside itself, so its first line lists everything it uses:

```
set tax to 0.2
make total(amount)
  give amount * (1 + tax)     # error — tax is outside
end
```

Line 3: `tax` exists outside this action, but actions can't see outside names. Pass it in instead.

```
make total(amount, tax)       # correct
  give amount * (1 + tax)
end
show total(100, 0.2)          # 120
```

Two useful consequences. Names are reusable — `n` can be an input to every action, since no two actions can see each other's. And nothing ever changes at a distance: to alter something outside, an action must give a value back and the caller must `change` it.

Actions can still call other actions, including themselves:

```
make factorial(n)
  if n is at most 1
    give 1
  end
  give n * factorial(n - 1)
end

show factorial(6)      # 720
```

WHEN AN ACTION NEEDS TO REACH OUTSIDE

An ordinary action can't use `read`, `write`, `get`, `ask` or `now` — that's what keeps it free of surprises. But a library needs to. Start it with

`reach` instead of `make`:

```
reach load_table(name)
  set raw to read(name)
  give csv_records(raw)
end

set rows to load_table("stock.csv")
show count(rows)
```

`reach` says this action touches the world, and it then follows the same two rules the kernel does. It needs a line of its own, and an ordinary action still can't call it:

```
make summarise(name)
  give count(load_table(name))     # no
end
```

> `load_table` reaches outside the program, so an ordinary action can't call it.

So the promise holds either way: anything marked `make` uses only what you pass in, and anything that touches the outside says so on the line where it happens.

FAILING ON PURPOSE

`fail` stops the program with a message you write:

```
if count(row) is not 3
  fail "Expected three values, found " + count(row)
end
```

That's how a library says the input is the wrong shape, rather than letting it turn into a confusing error further along. It works anywhere, including inside an action.

Actions are made at the top level only, never inside an `if`, a loop, or another action. Actions can call each other freely, so nothing is lost by keeping them together — and you can see every action in a program without hunting through blocks.

Several inputs are separated by commas, and an action with no inputs still needs its brackets:

```
make greet()
  show "Hello"
end

greet()
```

`give` stops the action immediately, so it doubles as an early exit. An action that never reaches a `give` produces `nothing`. Calling with the wrong number of values is an error naming what it expected.

Actions are values, so they can be stored and passed on:

```
make double(n)
  give n * 2
end

make apply(fn, value)
  give fn(value)
end

show apply(double, 7)   # 14
```

12. Lists in detail

Items count from 1. The first item is `xs[1]`, matching how people already count.

```
set xs to ["a", "b", "c"]
show xs[1]             # a
show xs[3]             # c
show count(xs)         # 3
change xs[2] to "Z"    # xs is now ["a", "Z", "c"]
```

Asking for a position that doesn't exist tells you how many there are. A position must also be a whole number — `xs[2.9]` is an error, not item 2, because a fraction there is nearly always a sum that needed rounding.

A list may hold anything, including other lists and records:

```
set people to [
  {name: "Ada", born: 1815},
  {name: "Alan", born: 1912}
]

for each person in people
  show person.name + " — " + person.born
end
```

A list written across several lines needs no continuation marks, as above.

Text also takes positions, giving one letter:

```
show "hello"[1]        # h
```

---

13. Records in detail

```
set person to {name: "Ada", born: 1815}
show person.name       # Ada
show keys(person)      # ["name", "born"]
show count(person)     # 2
```

Reading a field that doesn't exist lists the fields it does have, and suggests a correction if your spelling was close.

Records nest, and are read with dots all the way down:

```
set config to {owner: {name: "Ada", city: "London"}}
show config.owner.city      # London
```

The dot needs a field that already exists. Brackets may create one.

`change person.age` alters a field you wrote down when you made the record, and fails if there isn't one:

```
set person to {name: "Ada"}
change person.age to 36
```

> Line 2: This record has no field called `age`, so there's nothing to change. It has: name.

So a misspelling with the dot is caught, rather than quietly making a second field beside the real one. If you know what a record will hold, declare it all when you create it, using `nothing` for what isn't known yet:

```
set person to {name: "Ada", age: nothing}
change person.age to 36
```

LOOKING A RECORD UP BY NAME

When the name is worked out while the program runs — counting words, grouping things, keeping a tally — use square brackets and text. This is the one place a record can grow, and you had to type the quotes to get there, so it can't happen by accident:

```
set counts to {}

for each word in split("the cat the dog the cat", " ")
  if has(counts, word)
    change counts[word] to counts[word] + 1
  else
    change counts[word] to 1
  end
end

show counts              # {the: 3, cat: 2, dog: 1}
show counts["the"]       # 3
```

Reading a name that isn't there is still an error, so check with `has` when you're not sure.

In one line: **the dot is for a shape you already know; brackets are for a name the program works out.**

---

14. The 27 built-in actions

Always available. Nothing to import. **None of them ever changes what you give them** — they hand back a new value, so the original is untouched.

LISTS

ACTION	NEEDS	GIVES BACK
`count(thing)`	list, text or record	how many items, letters or fields
`add(list, item)`	a list and anything	a **new** list with the item on the end
`remove(list, position)`	a list and a position	a **new** list without that item
`first(list)`	a list with at least one item	the first item
`last(list)`	a list with at least one item	the last item
`reverse(list)`	a list or text	it, back to front
`has(collection, item)`	list, text or record	true or false
`sum(list)`	a list of numbers only	the total
`sort_up(list)`	all numbers, or all text	smallest or A–Z first
`sort_down(list)`	all numbers, or all text	largest or Z–A first
`sort_up(list, "field")`	a list of records	ordered by that field, smallest first
`sort_down(list, "field")`	a list of records	ordered by that field, largest first
`numbers(from, to)`	two whole numbers	a list counting from one to the other
`join(list, separator)`	a list and some text	one piece of text

```
set xs to [3, 1, 2]
show sort_up(xs)              # [1, 2, 3]
show sort_down(xs)            # [3, 2, 1]
show xs                       # [3, 1, 2] — untouched

change xs to add(xs, 4)       # to keep the result, change the name
show xs                       # [3, 1, 2, 4]
```

`add` AND `+` ARE NOT THE SAME

`add` puts in **exactly one item**, whatever that item is. `+` **merges two lists**:

```
set xs to [1, 2]

show add(xs, 3)         # [1, 2, 3]
show xs + [3]           # [1, 2, 3]     — same

show add(xs, [3, 4])    # [1, 2, [3, 4]]  one new item, which is a list
show xs + [3, 4]        # [1, 2, 3, 4]    four items
```

Counting makes the difference plain:

```
set names to ["Ada"]

show count(add(names, ["Alan", "Grace"]))   # 2
show count(names + ["Alan", "Grace"])       # 3
```

If you're reaching for `add` with square brackets in the second slot, you almost certainly want `+`. `join` is a third thing again — it turns one list into text.

Sorting records needs the field name in quotes:

```
set people to [
  {name: "Grace", born: 1906},
  {name: "Ada", born: 1815}
]
show sort_up(people, "born")     # Ada first
show sort_down(people, "born")   # Grace first
```

Misspelling the field is an error naming the fields that exist, with a one-tap correction. It's checked when the line runs, not before.

TEXT

ACTION	NEEDS	GIVES BACK
`split(text, separator)`	two pieces of text	a list
`slice(thing, from, to)`	text or a list, and two positions	the part between them, both ends included
`replace(text, old, new)`	three pieces of text	the text with every `old` swapped for `new`
`find(text, part)`	two pieces of text	where `part` starts, or `nothing`
`upper(text)`	text	text in capitals
`lower(text)`	text	text in lower case
`trim(text)`	text	text without leading or trailing spaces

```
show slice("programming", 1, 7)      # program
show slice([1,2,3,4,5], 2, 4)        # [2, 3, 4]
show replace("the cat sat", "cat", "dog")
show find("hello world", "world")    # 7
```

`slice` counts both ends in, so `slice(word, 2, 4)` gives you letters two, three and four. Ask for more than there is and it stops at the end, which makes truncating easy: `slice(long, 1, 20)` never fails.

`find` gives `nothing` when the text isn't there, so check what it hands back before using it:

```
set line to "name,age,city"

set comma to find(line, ",")
if comma is not nothing
  show slice(line, 1, comma - 1)      # name
end
```

Forget the check and the error names where the `nothing` came from, and the test to add.

LAYING THINGS OUT

ACTION	NEEDS	GIVES BACK
`align_left(value, width)`	anything, and a width	it as text, padded with spaces on the right
`align_right(value, width)`	anything, and a width	it as text, padded with spaces on the left
`decimals(number, places)`	a number and how many places	it as text, with exactly that many decimals

`round` gives a number, and numbers drop trailing zeros — so `round(17.1, 2)` shows `17.1`. When you want `17.10`, you want text:

```
set items to [{name: "apple", price: 1.5}, {name: "watermelon", price: 12}]

for each item in items
  show align_left(item.name, 14) + align_right(decimals(item.price, 2), 8)
end
```

```
apple            1.50
watermelon      12.00
```

Neither aligning action ever truncates. Give it something wider than the width and you get it back whole.

NUMBERS

ACTION	NEEDS	GIVES BACK
`round(number)`	a number	the nearest whole number
`round(number, places)`	a number and how many places	rounded to that many decimals
`random(lowest, highest)`	two numbers	a whole number, either end possible

```
show round(17.12345, 2)    # 17.12
show round(2.5)            # 3
show round(-2.5)           # -3   — same distance either side of zero
```

Rounding gives a number, and numbers drop trailing zeros, so `round(17.1, 2)` shows as `17.1` rather than `17.10`. Fixed decimal places for display needs text formatting, which doesn't exist yet.

CONVERTING AND RECORDS

ACTION	NEEDS	GIVES BACK
`text(value)`	anything	it as text
`number(text)`	text that reads as a number	the number
`keys(record)`	a record	a list of its field names

15. Reaching outside the program

Five actions reach beyond the program itself:

ACTION	NEEDS	GIVES BACK
`read(name)`	the name of a file	its contents as text
`write(name, text)`	a file name and some text	how many letters were written
`get(address)`	a web address	what the page returned, as text
`ask(question)`	something to ask	whatever the person types, as text
`now()`	nothing	a record describing this moment

```
set raw to read("stock.csv")
set lines to split(trim(raw), "\n")
show "Lines found:", count(lines)

write("report.txt", join(lines, "\n"))
```

Two rules apply to these five and nothing else.

They need a line of their own. A kernel action can be a statement by itself, or the whole value after `set` or `change` — never buried inside a larger expression:

```
show read("stock.csv")              # no
set raw to read("stock.csv")        # yes
show raw
```

So the moment a program touches the outside world is visible on its own line, not buried in a calculation.

`now()` gives a record rather than a lump of text to pick apart:

```
set moment to now()

show moment.date        # 2026-08-22
show moment.weekday     # Saturday
show moment.day         # 22
```

Nine fields, so nothing needs pulling apart by hand:

FIELD	WHAT IT HOLDS	EXAMPLE
`date`	the whole date, ready to sort	`"2026-08-22"`
`time`	the whole time	`"19:03:08"`
`year`	a number	`2026`
`month`	a number, 1 to 12	`8`
`day`	a number — which day of the month	`22`
`weekday`	the name of the day	`"Saturday"`
`hour`	a number, 0 to 23	`19`
`minute`	a number	`3`
`second`	a number	`8`

`day` counts, `weekday` names — those are the two people mix up. `month` is a number too; `dates.rogal` has `month_name` if you want "August". There's no am/pm, since `hour` runs 0 to 23, and everything is your computer's local time rather than UTC.

Dates written as `2026-08-22` sort and compare correctly on their own, because the biggest part comes first — so `sort_up` on a list of them does the right thing with no extra work. For counting days, moving forwards and naming months, `dates.rogal` in the repository is a small library written in Rogal that you can paste above your own code.

`ask` always gives back **text**, even when the person types a number — there's no way to know which they meant. So do sums with `number(...)`:

```
set age to ask("How old are you?")
show number(age) * 2
```

Forget it and the error says where the text came from, with a button to wrap it:

> Line 2: I can only multiply numbers, but got the text "10" and the number 2. `age` holds text, because that is what `ask` gives back. Wrap it in `number(age)` to do sums with it.

They can't be used inside an action. Read at the top of your program, pass the value in, and get a value back:

```
make count_lines(raw)
  give count(split(trim(raw), "\n"))
end

set raw to read("stock.csv")
show count_lines(raw)
```

Every action you write is then free of surprises: same inputs, same result, no files touched. It also means a library written in Rogal runs in a browser as happily as on a computer.

`read` only reads text — `.txt`, `.csv`, `.json` and the like. Hand it a PDF, an image or a spreadsheet and it says so rather than giving back a page of nonsense.

WHAT THESE FIVE DO IN A BROWSER

A web page has no file system, so `read` **asks you to pick a file** and `write` **hands one back as a download**. `ask` is a prompt box. The program is the same either way — you just pick the file instead of naming it. `get` works, but only for sites that permit it — a limit of web pages, not of Rogal.

If a file isn't chosen, or a site refuses, you get an ordinary Rogal error explaining which.

16. Using another file

An action you'll want twice belongs in its own file. `use` brings one in:

```
use "dates"

set moment to now()
show long_date(moment.date)      # 29 August 2026
show weekday("2026-12-25")       # Friday
```

`dates.rogal` sits next to your program, and every action it defines becomes available as though you'd written it yourself.

A library holds only actions. `make` blocks, and `use` lines of its own — nothing else. A stray `show` in a library would run every time somebody included it, which is the kind of surprise the rest of the language works to avoid.

`use` **lines go at the top**, above your own code and never inside a block. All of them are followed before a single line runs, so a missing file or a clashing name is reported straight away rather than halfway through.

An error inside a library says which file it came from, since a line number from `csv.rogal` would mean nothing against your own program.

Three things are checked for you:

- **A file that isn't there** — named, with where it was looked for.
- **Two actions with the same name** — named, and which file the other came from.
- **A circle**, where two libraries include each other — reported with the chain that led back round.

Using the same library twice does no harm; the second `use` is ignored.

WHERE IT LOOKS

Three libraries travel with Rogal, all written in Rogal itself so you can open them and read them:

LIBRARY	WHAT IT DOES
`dates`	Counting days, adding them, naming weekdays and months
`csv`	Reading and writing comma-separated tables, quoted fields included
`json`	Turning JSON text into values and back, which is what `get` usually hands you

```
use "json"

set reply to get("https://example.com/things.json")
set things to parse_json(reply)
show things[1].name
```

They're written character by character, so they're quick for what an address gives back and slow for anything very large. A few thousand rows of CSV is a second or so; much past that and the program runs out of its time.

ADDING YOUR OWN

On your computer, put `mylib.rogal` next to your program and `use "mylib"` finds it. Rogal looks beside your program first and then beside itself, so your own version of a name wins over one that shipped.

In the playground, the **+ library** button takes a `.rogal` file and makes it available for as long as the tab is open. Same rule: yours wins.

On your computer, `use "dates"` looks for `dates.rogal` next to your program, then next to Rogal itself. In a browser there are no files, so only libraries that travel with the page or that you have added are available — `dates` is one of them, and anything else says so plainly.

17. Order of operations

From loosest to tightest:

1. `or`
2. `and`
3. comparisons — `is`, `is more than`, and the rest
4. `+` `-`

5. `*` `/` `%`
6. `not`, and negative signs
7. calls `()`, fields `.`, positions `[]`

So `2 + 3 * 4` is 14, and `a is 1 and b is 2` reads as expected. Use brackets whenever you'd rather not rely on remembering this:

```
show (2 + 3) * 4          # 20
```

---

18. Where names live

Two rules cover all of it.

Each block keeps its own new names. A name created inside an `if`, `for each`, `while` or `repeat` is forgotten at its `end`:

```
for each price in prices
  set found to price
end
show found
```

```
Line 4: found only exists inside the for on line 1. Names made inside a block are forgotten at its end. Create it before the block instead: set found to nothing
```

Which is exactly how to write it — create it outside, alter it inside:

```
set found to nothing
for each price in prices
  change found to price
end
show found
```

That's why a running total is always created before its loop. The loop's own name works the same way: `price` exists only for the loop.

Each action is sealed. It sees its inputs, anything it creates itself, the built-in actions, and other actions — nothing else. See section 10.

One rule covers both: **a name means one thing inside any single action, and one thing at the top level.** You'll rarely meet the error. It fires only when you typed `set` where you meant `change`, or forgot a name was already in use.

19. Errors

Every error names the line, underlines the exact word and says what went wrong in a sentence. Most go further and suggest what to do next; a few, where the fix is unambiguous, offer it as a button:

```
Line 10
show "Sum is " + totl
                 ^^^^
I don't know what "totl" is.
There is something called "total". Did you mean that?
```

The full set of things Rogal will tell you:

- an unknown name, with the closest name you did define (your own names are offered before built-ins)
- a name that vanished at an `end`, naming the block it was created in
- `set` on a name that already exists, and `change` on one that doesn't
- a record field that doesn't exist, with the fields that do
- a list position past the end, with how many items there are

- arithmetic on the wrong kind of value, naming both sides
- an `if` or `while` test that isn't true or false, with a suggested comparison
- an action given the wrong number of values, naming what it expects
- a block never closed, saying how many `end`s were expected and which one closed what
- a library that's missing, holds more than actions, clashes, or includes itself
- text never closed with a second quote mark
- `=` where `set` or `change` was meant, and `>` or `==` where a word was meant
- an action reaching for a name outside itself
- a field name misspelled inside `sort_up` or `sort_down`
- dividing by zero
- text that can't be read as a number
- a loop that never finishes

Where the fix is unambiguous, the playground offers it as a button.

---

20. The complete word list

All 32. There are no others.

Instructions — `set`, `change`, `to`, `show`, `use`, `if`, `else`, `end`, `for`, `each`, `in`, `repeat`, `times`, `while`, `make`, `reach`, `fail`, `give`, `stop`

Comparing values — `is`, `not`, `more`, `less`, `than`, `at`, `most`, `least`

Combining conditions — `and`, `or`

Values — `true`, `false`, `nothing`

Six of these (`more`, `less`, `than`, `at`, `most`, `least`) only ever appear as part of a comparison such as `is more than`, so in practice there are 26 words to learn and six that come along with them.

Symbols — `+` `-` `*` `/` `%` `(` `)` `[` `]` `{` `}` `,` `.` `:` `"` `#`

21. What Rogal doesn't have yet

The edges, so nothing catches you out:

- **No `try` or `catch`.** An error stops the program. You can stop one yourself with `fail "..."` when the input is wrong, but you can't catch an error and carry on.
- **Dates are text, not their own kind of value.** `now()` gives you the moment, and the `dates` library counts days and names weekdays. Written as `2026-09-03` they sort and compare correctly on their own.
- **No classes.** Records hold values, not actions on those values. That may stay as it is.
- **Nothing runs in the background.** No timing, no waiting, no doing two things at once.

22. A complete program

Everything in this document, used once:

```
# Work out which product line earned most last month.

set lines to [
  {name: "Monitors", units: 42, price: 189.99},
  {name: "Keyboards", units: 118, price: 34.50},
  {name: "Cables", units: 306, price: 4.25}
]

make revenue(line)
  give line.units * line.price
end

set totals to []

for each line in lines
  set earned to revenue(line)
  change totals to add(totals, earned)
  show line.name + ": " + round(earned, 2)
end

show ""
show "Total:", round(sum(totals), 2)
show "Average per line:", round(sum(totals) / count(lines), 2)

show ""
show "Best first:"
for each line in sort_down(lines, "units")
  show "  " + line.name + " — " + line.units + " units"
end
```

```
Monitors: 7979.58
Keyboards: 4071
Cables: 1300.5

Total: 13351.08
Average per line: 4450.36

Best first:
  Cables — 306 units
  Keyboards — 118 units
  Monitors — 42 units
```

Note the shape: `set totals to []` before the loop, `change` inside it, and `revenue` taking everything it needs as an input.

---

23. Everything, in alphabetical order

Every word and every action, with where to read more. Words shape a program; actions do something and hand back a value.

WORDS

WORD	WHAT IT DOES	SECTION
`and`	Both conditions must be true	9
`at least`	Bigger or the same (part of `is at least`)	8
`at most`	Smaller or the same (part of `is at most`)	8
`change`	Give an existing name a new value	4
`each`	Part of `for each`	10
`else`	The other branch of an `if`. Needs its own line	9
`end`	Closes a block. Needs its own line	1
`false`	One of the two things an `if` accepts	2
`for`	Start of `for each`	10
`give`	Hand a value back from an action, and stop it there	11
`if`	Do something only when a condition holds	9
`in`	Part of `for each … in`	10
`is`	Exactly the same. There is no `==`	8
`is at least`	Bigger or the same	8
`is at most`	Smaller or the same	8
`is less than`	Smaller	8
`is more than`	Bigger	8
`is not`	Different	8
`less`	Part of `is less than`	8
`make`	Create an action. Top level only	11
`more`	Part of `is more than`	8
`nothing`	No value yet	2
`not`	Turns true into false	9
`or`	Either condition may be true	9
`repeat`	Do something a fixed number of whole times	10
`set`	Create a name. Fails if it already exists	4
`show`	Display something. Commas put several on one line	5
`reach`	Create an action that may touch the outside	11
`fail`	Stop the program with a message you write	11
`stop`	Leave the innermost loop early	10
`than`	Part of `is more than` and `is less than`	8
`times`	Part of `repeat … times`	10
`to`	Part of `set … to` and `change … to`	4
`use`	Bring in the actions from another file	16
`true`	One of the two things an `if` accepts	2
`while`	Keep going until a condition stops holding	10

ACTIONS

ACTION	WHAT IT DOES	SECTION
`add(list, item)`	A new list with one more item on the end	14
`align_left(value, width)`	Padded with spaces on the right	14
`align_right(value, width)`	Padded with spaces on the left	14
`count(thing)`	How many items, letters or entries	14
`decimals(number, places)`	A number as text, with exactly that many decimals	14
`find(text, part)`	Where something starts, or `nothing`	14
`first(list)`	The first item	14
`has(thing, item)`	Whether it's in there. True or false	14
`join(list, separator)`	One list into one piece of text	14
`keys(record)`	A list of a record's names	14
`last(list)`	The last item	14
`lower(text)`	Text in lower case	14
`number(text)`	Text into a number. Fails if it isn't one	14
`numbers(from, to)`	A list counting from one to the other	14
`random(low, high)`	A whole number between the two, either end possible	14
`remove(list, position)`	A new list without that item	14
`replace(text, old, new)`	Every `old` swapped for `new`	14
`reverse(list)`	It, back to front. Works on text too	14
`round(number)`	Nearest whole number	14
`round(number, places)`	Rounded to that many decimals	14
`slice(thing, from, to)`	The part between two positions, both ends in	14
`sort_down(list)`	Largest or Z–A first	14
`sort_down(list, "field")`	Records ordered by a field, largest first	14
`sort_up(list)`	Smallest or A–Z first	14
`sort_up(list, "field")`	Records ordered by a field, smallest first	14
`split(text, separator)`	One piece of text into a list	14
`sum(list)`	The total of a list of numbers	14
`text(value)`	Anything, as text	14
`trim(text)`	Text without spaces at either end	14
`upper(text)`	Text in capitals	14

ACTIONS THAT REACH OUTSIDE THE PROGRAM

These five are different in kind. Each needs a line of its own, and nyou can be used inside an action — so everything you write yourself stays free of surprises.

ACTION	WHAT IT DOES	SECTION
`ask(question)`	Ask the person something. Always gives text	15
`get(address)`	Fetch a web address, as text	15
`now()`	A record describing this moment	15
`read(name)`	Read a text file	15
`write(name, text)`	Write a text file	15