

Everyday Agent — Testing Instructions

Overview

Everyday Agent includes **automated tests** (Python) and **manual verification steps** (browser UI). All tests run locally with no external dependencies or API keys.

1. Automated Tests (Python)

Prerequisites

- Python 3.8+ installed
- No pip packages required (standard library only)

Run All Tests

```
` bash
py -3 -m unittest -v
`
Or on macOS/Linux:
` bash
python3 -m unittest -v
`
```

Expected Output

```
`
Ran 53 tests in ~1.7s
OK
`
```

All 53 tests must pass with zero failures.

What the Tests Cover

test_everyday_agent.py - Core Policy Engine (46 tests)

CategoryTestsWhat it verifies

3-Level Operating Model test_levels_one_two_three_match_operating_model Level 1 = execute silently, Level 2 = execute + report, Level 3 = ask first

Dynamic Trust Engine test_new_counterparty_starts_at_twenty_and_requires_confirmation New provider starts at trust 20/100, requires confirmation

| test_fast_approval_raises_more_than_slow_approval_and_rejection_drops Quick approval raises trust more; rejection drops trust sharply

| test_trust_decays_toward_prudent_baseline Unused trust decays over time toward baseline

| test_trusted_counterparty_gets_dynamic_spend_limit High trust unlocks higher spend limits dynamically

| test_similar_trust_is_imported_but_never_silent Trust transfers cautiously between similar domains, never to Level 1

Safety Caps test_sensitive_trust_cap_cannot_reach_silent_execution Money/health/legal never reach silent execution even at trust 100

| test_permanent_sensitive_authorization_never_reaches_level_one Permanent authorization on sensitive tasks stays at Level 2

| test_money_guard_enforces_single_monthly_and_demo_caps Monthly spend cap and per-decision caps enforced

Security & Adversarial test_suspicious_activity_is_immediate Fraud/suspicious activity triggers immediate Level 3 alert

| test_irreversible_action_requires_confirmation Cancel/send/delete always asks first

| test_sensitive_domain_always_requires_explicit_confirmation Health/money/legal always require explicit confirmation

GDPR & Privacy test_gdpr_sharing_requires_case_by_case_authorization Data sharing needs per-case authorization

| test_family_context_and_retention_are_persisted Family data persisted with retention policy

Family Permissions test_family_permission_matrix_blocks_unauthorized_actor Teenager cannot authorize expenses; partner has selective powers

Onboarding & Calibration test_calibration_is_explicit_and_temporary Calibration period announced, temporary, extra notifications explained

Explainability test_level_one_has_explanation_and_local_undo_redo Every auto-action has explanation + undo capability

Rollback test_nonreversible_action_cannot_be_rolled_back Irreversible actions cannot be undone

DND & Routing test_smart_dnd_and_routing Smart Do Not Disturb raises threshold during sensitive times

Offboarding test_offboarding_preserves_handover_and_pauses_agent Deactivation preserves open tasks, pauses agent cleanly

Memory & Learning test_never_automate_and_rejection_are_remembered "No" is permanent; repeated suggestions stopped

| test_repeated_approvals_propose_automation Repeated approvals suggest automation

Silent Cost Detection test_silent_cost_and_hidden_deadline_are_recorded Unused subscriptions and hidden deadlines flagged

Metrics (KPI) test_metrics_and_seasonal_forecast_are_actionable Metrics tracked, seasonal peaks anticipated

Professional Advice test_professional_advice_is_not_given_as_binding_advice Never gives medical/legal/financial binding advice

Technical Failures test_technical_failure_is_separate_and_resolvable Integration failures reported separately from decisions

Manual Mode test_manual_mode_blocks_classification_and_has_global_override Manual mode blocks all auto-classification

Notification Limits test_notification_limit_queues_nonurgent_decisions Non-urgent decisions queued when limit reached

Default Outcome test_default_outcome_is_in_decision_message Every Level 3 notification includes "what happens if you don't respond"

Digest test_digest_reports_pending_tasks Digest reports pending queued tasks

Audit Chain test_audit_chain_detects_tampering_and_crisis_is_localized Audit chain detects tampering; crisis data is isolated

Business Model test_business_and_dependency_summaries_are_operational Business summaries and dependency analysis work

Domain Consent test_domain_consent_is_specific_renewable_and_revocable Domain consent is specific, renewable, revocable

Historical Import test_historical_import_requires_consent_and_advances_cold_start Importing past data requires consent, advances calibration

Rejection Reconsideration test_rejection_can_be_reconsidered_with_new_elements Rejected decisions can be revisited with new info

test_api_server.py - Backend & Auth (5 tests)

TestWhat it verifies

test_registration_session_and_password_login User registration, session cookies, password login
test_family_permissions_are_server_enforced Family permission matrix enforced server-side
test_task_policy_audit_and_execution_gateway Task classification → audit → execution gate pipeline
test_state_is_versioned_and_rejects_secrets State versioning, secret rejection
test_http_auth_cookie_csrf_and_state_round_trip HTTP auth, CSRF protection, state persistence

test_lifecycle_simulation.py - Pre-launch Simulation (6 tests)

TestWhat it verifies

test_report_covers_six_months_and_every_day Simulation produces 180 days of data
test_report_is_deterministic_for_same_seed Same seed → identical results
test_new_profile_starts_at_prudent_baseline_and_trust_can_grow New user starts cautious, trust grows
test_adversary_events_are_blocked_and_support_is_triggered Adversarial attacks blocked, support triggered
test_safety_precedence_is_recorded Safety rules always override trust engine
test_duration_is_bounded Simulation stays within time bounds

2. JavaScript / Node Syntax Checks

```
`bash
node --check preview-server.mjs
node --check app/app.js
node --check app/sw.js
`
```

All three must exit with code 0 (no output on success).

3. File Integrity Check

```
`bash
node -e "const fs=require('fs'); const required=['app/index.html','app/app.js','app/styles.css','app/manifest.webmanifest','app/sw.js','preview-
server.mjs','everyday_agent.py','api_server.py','lifecycle_simulation.py','test_everyday_agent.py','test_api_server.py','test_lifecycle_simulation.py','README.m
const missing=required.filter(f=>!fs.existsSync(f)); if(missing.length){console.log('MISSING:',missing.join(' '));process.exit(1)} else
console.log('All',required.length,'files present');"
```

Expected: All 18 files present

4. Manual UI Testing (Browser)

Start the Application

```
`bash
node preview-server.mjs
`
```

Open: `http://127.0.0.1:4173/`

Test Checklist

4.1 Onboarding Flow

- ☐ Page loads with dark background (no white screen)
- ☐ Language selection appears (Italian / English)
- ☐ After selecting language, name prompt appears
- ☐ After entering name, calibration notice shown ("I'm still calibrating...")
- ☐ Policy acknowledgments displayed and must be accepted
- ☐ Dashboard loads after onboarding completes

4.2 Dashboard Layout

- ☐ Dark theme renders correctly (no white backgrounds)
- ☐ All glassmorphism panels visible
- ☐ Navigation sidebar shows all domains: Home, Money, Health, Errands, Family
- ☐ Trust score displayed somewhere on dashboard
- ☐ No broken layouts or overlapping text

4.3 Domain Navigation

- ☐ Clicking each domain (Home/Money/Health/Errands/Family) loads the correct view
- ☐ Each domain has relevant demo data

- ☐ Back navigation works

4.4 Dynamic Trust Engine

- ☐ Trust scores visible for different action/provider combinations
- ☐ Trust updates after simulated interactions
- ☐ New counterparty starts at 20/100
- ☐ High trust unlocks higher spend limits

4.5 Decision Flow

- ☐ Level 3 notifications appear with "what happens if you don't respond" message
- ☐ Approve/Reject buttons work
- ☐ Level 1 auto-executions show explanation link
- ☐ Undo available for reversible Level 1 actions

4.6 Support Section

- ☐ Support section accessible (headphone icon)
- ☐ Clicking support opens AI assistant
- ☐ Assistant responds to basic questions

4.7 Governance

- ☐ Governance panel accessible (shield icon)
- ☐ Family permission matrix visible
- ☐ Audit log shows recent actions
- ☐ Privacy controls accessible

4.8 Settings

- ☐ Settings page loads
- ☐ Language can be changed
- ☐ Notification preferences adjustable
- ☐ Manual mode toggle works

4.9 Pre-launch Simulation Lab

- ☐ Simulation accessible from dashboard
- ☐ Can configure user scenario (name, income, family)
- ☐ Running simulation produces day-by-day report
- ☐ Report shows actions, notifications, trust changes, adversarial events

4.10 Landing Page (site/)

☐ Navigate to `http://127.0.0.1:4173/site/`

- ☐ Landing page loads with correct dark theme
- ☐ FAQ page accessible and searchable
- ☐ Legal page loads
- ☐ 404 page works (try navigating to `/site/nonexistent`)
- ☐ Thank you page renders

4.11 PWA / Offline

- ☐ `manifest.webmanifest` loads without error
- ☐ Service worker registers (check DevTools → Application → Service Workers)
- ☐ App works after going offline (basic caching)

4.12 Mobile Responsiveness

- ☐ Resize browser to mobile width (375px)
- ☐ Navigation collapses or adapts

☐ Content remains readable

☐ No horizontal scroll overflow

5. What Is Real vs Simulated

ComponentStatus

Trust Engine scoringFully implemented
3-Level classificationFully implemented
Policy enforcementFully implemented
Audit chainFully implemented
Family permissionsFully implemented
GDPR controlsFully implemented
Lifecycle simulationFully implemented
Adversarial testingFully implemented
Dashboard UIFully implemented
Landing page + FAQFully implemented
PWA + offline cacheFully implemented
Bank account accessSimulated
Email integrationSimulated
Calendar syncSimulated
Healthcare recordsSimulated
Payment executionSimulated
Real notificationsSimulated
Supplier negotiationSimulated
Real bookingsSimulated

6. CI Quick Check (One Command)

Run everything in one shot:

```
❯ bash
❯ py -3 -m unittest -v && node --check preview-server.mjs && node --check app/app.js && node --check app/sw.js && echo "ALL CHECKS PASSED"
```

Expected final line: ALL CHECKS PASSED