Algorithms

Lecture 11: Linear Programming (Part 1)

Anxiao (Andrew) Jiang

CH. 29 Linear Programming

maximize $3x_1 + x_2 + 2x_3$

subject to:

$$
\begin{aligned}
x_1 \;+\; x_2 + 3x_3 &\le 30 \\
2x_1 + 2x_2 + 5x_3 &\le 24 \\
4x_1 + \; x_2 + 2x_3 &\le 36
\end{aligned}
$$

$$x_1,\ x_2,\ x_3 \ge 0$$

CH. 29 Linear Programming

maximize $3x_1 + x_2 + 2x_3$

Linear
Objective function

subject to:

Linear
Constraints

$$\boxed{\begin{aligned} x_1 + x_2 + 3x_3 &\le 30 \\ 2x_1 + 2x_2 + 5x_3 &\le 24 \\ 4x_1 + x_2 + 2x_3 &\le 36 \\ x_1, x_2, x_3 &\ge 0 \end{aligned}}$$

Variables: x_1, x_2, x_3

CH. 29 Linear Programming

minimize
maximize $3x_1 + x_2 + 2x_3$

Linear
Objective function

subject to:

$$\boxed{\begin{aligned} x_1 + x_2 + 3x_3 &\le 30 \\ 2x_1 + 2x_2 + 5x_3 &\le 24 \\ 4x_1 + x_2 + 2x_3 &\le 36 \\ x_1,\ x_2,\ x_3 &\ge 0 \end{aligned}}$$

Linear
Constraints

Variables: $x_1,\ x_2,\ x_3$

CH. 29 Linear Programming

minimize

maximize $3x_1 + x_2 + 2x_3$

Linear
Objective function

subject to:

Linear
Constraints

$$
\begin{aligned}
x_1 + \quad x_2 + 3x_3 &\le 30 \\
2x_1 + 2x_2 + 5x_3 &\le 24 \\
4x_1 + \quad x_2 + 2x_3 &\le 36 \\
x_1,\ x_2,\ x_3 &\ge 0
\end{aligned}
$$

Variables: $x_1,\ x_2,\ x_3$



CH. 29 Linear Programming

maximize $\quad x_1 + x_2$

s.t.

$$\begin{aligned} 4x_1 - \ \ x_2 &\leq 8 \\ 2x_1 + \ \ x_2 &\leq 10 \\ 5x_1 - 2x_2 &\geq -2 \\ x_1, x_2 &\geq 0 \end{aligned}$$

CH. 29 Linear Programming

maximize $x_1 + x_2$

s.t.

$$
\begin{aligned}
4x_1 - \ x_2 &\le 8 \\
2x_1 + \ x_2 &\le 10 \\
5x_1 - 2x_2 &\ge -2 \\
x_1, x_2 &\ge 0
\end{aligned}
$$



CH. 29 Linear Programming

maximize $\quad x_1 + x_2$

s.t.

$$\begin{aligned} 4x_1 - \ \ x_2 &\le 8 \\ 2x_1 + \ \ x_2 &\le 10 \\ 5x_1 - 2x_2 &\ge -2 \\ x_1, x_2 &\ge 0 \end{aligned}$$



CH. 29 Linear Programming

maximize $x_1 + x_2$

s.t.

$$4x_1 - x_2 \leq 8$$
$$2x_1 + x_2 \leq 10$$
$$5x_1 - 2x_2 \geq -2$$
$$x_1, x_2 \geq 0$$



CH. 29 Linear Programming

maximize $\quad x_1 + x_2$

s.t.

$$4x_1 - x_2 \leq 8$$
$$2x_1 + x_2 \leq 10$$
$$5x_1 - 2x_2 \geq -2$$
$$x_1, x_2 \geq 0$$



CH. 29 Linear Programming

maximize $x_1 + x_2$

s.t.

$4x_1 - x_2 \leq 8$

$2x_1 + x_2 \leq 10$

$5x_1 - 2x_2 \geq -2$

$x_1, x_2 \geq 0$



CH. 29 Linear Programming

maximize $\quad x_1 + x_2$

s.t.

$$4x_1 - x_2 \leq 8$$
$$2x_1 + x_2 \leq 10$$
$$5x_1 - 2x_2 \geq -2$$
$$x_1, x_2 \geq 0$$



CH. 29 Linear Programming

maximize $x_1 + x_2$

s.t.

$4x_1 - x_2 \leq 8$

$2x_1 + x_2 \leq 10$

$5x_1 - 2x_2 \geq -2$

$x_1, x_2 \geq 0$



CH. 29 Linear Programming

maximize $x_1 + x_2$

s.t.

$$4x_1 - x_2 \le 8$$
$$2x_1 + x_2 \le 10$$
$$5x_1 - 2x_2 \ge -2$$
$$x_1, x_2 \ge 0$$



As we move the red line to the left, C gets smaller.

CH. 29 Linear Programming

maximize $x_1 + x_2$

s.t.

$$4x_1 - x_2 \leq 8$$
$$2x_1 + x_2 \leq 10$$
$$5x_1 - 2x_2 \geq -2$$
$$x_1, x_2 \geq 0$$



As we move the red line to the left,
C gets smaller.

CH. 29 Linear Programming

maximize $x_1 + x_2$

s.t.

$4x_1 - x_2 \le 8$

$2x_1 + x_2 \le 10$

$5x_1 - 2x_2 \ge -2$

$x_1, x_2 \ge 0$

As the red line just touches the feasible region, we get an optimal solution.



CH. 29 Linear Programming

maximize $x_1 + x_2$

s.t.

$$4x_1 - x_2 \le 8$$
$$2x_1 + x_2 \le 10$$
$$5x_1 - 2x_2 \ge -2$$
$$x_1, x_2 \ge 0$$



As the red line just touches the feasible region, we get an optimal solution.

The feasible region is a convex polygon. And an optimal solution is a vertex.

CH. 29 Linear Programming

The above observation can be generalized to n variables.

The feasible region is a convex n-dimensional “polygon” called a SIMPLEX.



There exists an optimal solution that is a vertex of the SIMPLEX.



CH. 29 Linear Programming

The above observation can be generalized to n variables.

The feasible region is a convex n-dimensional “polygon” called a SIMPLEX.



There exists an optimal solution that is a vertex of the SIMPLEX.

Let’s look for such an optimal solution.



CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

Can we turn every LP into standard form?

YES.

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \leq b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \leq b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \leq b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \geq 0$$

How to turn every LP into standard form:

minimize $-2x_1 + 3x_2$

s.t.

$$x_1 + x_2 = 7$$
$$x_1 - 2x_2 \leq 4$$
$$x_1 \geq 0$$

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1 x_1 + c_2 x_2 + \cdots + c_n x_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

How to turn every LP into standard form:

minimize $-2x_1 + 3x_2$

s.t.

$$x_1 + x_2 = 7$$
$$x_1 - 2x_2 \le 4$$
$$x_1 \ge 0$$

What's wrong?

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

How to turn every LP into standard form:

minimize $-2x_1 + 3x_2$

s.t.

$$x_1 + x_2 = 7$$
$$x_1 - 2x_2 \le 4$$
$$x_1 \ge 0$$

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \leq b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \leq b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \leq b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \geq 0$$

How to turn every LP into standard form:

minimize $-2x_1 + 3x_2$

s.t.

$$x_1 + x_2 = 7$$
$$x_1 - 2x_2 \leq 4$$
$$x_1 \geq 0$$

$\Rightarrow$

maximize $2x_1 - 3x_2$

s.t.

$$x_1 + x_2 = 7$$
$$x_1 - 2x_2 \leq 4$$
$$x_1 \geq 0$$

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \leq b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \leq b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \leq b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \geq 0$$

How to turn every LP into standard form:

minimize $-2x_1 + 3x_2$

s.t.

$$x_1 + x_2 = 7$$
$$x_1 - 2x_2 \leq 4$$
$$x_1 \geq 0$$

$\Rightarrow$

maximize $2x_1 - 3x_2$

s.t.

$$x_1 + x_2 = 7$$
$$x_1 - 2x_2 \leq 4$$
$$x_1 \geq 0$$

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

How to turn every LP into standard form:

minimize $-2x_1 + 3x_2$

s.t.

$$x_1 + x_2 = 7$$
$$x_1 - 2x_2 \le 4$$
$$x_1 \ge 0$$

$\Rightarrow$

maximize $2x_1 - 3x_2$

s.t.

$$x_1 + x_2 = 7$$
$$x_1 - 2x_2 \le 4$$
$$x_1 \ge 0$$

Replace x_2 :

$$\boxed{\begin{array}{c} x_2 = x_2' - x_2'' \\ x_2' \ge 0,\ x_2'' \ge 0 \end{array}}$$

Example:

$$5 = 6 - 1$$
$$0 = 1 - 1$$
$$-5 = 0 - 5$$

Solution space is unchanged.

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

How to turn every LP into standard form:

minimize $-2x_1 + 3x_2$

s.t.

$$x_1 + x_2 = 7$$
$$x_1 - 2x_2 \le 4$$
$$x_1 \ge 0$$

maximize $2x_1 - 3x_2$

s.t.

$$x_1 + x_2 = 7$$
$$x_1 - 2x_2 \le 4$$
$$x_1 \ge 0$$

maximize $2x_1 - 3(x_2' - x_2'')$

s.t.

$$x_1 + (x_2' - x_2'') = 7$$
$$x_1 - 2(x_2' - x_2'') \le 4$$
$$x_1, x_2', x_2'' \ge 0$$

maximize $2x_1 - 3x_2' + 3x_2''$

s.t.

$$x_1 + x_2' - x_2'' = 7$$
$$x_1 - 2x_2' + 2x_2'' \le 4$$
$$x_1, x_2', x_2'' \ge 0$$

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \leq b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \leq b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \leq b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \geq 0$$

How to turn every LP into standard form:

maximize $2x_1 - 3x_2' + 3x_2''$

s.t.

$$x_1 + x_2' - x_2'' = 7$$
$$x_1 - 2x_2' + 2x_2'' \leq 4$$
$$x_1, x_2', x_2'' \geq 0$$

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \leq b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \leq b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \leq b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \geq 0$$

How to turn every LP into standard form:

maximize $2x_1 - 3x_2' + 3x_2''$

s.t.

$$x_1 + x_2' - x_2'' = 7$$
$$x_1 - 2x_2' + 2x_2'' \leq 4$$
$$x_1, x_2', x_2'' \geq 0$$

$$\Downarrow$$

maximize $2x_1 - 3x_2' + 3x_2''$

s.t.

$$x_1 + x_2' - x_2'' \geq 7$$
$$x_1 + x_2' - x_2'' \leq 7$$
$$x_1 - 2x_2' + 2x_2'' \leq 4$$
$$x_1, x_2', x_2'' \geq 0$$

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \leq b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \leq b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \leq b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \geq 0$$

How to turn every LP into standard form:

maximize $2x_1 - 3x_2' + 3x_2''$

s.t.

$$x_1 + x_2' - x_2'' = 7$$
$$x_1 - 2x_2' + 2x_2'' \leq 4$$
$$x_1, x_2', x_2'' \geq 0$$

$$\Downarrow$$

maximize $2x_1 - 3x_2' + 3x_2''$

s.t.

$$x_1 + x_2' - x_2'' \geq 7$$
$$x_1 + x_2' - x_2'' \leq 7$$
$$x_1 - 2x_2' + 2x_2'' \leq 4$$
$$x_1, x_2', x_2'' \geq 0$$

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

How to turn every LP into standard form:

maximize $2x_1 - 3x_2' + 3x_2''$

s.t.

$$x_1 + x_2' - x_2'' = 7$$
$$x_1 - 2x_2' + 2x_2'' \le 4$$
$$x_1, x_2', x_2'' \ge 0$$

$$\Downarrow$$

Standard Form:

maximize $2x_1 - 3x_2' + 3x_2''$

s.t.

$$-x_1 - x_2' + x_2'' \le -7$$
$$x_1 + x_2' - x_2'' \le 7$$
$$x_1 - 2x_2' + 2x_2'' \le 4$$
$$x_1, x_2', x_2'' \ge 0$$

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

Slack-Form LP:

We want equations, not inequalities.

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \leq b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \leq b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \leq b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \geq 0$$

Slack-Form LP:

How to turn inequality into equality?



In mathematics, it's easy.

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \leq b_1$$

$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \leq b_2$$

$$\vdots$$

$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \leq b_m$$

$$x_1,\ x_2,\ \cdots,\ x_n \geq 0$$

$\Rightarrow$

Slack-Form LP:

$$x_{n+1} = b_1 - a_{1,1}x_1 - a_{1,2}x_2 - \cdots - a_{1,n}x_n \geq 0$$

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \leq b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \leq b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \leq b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \geq 0$$

Slack-Form LP:

$$x_{n+1} = b_1 - a_{1,1}x_1 - a_{1,2}x_2 - \cdots - a_{1,n}x_n \geq 0$$

Auxiliary variable

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

Slack-Form LP:

Right Hand Side

$$x_{n+1} = b_1 - a_{1,1}x_1 - a_{1,2}x_2 - \cdots - a_{1,n}x_n \ge 0$$

Auxiliary variable

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

Slack-Form LP:

RHS Minus the Left Hand Side

$$\underbrace{x_{n+1}}_{\text{Auxiliary variable}} = b_1 - a_{1,1}x_1 - a_{1,2}x_2 - \cdots - a_{1,n}x_n \ge 0$$

Auxiliary variable

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

Slack-Form LP:

RHS

Minus the LHSide

$$x_{n+1} = b_1 - a_{1,1}x_1 - a_{1,2}x_2 - \cdots - a_{1,n}x_n \ge 0$$

Auxiliary variable

RHS >= LHS

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \leq b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \leq b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \leq b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \geq 0$$

Slack-Form LP:

$$x_{n+1} = b_1 - a_{1,1}x_1 - a_{1,2}x_2 - \cdots - a_{1,n}x_n \geq 0$$
$$x_{n+2} = b_2 - a_{2,1}x_1 - a_{2,2}x_2 - \cdots - a_{2,n}x_n \geq 0$$

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

Slack-Form LP:

$$x_{n+1} = b_1 - a_{1,1}x_1 - a_{1,2}x_2 - \cdots - a_{1,n}x_n \ge 0$$
$$x_{n+2} = b_2 - a_{2,1}x_1 - a_{2,2}x_2 - \cdots - a_{2,n}x_n \ge 0$$
$$\vdots$$
$$x_{n+m} = b_m - a_{m,1}x_1 - a_{m,2}x_2 - \cdots - a_{m,n}x_n \ge 0$$

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

Slack-Form LP:

$$x_{n+1} = b_1 - a_{1,1}x_1 - a_{1,2}x_2 - \cdots - a_{1,n}x_n \ge 0$$
$$x_{n+2} = b_2 - a_{2,1}x_1 - a_{2,2}x_2 - \cdots - a_{2,n}x_n \ge 0$$
$$\vdots$$
$$x_{n+m} = b_m - a_{m,1}x_1 - a_{m,2}x_2 - \cdots - a_{m,n}x_n \ge 0$$
$$x_1,\ x_2,\ \cdots,\ x_n, x_{n+1}, x_{n+2}, \cdots, x_{n+m} \ge 0$$

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \leq b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \leq b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \leq b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \geq 0$$

Slack-Form LP:

$$x_{n+1} = b_1 - a_{1,1}x_1 - a_{1,2}x_2 - \cdots - a_{1,n}x_n$$
$$x_{n+2} = b_2 - a_{2,1}x_1 - a_{2,2}x_2 - \cdots - a_{2,n}x_n$$
$$\vdots$$
$$x_{n+m} = b_m - a_{m,1}x_1 - a_{m,2}x_2 - \cdots - a_{m,n}x_n$$
$$x_1,\ x_2,\ \cdots,\ x_n, x_{n+1}, x_{n+2}, \cdots, x_{n+m} \geq 0$$

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

Slack-Form LP:

$$z = c_1x_1 + c_2x_2 + \cdots + c_nx_n$$

$$x_{n+1} = b_1 - a_{1,1}x_1 - a_{1,2}x_2 - \cdots - a_{1,n}x_n$$
$$x_{n+2} = b_2 - a_{2,1}x_1 - a_{2,2}x_2 - \cdots - a_{2,n}x_n$$
$$\vdots$$
$$x_{n+m} = b_m - a_{m,1}x_1 - a_{m,2}x_2 - \cdots - a_{m,n}x_n$$
$$x_1,\ x_2,\ \cdots,\ x_n, x_{n+1}, x_{n+2}, \cdots, x_{n+m} \ge 0$$

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \leq b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \leq b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \leq b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \geq 0$$

Slack-Form LP:

$z = c_1x_1 + c_2x_2 + \cdots + c_nx_n$

Objective value

s.t.

$$x_{n+1} = b_1 - a_{1,1}x_1 - a_{1,2}x_2 - \cdots - a_{1,n}x_n$$
$$x_{n+2} = b_2 - a_{2,1}x_1 - a_{2,2}x_2 - \cdots - a_{2,n}x_n$$
$$\vdots$$
$$x_{n+m} = b_m - a_{m,1}x_1 - a_{m,2}x_2 - \cdots - a_{m,n}x_n$$
$$x_1,\ x_2,\ \cdots,\ x_n, x_{n+1}, x_{n+2}, \cdots, x_{n+m} \geq 0$$

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

Slack-Form LP:

$$z = c_1x_1 + c_2x_2 + \cdots + c_nx_n$$

$$x_{n+1} = b_1 - a_{1,1}x_1 - a_{1,2}x_2 - \cdots - a_{1,n}x_n$$
$$x_{n+2} = b_2 - a_{2,1}x_1 - a_{2,2}x_2 - \cdots - a_{2,n}x_n$$
$$\vdots$$
$$x_{n+m} = b_m - a_{m,1}x_1 - a_{m,2}x_2 - \cdots - a_{m,n}x_n$$

[redacted]

By convention, we do not write this, but we know this constraint is there.

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \leq b_1$$

$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \leq b_2$$

$$\vdots$$

$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \leq b_m$$

$$x_1,\ x_2,\ \cdots,\ x_n \geq 0$$

Slack-Form LP:

$$z = c_1x_1 + c_2x_2 + \cdots + c_nx_n$$

$$x_{n+1} = b_1 - a_{1,1}x_1 - a_{1,2}x_2 - \cdots - a_{1,n}x_n$$

$$x_{n+2} = b_2 - a_{2,1}x_1 - a_{2,2}x_2 - \cdots - a_{2,n}x_n$$

$$\vdots$$

$$x_{n+m} = b_m - a_{m,1}x_1 - a_{m,2}x_2 - \cdots - a_{m,n}x_n$$

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

Slack-Form LP:

$$z = \quad c_1x_1 + c_2x_2 + \cdots + c_nx_n$$

Equation above: objective function.

Equations below: constraints.

$$x_{n+1} = b_1 - a_{1,1}x_1 - a_{1,2}x_2 - \cdots - a_{1,n}x_n$$
$$x_{n+2} = b_2 - a_{2,1}x_1 - a_{2,2}x_2 - \cdots - a_{2,n}x_n$$
$$\vdots$$
$$x_{n+m} = b_m - a_{m,1}x_1 - a_{m,2}x_2 - \cdots - a_{m,n}x_n$$

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

Slack-Form LP:

$$z = c_1x_1 + c_2x_2 + \cdots + c_nx_n$$
$$x_{n+1} = b_1 - a_{1,1}x_1 - a_{1,2}x_2 - \cdots - a_{1,n}x_n$$
$$x_{n+2} = b_2 - a_{2,1}x_1 - a_{2,2}x_2 - \cdots - a_{2,n}x_n$$
$$\vdots$$
$$x_{n+m} = b_m - \underbrace{a_{m,1}x_1 - a_{m,2}x_2 - \cdots - a_{m,n}x_n}_{\text{RHS variables: Non-Basic Variables}}$$

LHS variables:

Basic Variables

RHS variables:

Non-Basic Variables

CH. 29 Linear Programming

Standard-Form LP:

maximize $c_1x_1 + c_2x_2 + \cdots + c_nx_n$

s.t.

$$a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n \le b_1$$
$$a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n \le b_2$$
$$\vdots$$
$$a_{m,1}x_1 + a_{m,2}x_2 + \cdots + a_{m,n}x_n \le b_m$$
$$x_1,\ x_2,\ \cdots,\ x_n \ge 0$$

Slack-Form LP:

$$z = c_1x_1 + c_2x_2 + \cdots + c_nx_n$$
$$x_{n+1} = b_1 - a_{1,1}x_1 - a_{1,2}x_2 - \cdots - a_{1,n}x_n$$
$$x_{n+2} = b_2 - a_{2,1}x_1 - a_{2,2}x_2 - \cdots - a_{2,n}x_n$$
$$\vdots$$
$$x_{n+m} = b_m - \underbrace{a_{m,1}x_1 - a_{m,2}x_2 - \cdots - a_{m,n}x_n}_{\text{RHS variables: Non-Basic Variables}}$$

LHS variables:

Basic Variables

Each variable is either on the LHS or RHS, but never on both sides.

So each variable is either a Basic Variable, or a Non-Basic Variable, but never both.

When we move variables later, a basic variable can change to a non-basic variable, or vice versa.